


Inequalities


Ward level indicators

Life expectancy at birth in females (2010-14) - wards in Oxfordshire significantly lower and significantly higher than Oxfordshire figure



Life expectancy at birth in males (2010-14) - wards in Oxfordshire significantly lower and significantly higher than Oxfordshire figure

Life expectancy at birth for males, 2010-2014 Oxfordshire England




Source: PHE Local Health

Percentage aged 0-15 living in income deprived households, Income Deprivation Affecting Children Index, 2015

Wards higher and lower than Oxfordshire and England


No confidence intervals for this indicator



Source: PHE Local Health


Percentage living in income deprived households, 2015 Wards higher and lower than Oxfordshire and England

No confidence intervals for this indicator




Source: PHE Local Health

Percentage of households in fuel poverty, 2014 data Wards significantly higher (or lower) than Oxfordshire figure




Source: Dept. of Energy & Climate Change

Percentage of working age population claiming out of work benefits, 2015/16 data Wards significantly higher (or lower) than Oxfordshire figure




Good level of development at 5 years (%), 2013-14 Wards significantly lower (and higher) than Oxfordshire figure



Source: PHE Local Health


Admissions for injuries for children 0-4 yrs, 2010/11-2014/15 (four years combined)
Crude rate per 10,000 population. Wards that are significantly higher (or lower)
than Oxfordshire



Source: PHE Local Health


A&E attendances for 0-4 years, crude rate per 1,000 population, 2012-13 to 2014/15

Wards in that are significantly higher (or lower) than Oxfordshire




Source: PHE Local Health

Percentage of Reception Year (4-5 years) children who are obese; Wards in Oxfordshire significantly higher than the Oxfordshire percentage; 2012/13 to 2014/15 combined years




Percentage of Year 6 (10-11 years) who are obese; Wards that are significantly higher or lower than Oxfordshire percentage; 2012/13 to 2014/15 years combined




Source: PHE Local Health

Hospital admissions for injuries in children under 15 years - crude rate per 10,000 Wards in Oxfordshire significantly higher (or lower) than Oxfordshire rate




Hospital admissions due to injuries in 15-24 years - Crude rate per 10,000 Wards that are significantly higher (and lower) than Oxfordshire rate



Source: PHE Local Health

Hospital stays for self-harm; standardised admission ratio (SAR)


Wards in Oxfordshire significantly higher than England SAR; 2010-11 to 2014/15 combined



Source: PHE Local Health


Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD); standardised admission ratio (SAR)

Wards in Oxfordshire significantly higher and lower than England; 2010/11 to 2014/15 combined




Source: PHE Local Health

Emergency hospital admissions for Coronary Heart Disease (CHD); standardised admission ratio; Wards in Oxfordshire significantly higher and lower than England SAR; 2010/11 to 2014/15 combined




Source: PHE Local Health

Emergency hospital admissions for stroke; standardised admission ratio; Wards in Oxfordshire significantly higher or lower than England SAR; 2010/11 to 2014/15 combined




Source: PHE Local Health

Hospital stays for alcohol-related conditions; standardised admission ratio (SAR); Wards in Oxfordshire significantly higher or lower than England SAR; 2010/11 to 2014/15 combined years




Source: PHE Local Health

Mortality from Cancer in people under 75 years; standardised mortality ratio (SMR); Oxfordshire wards significantly higher and lower than England SMR; 2010-14 combined years




Source: PHE Local Health

Mortality from Circulatory Diseases in people under 75 years; standardised mortality ratio (SMR); Wards in Oxfordshire significantly higher and lower than England SMR; 2010-14 years combined




Mortality from respiratory diseases; all ages; standardised mortality ratio (SMR); Wards in Oxfordshire that are higher and lower than England SMR; 2010-14 years combined



Source: PHE Local Health

Mortality from stroke (all ages); standardised mortality ratio (SMR); Wards in Oxfordshire that are higher or lower than England SMR; 2010-14 years combined




Source: PHE Local Health

Inequalities

MSOA level indicators

Healthy Life Expectancy (HLE) at birth in females; Middle Super Output Areas (MSOAs) significantly lower and higher than Oxfordshire HLE; 2009-13 years combined


Please see separate map for location of MSOAs; Note these data not available at district level



Source: Office for National Statistics (ONS)


Healthy Life Expectancy (HLE) at birth in males; Middle Super Output Areas (MSOAs) significantly lower and higher than Oxfordshire HLE; 2009-13 years combined

Please see separate map for location of MSOAs; Note these data not available at district level




Source: Office for National Statistics (ONS)

Healthy Life Expectancy (HLE) in males
Middle Super Output Areas (MSOAs) highlighted
with significantly higher or lower HLE than Oxfordshire average




Disability-free Life Expectancy (DfLE) in Females; Middle Super Output Areas (MSOAs) significantly lower and higher than Oxfordshire DfLE; 2009-13 years combined

Please see separate map for MSOA location. Note these data are not available at district level




Source: Office for National Statistics (ONS)

**Disability-free Life Expectancy (DfLE) in females
Middle Super Output Areas (MSOAs) highlighted
with significantly higher or lower DfLE than Oxfordshire average**




Disability-free Life Expectancy (DfLE) in Males; MSOAs with a significantly lower or higher DfLE than Oxfordshire; 2009-13 combined years

Please see separate map for location of MSOAs; Note these data are not available at district level



Source: Office for National Statistics (ONS)

Disability-free Expectancy (HLE) in males
Middle Super Output Areas (MSOAs) highlighted
with significantly higher or lower HLE than Oxfordshire average




Inequalities

District level indicators


Percentage of live births with a recorded birth weight under 2500g Oxfordshire Districts, Oxfordshire & England; 2015 data

Note: no significant differences




Infant deaths under 1 year of age per 1,000 live births; crude rate;
2013-15 (3 years combined)
Oxfordshire districts, England & Oxfordshire


Note: no significant differences




Percentage of five year old children free from dental decay; 2014/15; Oxfordshire districts, England & Oxfordshire




Eligible homeless people NOT in priority need; crude rate per 1,000 households; 2015/16; Oxfordshire districts, England & Oxfordshire




Accepted as being homeless (by district) and in priority need; number per 1,000 households; 2015/16; Oxfordshire districts, England & Oxfordshire



Statutory homelessness - households in temporary accommodation; crude rate per 1,000 households; 2015/16; Oxfordshire districts, England & Oxfordshire




Smoking prevalence in adults (18+ years); current smokers; 2015 Annual Population Survey; Oxfordshire districts, England & Oxfordshire




Prevalence of smoking in 18+ years in routine and manual group; self-reported smokers; 2015 survey; Oxfordshire districts, England & Oxfordshire

Note: no significant differences

Smoking prevalence in routine and manual group



Incidence of TB per 100,000 population; 3-year average incidence 2013-15;
Oxfordshire districts, England and Oxfordshire



Age standardised mortality rate from suicide and injury of undetermined intent per 100,000; 3-year average 2013-15; Oxfordshire districts, England & Oxfordshire

