

Watlington Option Assessment Report (OAR)

Oxfordshire County Council

Project number: 60635885

February 202

Quality information

Prepared by	Checked by	Verified by	Approved by
-	Xenia Karekla	June -	S. R. BARNES
Gabi Mcerlane, Graduate Consultant	losif Stroumtsas Senior Consultant	Simon Willison Associate Director	Samuel Barnes Associate Director
Marianne Karanen Consultant	Xenia Karekla Senior Consultant		

Revision History

Revision	Revision date	Details	Authorized	Name	Position
0	13/01/2021	Draft Submission	1	Sam Barnes	Project Manager
1	10/02/2021	Amended		Sam Barnes	Project Manager

Distribution List

# Hard Copies	PDF Required	Association / Company Name

Watlington	
Option Assessment Report	į

Project Number: 60635885

Prepared for:

Oxfordshire County Council

Prepared by:

AECOM Infrastructure & Environment UK Limited AECOM House 63-77 Victoria Street St Albans Hertfordshire AL1 3ER United Kingdom

T: +44(0)1727 535000 aecom.com

© 2021 AECOM Infrastructure & Environment UK Limited. All Rights Reserved.

This document has been prepared by AECOM Infrastructure & Environment UK Limited ("AECOM") for sole use of our client (the "Client") in accordance with generally accepted consultancy principles, the budget for fees and the terms of reference agreed between AECOM and the Client. Any information provided by third parties and referred to herein has not been checked or verified by AECOM, unless otherwise expressly stated in the document. No third party may rely upon this document without the prior and express written agreement of AECOM.

Table of Contents

1.	Introduction	
1.1	Background	1
1.2	Report Purpose	1
1.3	Report Structure	2
2.	Baseline and Future Conditions Analysis	4
2.1	Introduction	4
2.2	Geographic Context	4
2.3	Data Review	5
2.4	Current and Future Conditions	7
3.	Policy Context and Objectives	30
3.1	Introduction	30
3.2	National Policies	30
3.3	Regional Policies	
3.4	Local Policies	
3.5	Transport Policy Objectives	
4.	Option Generation	36
4.1	Introduction	
4.2	Option A – Heavy Rail Link	
4.3	Option B – Light Rail Link	
4.4	Option C – Enhanced Bus Link or Network	
4.5	Option D – Road Link – higher speed bypass	
4.6	Option E – Road Link – lower speed distributor/edge road	
4.7	Option F – 'Do nothing'	
4.8 -	Option G – 'Do Minimum' Highway Improvements	
5.	Option Sifting	
5.1	Introduction	
5.2	Methodology	
5.3	Matched option A1-B1	
5.4 = =	Matched Option A384 R4	
5.5 5.6	Matched Option A2&4-B4	
5.6 5.8	Matched option A2&4-B3 Matched option C1-P1	
5.6 5.9	Matched option C1-P1	
5.9 5.11	Matched option C2-P6	
5.13	Matched option C2-P7	
5.14	Results: Short list of options	
6.	Conclusions and Next Steps	
6.1	Summary	
6.2	Next Steps	
0.2	1 to At Grope	
Арр	endices	
Appen	ndix A : Stage 1 - High Level Sift: Part 1	58
	ndix B : Stage 1 - High Level Sift Part 2	
	ndix C : Stage 1 - High Level Sift Part 3	
	ndix D : Stage 2 - Detailed Sift	
	ndix E : Stage 2 - Detailed Sift Summary	

Tables

Table 2.1. Average total weekday traffic flows	8
Table 2.2. Average weekday ATC counts of large HGVs	8
Table 2.3. Travel times by car to key surrounding settlements from Watlington (weekday AM peak)	14
Table 2.4. Journeys between Watlington and workplaces and mode share (no internal journeys)	
Table 2.5. Watlington bus services	19
Table 2.6. Traffic flows from WebTRIS counts - M40 Junction 6 slip roads	
Table 2.7. Number of collisions and vehicles involved in accidents in Watlington 2015 to 2019	24
Table 2.8. Vehicle trip generation for site A	26
Table 2.9. Vehicle trip generation for Site B and C	27
Table 2.10. Vehicle trip generation for PYR1	27
Table 2.11. Vehicle trip generation for PYR2	27
Table 3.1.Oxfordshire LTP4 Themes, Goals and Objectives aligned with the proposed transport	
scheme in Watlington	32
Table 3.2 Watlington infrastructure scheme objectives to national, regional & local policies	34
Table 5.1. Sifting Stages	
Table 5.2. High Level Sift Scoring System	
Table 5.3. High level Sift Part 1 Options	
Table 5.4. High Level Sift Part 2 Options	
Table 5.5. Suboptions of Option E2 New Road considered in High Level Sift Part 3	
Table 5.6. Options taken forward to detailed sift	
Table 5.7. Detailed Sift Criteria.	
Table 5.8. Assessed Subcategories in Stage 2 Detailed Sift	
Table 5.9. Potential benefits and issues of Option A1-B1	48
Table 5.10. Potential benefits and issues of option A5-B5	
Table 5.11. Potential benefit and issues of option A2&4-B4	
Table 5.12. Potential benefits and issues of option A2&4-B3	
Table 5.13. Potential benefits and issues of option C1-P1	
Table 5.14. Potential benefits and issues of option C1-P2	
Table 5.15. Potential benefits and issues of option C2-P6	
Table 5.16. Potential benefits and issues of option C2-P7	
Table 5.17. Indicative ranking of route section options	56
Figures	0
Figure 1.1. DfT's Transport Appraisal Process	2
Figure 2.1.Watlington situated in South Oxfordshire District	
Figure 2.2. Watlington and surrounding parishes	
Figure 2.3. AQMA Watlington	
Figure 2.4. Flood Zones near Watlington	
Figure 2.5. Sites of Special Scientific Interest (shown in blue)	
Figure 2.6. Conservation Areas around Watlington (marked in blue)	
Figure 2.7. Area of Outstanding Natural Beauty (shown in blue)	
Figure 2.8. Surrounding settlements	
Figure 2.9. Journeys from Watlington to places of work (no internal journeys) - Census 2011 JTW	
Figure 2.10. Journeys to Watlington for work (no internal journeys) - Census 2011 JTW	
Figure 2.11. Local Cycle Network (Google Maps)	
Figure 2.12. National Cycle Network (Sustrans)	
Figure 2.13. Public Rights of Way (OCC)	
Figure 2.14. Bus service no. 11	
Figure 2.15. Bus service no. RL30	
Figure 2.16. Bus service no.137	
Figure 2.17. Surrounding railway links	
Figure 2.18. Watlington in relation to the M40 Junction 6	
Figure 2.19. Collision locations for the 4-year period from 2015 to 2019	
Figure 2.20. Proposed development sites in Watlington and Pyrton	
Figure 5.1. Alignment representation of Option E2 suboptions	44

1. Introduction

1.1 Background

- 1.1.1 AECOM has been commissioned by Oxfordshire County Council (OCC) to undertake a feasibility study for a potential new transport scheme in the Watlington area. Watlington is a small, rural market town in South Oxfordshire district, which is currently experiencing traffic-related challenges due to several factors that will be further explored in this report. Current traffic conditions are expected to worsen as the town accommodates planned housing development and could act as a barrier to much needed housing growth in the wider area, demonstrating the need for an intervention to help alleviate future traffic-related challenges.
- 1.1.2 Watlington has population of around 2,397 people (ONS 2019 Mid Year Estimate). The town's population has increased by 12% between 2001 and 2019, and with planned housing growth coming forward, is expected to increase further.
- 1.1.3 Historically, the town expanded around the crossroads between two cross-country roads which traverse South Oxfordshire: the B4009 which follows in part the ancient Icknield Way and broadly links Little Kimble near Princes Risborough with Benson near Wallingford; and the B480, which broadly links Oxford with Henley on Thames. Watlington's neighbouring parishes are Pyrton and Shirburn, two small and historical villages and large civil parishes in Oxfordshire. Pyrton is located around 1.5km north of Watlington, while Shirburn is situated around 1.8km northeast of Watlington.
- 1.1.4 Watlington has a compact town centre mainly comprising smaller independent retailers and key local services, including a library. A fire station is located within the town. There is a small industrial estate on the north-western edge of the town, whilst education centres, such as Icknield Community College and Watlington Primary School, are located on the northern edge of the town. Watlington and District Nursing Home and The Chiltern Surgery are both located on the Watlington Hospital Site on the south-eastern edge of the town. Leisure facilities, including a Squash and Racketball Blub and Watlington Cricket Club, are located on the recreation ground on the north-eastern edge of the town. Watlington does not include many workplaces, thus approximately 60% of people living in Watlington travel outside for work.
- 1.1.5 Watlington lies approximately 21km as the crow flies from the centre of Oxford, 10km from Wallingford, 10km from Thame, 15km from Princes Risborough, 14km from Henley-on-Thames and 18km from High Wycombe. From a transport perspective, Watlington is connected to the surrounding area by the aforementioned B-roads, more rural unclassified lanes, a network of public rights of way and some rural bus services. The nearest strategic transport corridor, namely the M40, lies to the north of Watlington. There is no access to rail services in Watlington.

1.2 Report Purpose

- 1.2.1 This Option Assessment Report (OAR) summarises the option development process and how the decision making was carried out to reach the recommended shortlisted options to be taken forward to the next stage of development.
- 1.2.2 This report sets out the study context; provides details of the adopted approach; discusses current and future conditions, and objectives for the study; provides details of the long list of options that have been identified which could address issues in the Watlington area and meet the objectives; sets out the criteria for an initial sift of the long list of options to derive a more refined list of options; summarises the results of the initial sifting and provides a more detailed assessment against a range of criteria

in line with best practice and Government guidelines; and recommends the option(s) which should be taken forward.

1.3 Report Structure

1.3.1 The OAR follows the Department for Transport's (DfT) Transport Appraisal Guidance (TAG), as illustrated in DfT's Transport Appraisal Process (TAP)¹ (**Figure 1.1**). It provides a summary of steps one to six in Stage 1 - Option Development of the appraisal process, including the review and summary of the work to date undertaken by or for OCC.




Figure 1.1. DfT's Transport Appraisal Process

Source: Transport Appraisal Process (DfT, 2018)

- 1.3.2 An Appraisal Specification Report has not been prepared at the time of writing.
- 1.3.3 Following this introductory section, this report is structured as follows:
 - Section 2: Baseline and Future Conditions Analysis;

¹ Department for Transport (2018) Transport Analysis Guidance: The Transport Appraisal Process. https://www.gov.uk/government/publications/webtag-transport-appraisal-process-may-2018

- Section 3: Policy Context and Objectives;
- Section 4: Option Generation;
- Section 5: Option Sifting; and
- Section 6: Conclusions and Next Steps.

2. Baseline and Future Conditions Analysis

2.1 Introduction

2.1.1 This section of the report provides a summary of the existing data and previous work reviewed in order to identify key challenges in the study area, which would help inform the development of objectives. These objectives will be critical in later stages to assess and sift options, as well as becoming a key component against which the final proposed solution will be appraised and, following implementation, evaluated.

2.2 Geographic Context

2.2.1 Watlington is situated in the south east of Oxfordshire, in South Oxfordshire District, as seen in **Figure 2.1**. It is rurally situated with the larger settlements of Wallingford to the south west, Princes Risborough to the north east and Oxford to the north west.




Figure 2.1. Watlington situated in South Oxfordshire District

- 2.2.2 The following parishes surround Watlington, as shown in Figure 2.2:
 - Pyrton;
 - Shirburn;
 - Britwell Salome;
 - Cuxham and Easington.




Figure 2.2. Watlington and surrounding parishes

2.3 **Data Review**

- 2.3.1 A series of existing studies, strategies and data have been used to understand the local context. Given the significant amount of work already undertaken to understand and assess current and future issues in the area, as well as potential solutions, only a summary of the most pertinent points is presented in this report. The key sources of information are as follows:
 - Watlington Neighbourhood Development Plan²
 - Pyrton Neighbourhood Plan³
 - South Oxfordshire Local Plan 2011-20344
 - Watlington Traffic Study 20145
 - Watlington Parking Study 2016⁶⁷
 - Watlington Air Quality8
 - Watlington Statement of Case⁹

² http://www.watlingtonnp.org.uk/Watlington-Neighbourhood-

Plan/UserFiles/Files/WNDP1%20Watlington%20Neighbourhood%20Development%20Plan%20MADE%20VERSION.pdf

³ http://www.southoxon.gov.uk/services-and-advice/planning-and-building/planning-policy/neighbourhood-plans/pyrtonneighbourhood-p

⁴ http://www.watlingtonnp.org.uk/Watlington-Neighbourhood-

Plan/UserFiles/Files/SODC%20LP2034%20Publication%20document%20jan%202019.pdf

http://www.watlingtonnp.org.uk/Watlington-Neighbourhood-

Plan/UserFiles/Files/TPP%20Watlington%20Traffic%20Study%20Report%20(final).pdf

http://www.watlingtonnp.org.uk/Watlington-Neighbourhood-Plan/surveys-15290.aspx

⁷ https://www.researchgate.net/profile/Mohamed_Mourad_Lafifi/post/Exit-of-Vehicle-parking-in-VISSIM/attachment/5eaf1fd1f155db0001f94192/AS%3A887195288215553%401588535248967/download/Watlington+Traffic+ Modelling+240223+v2.pdf

⁸ Watlington Air Quality.pdf

⁹ Watlington Statement of Case.pdf

- Watlington Traffic Case¹⁰
- Watlington Relief Road Flood Risk & Mitigation 111213
- Oxfordshire County Council Local Transport Plan 4 2015-2031¹⁴
- Department for Transport Trip End Model Presentation Program (TEMPro)¹⁵
- Department for Transport National Trip End Model (NTEM) traffic growth estimates16
- Department for Transport Road Traffic Statistics traffic count information for Strategic Road Network¹⁷
- Highways England Webtris traffic count information for the Strategic Road Network¹⁸
- Bus timetable information Oxfordshire County Council and Stagecoach 1920
- Department for Environment, Food and Rural Affairs, UK Air Information Resource²¹
- Department for Environment, Food and Rural Affairs MAGIC geographical information on the natural environment²²
- Natural England / Defra open data²³
- Crashmap road collision data²⁴
- Office for National Statistics UK Census 2011²⁵²⁶
- Oxfordshire Definitive Map public rights of way²⁷.
- 2.3.2 Additionally, the following technical notes and data were used:
 - Watlington Relief Road Traffic Modelling²⁸
 - Land Acquisition Strategy²⁹
 - Watlington Relief Road events³⁰
 - Watlington Relief Road HLC report31
 - Watlington Relief Road monuments report³²

¹⁰ Watlington Traffic Case.pdf

¹¹ Watlington Relief Road Product 4 Data_2016.pdf

¹² THM_172472 Product 4.pdf

¹³ 127706-02.pdf

¹⁴https://www2.oxfordshire.gov.uk/cms/sites/default/files/folders/documents/roadsandtransport/transportpoliciesandplans/localtr ansportplan/ConnectingOxfordshirevol1policyandoverallstrategy.pdf

https://data.gov.uk/dataset/11bc7aaf-ddf6-4133-a91d-84e6f20a663e/national-trip-end-model-ntem

https://www.gov.uk/government/publications/tempro-downloads

¹⁷ https://roadtraffic.dft.gov.uk/#6/55.254/-6.053/basemap-regions-countpoints

¹⁸ https://webtris.highwaysengland.co.uk/

¹⁹ https://www.oxfordshire.gov.uk/residents/roads-and-transport/public-transport

²⁰ https://bustimes.org/localities/watlington-oxon

https://uk-air.defra.gov.uk/aqma/maps/

https://magic.defra.gov.uk/

https://naturalengland-defra.opendata.arcgis.com/maps/edit?content=Defra%3A%

²⁴ https://www.crashmap.co.uk/

https://www.ons.gov.uk/census

https://www.ons.gov.uk/census/2011census/2011censusdata/originanddestinationdata

https://www.oxfordshire.gov.uk/residents/environment-and-planning/countryside/countryside-access/public-rights-way/public-

²⁸ Watlington Relief Road Traffic Modelling Technical Note (TNA01-A), prepared by AECOM and issued to OCC on 23/10/2020

²⁹ Watlington Relief Road Material to inform Land Acquisition Strategy, prepared by OCC on 02/10/2020

³⁰ HER 20-69 Watlington Relief Road events report, issued on 02/10/2020

³¹ HER 20-69 Watlington Relief Road HLC report, issued on 02/10/2020

³² HER 20-69 Watlington Relief Road monuments report, issued on 02/10/2020

Oxfordshire County Council - transport projects screening³³

- 2.3.3 Alignment and site drawings were also provided to AECOM by OCC:
 - Beechcroft Red Line
 - Topographical Survey Data
 - Site Layout Colour³⁴
 - Cuxham Road S278 Works General Arrangement Plan³⁵
 - Britwell Road Phase 1 S278 Works General Arrangement³⁶

2.4 Current and Future Conditions

- 2.4.1 As part of the initial stage of option development, it is important to understand the current and future context, and transport conditions in the study area, including the main issues and the proposals that have been put forward in recent years to address these issues.
- 2.4.2 The local context and, where appropriate, current and future trends for the following are discussed in this section:
 - Current transport related problems
 - Environmental issues
 - Travel patterns and mode share
 - · Cycle network and public rights of way
 - Public transport
 - Access to the Strategic Road Network (M40)
 - Collisions
 - Future growth.

Current transport related problems

- 2.4.3 In 2014, the Watlington Traffic Study⁵ was carried out in order to establish the more critical traffic-related issues there were present at the time and which largely persist today. Key observations from the study include that the main arterial routes through the town centre the B4009 Couching Street and B480 Brook Street are theoretically operating within capacity, however traffic queues and delays are caused by obstruction of traffic movements due to on-street parking, in particular on Couching Street.
- 2.4.4 Secondly, Pyrton Lane, which feeds into the north-western part of Watlington, in conjunction with Station Road, which connects Pyrton village with the B4009 Shirburn Road, were observed as being used by motorists as a 'rat run', especially in the AM period, to avoid congestion through Watlington.
- 2.4.5 The study also reports that Automatic Traffic Counters (ATC) were installed to collect traffic flow data on four key roads: B4009 Shirburn Road, B480 Howe Road, B4009 Britwell Road and B480 Cuxham Road. **Table 2.1** and **Table 2.2** present the results included in the Watlington Traffic Study⁵.

Project Number: 60635885

^{33 127200 (}OCC transport projects screening).pdf

³⁴ 25788 SM000-SL-003e(Site Layout Colour) ISSUED.pdf

³⁵ JKK10252_100-P1-Cuxham Road S278 Works General Arrangment Plan.pdf

³⁶ JKK10252_120-P1-Britwell Road Phase 1 S278 Works General Arrangement.pdf

- 2.4.6 **Table 2.1** shows that most traffic routes through Shirburn Road, especially in the 07:00-08:00 AM peak. This accounts for approximately 45% of all traffic counted on the four key roads. Additionally, the study reports that 85% of traffic in the AM peak and 82% of traffic in the PM peak in Watlington is through-traffic.
- 2.4.7 **Table 2.2** shows that Shirburn Road and Britwell Road have the highest number of large Heavy Goods Vehicles (HGVs). HGV counts on Cuxham Road were very low, indicating that HGVs tend not to go through Watlington. They are potentially using an alternative route to reach the M40 and other key destinations. No HGVs were recorded in the PM peak on any road.

Table 2.1. Average total weekday traffic flows

Link	AM Peak (07:00- 08:00)	AM Peak (08:00- 09:00)	PM Peak (17:00- 18:00)	12-hour (07:00- 19:00)	24-hour
B4009 Shirburn Road	1,017	993	986	8,583	10,454
B480 Howe Road	302	328	319	2,978	3,495
B4009 Britwell Road	568	524	561	4,763	5,788
B480 Cuxham Road	247	266	283	2,455	2,937

Table 2.2. Average weekday ATC counts of large HGVs

Link	AM Peak (07:00- 08:00)	AM Peak (08:00- 09:00)	PM Peak (17:00- 18:00)	12-hour (07:00- 19:00)	24-hour
B4009 Shirburn Road	7	10	0	53	58
B480 Howe Road	2	1	0	10	11
B4009 Britwell Road	3	5	0	39	46
B480 Cuxham Road	3	3	0	13	15

- 2.4.8 In 2016, the Watlington Parking Study⁶ was carried out in order to understand the impacts of proposals to remove on-street parking on traffic congestion in the town centre. The collected data revealed that congestion issues occur in both AM and PM peak periods: "In the AM period the queues extended to the Gorwell junction in the southbound direction, occasionally reaching back as far as the Cuxham Road junction and around the sharp bends onto Ingham Road in the northbound direction and onto side roads not included in the model. In the PM period, the southbound queue was not seen to extend past Davenport Place, the northbound queue was similar in extent to the AM and extended around the bends onto Ingham Road". It is also stated that HGVs are travelling through the town centre's narrow roads creating concerns around noise, air quality and safety.
- VISSIM modelling⁷ was undertaken to test journey times and junction delays on three junctions: B4009 / Cuxham Road, B480 / Couching Street and B4009 / High Street / Hill Road. The modelling exercise assessed a base year of 2016 and forecast year of 2033 with and without on-street parking. The results showed that removing onstreet parking would reduce average journey times by 60 seconds in the AM peak and by 30 seconds in the PM peak along Couching Street in the northbound direction in 2033. Average journey times in the southbound direction increased by 150 seconds towards the end of the AM and PM peaks in 2033 when on-street parking is removed. The study concluded that removing the on-street parking by 2033 will result in a significant increase in average queues along Couching Street, reaching 430m

- southbound and 320m northbound in the AM peak and 474m southbound and 156m northbound in the PM peak.
- 2.4.10 The above show that junction delays by 2033 would be significantly higher than the delays experienced in 2016, even without the on-street parking. Total network delay in the AM peak was suggested to be 223 hours higher peak between the 2016 and 2033 Do Minimum scenarios and 43 hours between the Do Something scenarios. Similar results were derived for the PM peak. Thus, the level of delay will still increase significantly by 2033 and a more drastic intervention would be necessary to address the issue of vehicle delay.
- 2.4.11 Using the DfT's Trip End Model Presentation Programme (TEMPro), the study reports that it was estimated that between 2014 and 2031, there would be a 6%-8% increase in background traffic growth. The study concluded that this traffic growth would intensify the existing traffic congestion issues, thus escalating concerns around noise, air quality and safety.
- 2.4.12 Further checks on traffic growth have been undertaken by AECOM using TEMPro v7.2 (the most recent version available at the time of writing). National projections consider that trip end productions and attractions relating to the South Oxfordshire 008 Middle Super Output Area (MSOA), where Watlington is situated, will grow by approximately 12% between 2020 and 2034 (the horizon year for the South Oxfordshire Local Plan). This is believed to negatively impact the current traffic conditions in the area if a scheme to mitigate traffic-related challenges was not implemented.

Environmental issues

Air Quality

- 2.4.13 In 2009, the Watlington area was found to have high levels of the pollutant Nitrogen Dioxide (NO₂), which led to sections of roads through Watlington being declared as an Air Quality Management Area (AQMA) by Defra. The key areas of concern included the B480 Brook Street between the Gorwell junction (B480/B4009) to the Watcombe Road junction (adjacent to St Edmund Campion Roman Catholic Church) as well as the length of the B4009 along Counching Street and Shirburn Road.
- 2.4.14 As can be seen in **Figure 2.3** the AQMA covers a large part of the B4009, which is the key road running through the centre of Watlington. Measures to manage traffic movements could help improve air quality in the area.



Figure 2.3. AQMA Watlington³⁷

Water Environment and Flood Risk

- 2.4.15 Baseline water environment and flood risk could potentially impact and restrict scheme options.
- 2.4.16 The UK Government's Flood Risk Map for Planning website³⁸ indicates that, with regard to fluvial flooding, the study area is mainly in Flood Zone 1 (see **Figure 2.4.**). This is land assessed as having a less than 1 in 1,000 annual probability of river or sea flooding (<0.1% Annual Exceedance Probability (AEP)). The exception is to the south of the B480 (Cuxham Road), where Chalgrove Brook is marked as Flood Zone 3 (1 in 100 or greater annual probability of river flooding (>1% AEP)). There are patches of Flood Zone 2 and Flood Zone 3 in the field belonging to Bloor Homes to the south of Chalgrove Brook river (between 0.1% and 1% AEP).
- 2.4.17 The UK Government's Long Term Flood Risk website³⁹ indicates that the study area is generally at Very Low risk of surface water flooding (each year this area has a chance of flooding of less than 0.1%). However, south of the B480 (Cuxham Road) there are areas of High Risk (annual chance of flooding of greater than 3.3%) in the immediate vicinity of Chalgrove Brook, and low (annual chance of flooding of between 0.1% and 1%) and medium risk (chance of flooding of between 1% and 3.3%) within the field owned by Bloor Homes.
- 2.4.18 According to the Highways Agency Drainage Data Management System website (HADDMS)⁴⁰, there is limited potential for groundwater flooding across the majority of the study area. However, the Watlington Neighbourhood Development Plan Strategic Flood Risk Assessment (SFRA)⁴¹ indicates that there have been

³⁷ Defra: https://uk-air.defra.gov.uk/aqma/details?aqma_ref=583

https://flood-map-for-planning.service.gov.uk/

https://flood-warning-information.service.gov.uk/long-term-flood-risk

⁴⁰ https://data.gov.uk/dataset/bb85340f-7f98-445f-b56c-70018151bdcf/highways-agency-drainage-data-management-system-haddms

haddms

41 http://www.watlingtonnp.org.uk/Watlington-Neighbourhood-Plan/UserFiles/Files/23-1017/WNDP14%20Flood%20Risk%20Assessment%20and%20Sequential%20Test%20Oct%202017.pd

groundwater flooding issues within Watlington. This describes that Chalgrove Brook river is fed by groundwater stored within the underlying chalk geology, which may rise to the ground surface as spring flows after prolonged rainfall. This was most notable in February 2014, where following months of prolonged rainfall, groundwater levels in the underlying chalk bedrock rose. Severe flooding affected parts of the town (e.g. the roads of Station Road, Brook Street, Spring Lane, Gorwell and The Goggs) for several weeks. Groundwater formed a continuous stream of water from Lower Hill Road to the junction between the High Street and Shirburn Road. Properties were evacuated and internally flooded in The Goggs and Shirburn Street, while property gardens on Hill Road were flooded by spring flows from fields to the south.

2.4.19 Overall, Watlington is not at risk from reservoir flooding or of flooding from canals as indicated by the studies available for the area.




Figure 2.4. Flood Zones near Watlington⁴²

Landscape

2.4.20 Watlington is not covered by any landscape related designations; nor is it within a Conservation Area or Registered Historic Park and Garden. As shown in Figure 2.5 Sites of Special Scientific Interest (SSSI) are situated south east and north east of the town, however no land directly in Watlington is classed as a SSSI.

⁴² https://flood-map-for-planning.service.gov.uk/confirm-location?easting=468633&northing=194858&placeOrPostcode=Watlington




Figure 2.5. Sites of Special Scientific Interest (shown in blue)43

2.4.21 Watlington Conservation Area⁴⁴ covers most of the village, with many listed buildings in the southern part of the village. Pyrton Conservation Area⁴⁵ is the immediate northwest of the eastern part of the Site (Pyrton Manor) and the designation extends across Pyrton. Shirburn Conservation Area is to the immediate north-east of the eastern part of the Site, on the opposite side of Pyrton Lane (shown in **Figure 2.6**).

⁴³ https://naturalengland-defra.opendata.arcgis.com/maps/edit?content=Defra%3A%3Asites-of-special-scientific-interest-units-england

england

44 http://www.watlingtonnp.org.uk/Watlington-Neighbourhood-Plan/UserFiles/Files/23-10
17/WNDP9%20Photographs%20Watlington%20Conservation%20Area%20Views.pdf

https://www.southoxon.gov.uk/wp-content/uploads/sites/2/2020/09/Pyrton-Conservation-Area-Appraisal.pdf




Figure 2.6. Conservation Areas around Watlington (marked in blue)46

2.4.22 The Chilterns Area of Outstanding Natural Beauty (AONB) is to the immediate south of the eastern part of the site (see **Figure 2.7**). The AONB extends from the elevated land to the south of Watlington, to the B4009. Given the town's proximity to the AONB, it is considered to form part of the AONB setting.




Figure 2.7. Area of Outstanding Natural Beauty (shown in blue)⁴⁷

2.4.23 The Chilterns AONB Management Plan⁴⁸ identifies that there is increasing pressure for both large and small-scale development within the setting of the AONB and that "development and land management proposals, by virtue of their nature, size, scale,

⁴⁶ https://www.homipi.co.uk/conservation-areas/south-oxfordshire/#map

⁴⁷ https://naturalengland-defra.opendata.arcgis.com/maps/edit?content=Defra%3A%

⁴⁸ https://www.chilternsaonb.org/conservation-board/management-plan.html

- siting, materials or design could be considered to have an impact, either positive or negative, on the natural beauty and special qualities of the Chilterns AONB".
- 2.4.24 The Watlington Design Guide⁴⁹, which sets out design guidance for the settlement, acknowledges relevant specific constraints relating to the National Trust property at Watlington Hill, which lies to the south of the town.
- 2.4.25 The primary constraints around landscape are the proximity of the AONB, the proximity of the scheme to Conservation Areas and Registered Historic Parks and Garden and the perception of coalescence with Pyrton. These aspects, but particularly the impact to the setting of the AONB, have the potential to result in significant landscape and visual effects.

Travel patterns and mode share

- 2.4.26 As can be seen in **Figure 2.8** overleaf, Watlington is situated in a rural location at least 10 miles from the nearest larger settlement with a higher concentration of key services. It is surrounded in the more immediate area by an assortment of smaller settlements which could generate trips to, from and through Watlington.
- 2.4.27 Further afield, there are larger settlements which may attract journeys from Watlington, or potentially through the town such as Wallingford and Princes Risborough. However, as will be discussed in more detail in following section, the travel options to and from Watlington are limited in part due to its rural location. **Table 2.3.** shows the journey times between Watlington and nearby settlements during a weekday AM peak.

Table 2.3. Travel times by car to key surrounding settlements from Watlington (weekday AM peak)

Destination	Journey time	Approximate Crow Fly Distance
High Wycombe (Centre)	18-35 minutes	15 miles
Oxford centre	35-55 minutes	21 miles
Thame	14-22 minutes	10 miles
Chinnor	10-18 minutes	6 miles
Princes Risborough	20-30 minutes	10 miles
Benson	7-10 minutes	5 miles
Chalgrove	6-8 minutes	4 miles
Wallingford	14-22 minutes	10 miles
Henley-on-Thames	20-30 minutes	14 miles

Source Google Maps, Tuesday 07.45 am

2.4.28 Census 2011 Journey to Work data was reviewed in order to understand the patterns of journeys to and from Watlington. **Figure 2.9** shows commuting journeys travelling from Watlington to other areas for work (excluding any internal journeys of people living and working in Watlington). The darker shade of green indicates a higher number of journeys and so Henley-on-Thames and Wallingford are identified as key places where Watlington residents travel to for work. Other key areas include the

⁴⁹ http://www.watlingtonnp.org.uk/Watlington-Neighbourhood-Plan/UserFiles/Files/WNDP11%20Watlington%20Design%20Guide%20-Referendum%20version%20(2).pdf

directly adjacent surrounding rural areas both within Oxfordshire and over the border in Buckinghamshire, as well as the county town of Oxford.




Figure 2.8. Surrounding settlements




Figure 2.9. Journeys from Watlington to places of work (no internal journeys) - Census 2011 JTW

2.4.29 **Figure 2.10** shows journeys travelling from outside to Watlington for work (again excluding any internal journeys of people working and living in Watlington). Most trips can be seen to originate from Stadhampton, a village to the west of Watlington. Other key places generating work journeys to Watlington include Thame, Wallingford and Mapledrum. A considerable number of journeys are shown to be generated in two additional zones adjacent to Thame; these concern a portion of Thame combined

with a rural area, and Stokenchurch which is in an area outside of the Oxfordshire boundary. Overall, journeys to work from Watlington generate more trips to further out areas, whereas dense numbers of trips to Watlington for work come from Wallingford and an assortment of villages and hamlets which surround the town (although these are not significant in number). Generally, the highest number of work-related journeys come from adjacent or areas geographically located close by.

2.4.30 It is recognised that this analysis is limited to journeys to work, and that there are other trip purposes that may generate different spatial patterns. Icknield Community College draws in pupils not only from Watlington but the wider surrounding rural area but is unlikely to extend as far as other larger towns which accommodate their own schools. Given the limited scale and range of key services and retail in Watlington, this is expected to generate trips to larger settlements including Wallingford as not everyone's needs will be fully met within the town.




Figure 2.10. Journeys to Watlington for work (no internal journeys) - Census 2011 JTW

Vehicle trips through Watlington

2.4.31 In the absence of strategic transport modelling, it is not possible to easily identify where trips, which neither begin nor end in Watlington but are using roads through the town, are routing to and from. As referenced in the Watlington Traffic Study, a high proportion of traffic in Watlington is thought to be through trips. Given that Watlington lies on two cross-country B-roads linking a range of towns and villages, it is likely these roads will facilitate some longer distance trips. Neither of these B-roads are considered to be major arteries, however they will represent the shortest route between settlements and also, crucially, the B4009 provides access to the M40 motorway.

Transport mode share

2.4.32 Census journey to work (JTW) data was broken down further in order to understand the mode in which people were travelling to work. The breakdown of modes can be seen in **Table 2.4.** All journeys of people both living and working in Watlington have been removed, the reason being the zone, which data is made available for in the

- Census, is much larger than the town of Watlington and includes surrounding countryside and will therefore influence mode share.
- 2.4.33 For journeys from Watlington to work, 82% are made by car, and for journeys to Watlington for work 86% are made by car. These figures indicate there is very high car dependency in Watlington, which is due the town's rural location, the dispersed pattern of trips in multiple directions (as discussed earlier, i.e. no one major origin or destination of trips) and poor public transport connections (discussed later). Such high car use is not surprising when the level of car ownership in the area is considered. In South Oxfordshire, the percentage of households with a car or van in 2012 was 88.4%, whereas in comparison, the percentage in Oxford was 66.5%. The district is currently highly dependent on cars and, given the projected housing and population growth in the area, journeys by car would increase even more if alternative transport solutions are not considered for the mitigation of transport related challenges.
- 2.4.34 In order to benchmark Watlington's car dependency, Census JTW mode share was calculated for surrounding areas. When comparing high car use to surrounding areas, mode share calculations showed that for journeys from the larger settlement of Wallingford to work, 60% were made by car, and 66% for the town of Thame. For journeys going to Wallingford for work 76% travelled by car compared with 79% for Thame. In comparing Watlington results to Wallingford and Thame, overall car use is higher for outbound than inbound trips. This points to the fact that car dependency is much higher in Watlington than it is in surrounding areas. Wallingford and Thame are larger settlements, neither of which are on the national rail network but are likely to support additional bus services.

Table 2.4. Journeys between Watlington and workplaces and mode share (no internal journeys)

Mode	Outbound from Watlington to work		Inbound to Watlington for work	
	Journeys	Mode share %	Journeys	Mode share %
Work mainly at or from home	0	0%	0	0%
Underground-metro-light rail-tram	17	1%	5	1%
Train	77	4%	3	0%
Bus-minibus-coach	66	4%	22	2%
Taxi	2	0%	1	0%
Motorcycle-scooter-moped	16	1%	1	0%
Driving a car or van	1,503	82%	807	86%
Passenger in a car or van	71	4%	54	6%
Bicycle	30	2%	5	1%
On foot	48	3%	33	4%
Other method of travel to work	8	0%	3	0%
Total	1,838	100%	934	100%

Cycle network and public right of way

2.4.35 **Figure 2.11**, **Figure 2.12** and **Figure 2.13** show the surrounding cycle and public rights of way networks around Watlington. From these maps it can be seen that there are no dedicated cycle lanes or cycle trails in Watlington town and the only cycle friendly roads are outside the periphery of the town, including The Ridgeway. It can also be seen that Watlington has no designated National Cycle Routes in the local area. South Oxfordshire in general is not well connected through the national cycle network, with the closest national network running through Wallingford, approximately 7 miles south-west or Princes Risborough and 11 miles north-east.




Figure 2.11. Local Cycle Network (Google Maps)




Figure 2.12. National Cycle Network (Sustrans)50

 $^{^{50} \ \}underline{\text{https://www.sustrans.org.uk/national-cycle-network}}$

2.4.36 **Figure 2.13** shows the public rights of way around Watlington. A series of designated public footpaths lead across and out of Watlington including a route around the north-eastern edge of Icknield Community College across to Pyrton Lane. There are no footway facilities on the majority of roads leading out of Watlington.




Figure 2.13. Public Rights of Way (OCC)⁵¹

Public transport

2.4.37 **Table 2.5.** and **Figure 2.14.** to **Figure 2.16.** provide information of the bus services that operate through Watlington. Bus service number 11 connects Watlington to Oxford through Chalgrove and Stadhampton and is considered the most frequent as it travels up to 8 times a day Monday to Saturday and 4 times on Sundays. However, its frequency is variable, which is likely to make it a less appealing choice for travel. The RL30 service is primarily for Icknield Community College, bringing students into Watlington from other areas and only operates from Monday to Friday. Finally, service 137 only operates on Fridays, with two journeys connecting Watlington to Wallingford. With only three bus services and limited running of each, this means overall Watlington is poorly connected to surrounding areas to the east, west and south and could be a reason why car dependency is so high in the area. When this is considered in the context of commuting patterns, the bus services do not align well with the key destinations for journeys to work, such as Wallingford.

Table 2.5. Watlington bus services⁵²

Provider	Service	Route	Times
Thames Travel	11	Watlington - Chalgrove - Cowley - Oxford	Monday to Friday 8 times a day from 6 am to 7 pm. Saturday 8 times (different time intervals from Monday to Friday) 8 am to 6.45 pm Sundays 4 times a day 8.25am to 6pm

⁵¹ https://www.gov.uk/right-of-way-open-access-land/use-public-rights-of-way

⁵² https://bustimes.org/localities/watlington-oxon

Provider	Service	Route	Times
Redline	RL30	Icknield Community College (Watlington) - Henton	Schooldays only once a day 3 pm
Going Forward Buses	137	Watlington - Ewelme - Wallingford	Only on Friday 10.05 am and 1pm



Figure 2.14. Bus service no. 11⁵³




Figure 2.15. Bus service no. RL30⁵⁴

https://bustimes.org/localities/watlington-oxon
 https://bustimes.org/localities/watlington-oxon



Figure 2.16. Bus service no.137⁵⁵




Figure 2.17. Surrounding railway links

2.4.38 **Figure 2.17** shows a map of the nearest railway stations to Watlington. The closest stations that can be seen on the map are Princes Risborough to the east (on the Chiltern Main Line which runs between London Marylebone, High Wycombe, Bicester, the West Midlands and Oxford via a branch), Didcot to the west (on the Great Western Main Line between London Paddington, Oxford, Swindon, the west country and South Wales), and Henley-on-Thames to the south (on a short branch line off the Great Western Main Line). As has already been discussed above, there

⁵⁵ <u>https://bustimes.org/localities/watlington-oxon</u>

are limited bus services travelling in these directions and no direct bus links to any of these railway stations, so it can only be assumed that car would be the most viable means of getting to these stations. The only station that is accessible via bus is Oxford, although this also requires a change of bus in the city centre. This station is much further than the highlighted stations on the map, and if the prevailing direction of travel by rail is to the south (e.g. to London), this would mean double backing on the journey.

Access to the Strategic Road Network

- 2.4.39 Watlington is located very near to the M40, as shown in **Figure 2.18**. The M40 forms part of the Strategic Road Network which is managed by Highways England. Access to the M40 can be gained from Junction 6, which is approximately 3 miles east and takes 5 minutes by car along the B4009. The M40 serves as a gateway to both regional and national locations. To the south, the M40 provides access to High Wycombe, London and the South East along with access to the M25 corridors and also connections to Heathrow airport. To the north, the M40 links to Oxford and Birmingham.
- 2.4.40 Regular coach services to Oxford, London, Heathrow Airport and Gatwick Airport stop at an interchange located at M40 Junction 6, but there are currently no useful public transport services from Watlington to this point and car parking is limited.




Figure 2.18. Watlington in relation to the M40 Junction 6

2.4.41 Traffic counts from M40 junction 6 slip roads can be seen in **Table 2.6**. Overall, it can be concluded from these counts that the south-facing slip roads to the M40 experience more trips than the north-facing slip roads. A key destination connected to the M40 north is Oxford, which is likely to be easier to reach by car via the B480 out of Watlington.

Table 2.6. Traffic flows from WebTRIS counts - M40 Junction 6 slip roads

Year	M40 North		M40 South	
	Exit	Entry	Exit	Entry
2015	2,397	2,103	3,660	6,859
2016	2,272	2,169	3,879	4,608
2017	2,339	2,220	3,810	4,308
2018	2,411	2,243	3,745	4,146
2019	2,596	2,174	3,807	4,357

Collisions

- 2.4.42 Collision analysis was undertaken on roads within and around Watlington town from 2015 to 2019 using data available from Crashmap⁵⁶. The locations where collisions have occurred during this period are shown in **Figure 2.19**.
- 2.4.43 In the four-year period, a total of 14 collisions were recorded, of which two resulted in serious injury severity and 12 in slight injuries.
- 2.4.44 Both of the serious injury collisions took place at the Pyrton Lane junction with the B4009, of which one involved a car and the other a motorcycle. The majority of slight injury severity collisions occurred within central Watlington, half of which involved a cycle pedal and three involving conflict with a pedestrian. Several collisions occurred on and around the B4009 junction with Hill Street.
- 2.4.45 **Table 2.7** presents the number of collisions that occurred by year and the number of vehicles involved in those accidents by year and accident severity. It can be seen that most accidents occurred in 2016 and have been reducing ever since.

⁵⁶ https://www.crashmap.co.uk/




Figure 2.19. Collision locations for the 4-year period from 2015 to 2019

Table 2.7. Number of collisions and vehicles involved in accidents in Watlington 2015 to 2019

Year	Collisions	Number of vehicles involved by accident severity		
		Slight	Serious	Fatal
2015	4	6	0	0
2016	6	12	2	0
2017	2	2	2	0
2018	1	2	0	0
2019	1	1	0	0
Total	14	23	4	0

Future housing growth

- 2.4.46 Watlington Neighbourhood Development Plan² (published in April 2019) allocates three major proposed developments in the Watlington area (highlighted in orange on **Figure 2.20** overleaf):
 - Site A is situated on land between Britwell Road and Cuxham Road and represents a total area of around 9.67 hectares (ha). The development includes a mix of residential, workshops and offices, with a total of 183 dwellings proposed⁵⁷.
 - **Site B** is situated on land off Cuxham Road and Willow close and represents an area of 6.4 ha. The development is solely residential with 70 dwellings planned⁵⁸.
 - **Site C** is situated on land off Pyrton Lane and represents an area of 4.6 ha. The developments are solely residential with a planned 60 dwellings⁵⁸.
- 2.4.47 With a total of roughly 20.7 ha of land allocated for development and 313 dwellings to be built, the level of growth proposed is expected to require increased transport access onto existing routes into Watlington and to the wider surrounding areas.
- 2.4.48 Other planned development sites, mentioned in both the Watlington Neighbourhood Development Plan and the Pyrton Neighbourhood Plan³ (published in January 2019), refer to the neighbouring Pyrton parish area and are located directly beside the previously discussed sites. These are PYR1 and PYR2, both of which are highlighted in green in **Figure 2.20**.
 - **PYR1** refers to the redevelopment of the former Ministry of Defence (MoD) site which is located 650m to the north-east of Watlington town centre. The site has planning consent for warehouse use and considers 37 assisted living units, a care home, as well as 4 staff accommodation⁵⁹.
 - **PYR2** is identified as a "local gap" between Pyrton and Watlington and the planning application for this site proposes up to 100 dwellings with associated car parking, public open space, and landscaping⁶⁰.
- 2.4.49 Overall, five main development sites are proposed in and around the Watlington area. With any type of development, there will inevitably be an increase in traffic flow. Transport Assessments have been prepared for development sites A, B and C, along with PYR1 and PYR2. Trip generation calculations for all development proposals are summarised in **Table 2.8** to **Table 2.11**.

⁵⁷ Transport Assessment, Land at Britwell Road, Watlington, Bloor Homes and Archstone Projects Ltd, Report No: WB03178-TA02, Issued on 01/08/18 (Planning Applications: P17/S3231/O and P19/S0818/O).

⁵⁸ Transport Assessment, Proposed Residential Development Sites B and C, Watlington, Oxfordshire, Origin Transport Consultants Ltd, Issued in Dec 2018 (Planning Applications: P19/S1928/O and P19/S1927/O).

⁵⁹ Transport Assessment, Shirburn Road, Watlington, Beechcroft Developments Ltd, Report No. TR8170916/MB/DW/009 – Issue 2, Issued on 15/12/2017 (Planning Application: P18/S0002/O).

⁶⁰ Transport Assessment, Land off Pyrton Lane, Watlington, David Tucker Associates, Issued on 15/07/2016 (Planning Application: P16/S2576/O)




Figure 2.20. Proposed development sites in Watlington and Pyrton

- 2.4.50 The calculations show the additional number of vehicle trips the existing roads would need to accommodate if the developments were built⁶¹. For site A, 870 additional vehicle trips have been estimated (during the 12 hour period 07:00-19:00), while for sites, B and C combined, 519 additional vehicle trips (daily) have been calculated. PYR1 would generate an additional 202 vehicle trips (daily), and PYR2 would generate an additional 465 vehicle trips (over a 12 hour period).
- 2.4.51 Overall, all developments combined could generate approximately 2,056 additional vehicle trips on a daily basis, which the existing road infrastructure would need to accommodate if no additional transport infrastructure/scheme was implemented. It is also important to note that given the rural location and the limited local employment opportunities, the options for trips being undertaken by transport modes other than the private car are considered to be limited although there may be opportunities for minor enhancements to bus services.

Table 2.8. Vehicle trip generation for site A

Time Period	Number of Trips		
	Arrive	Depart	Total
AM Peak Hour (08:00-09:00)	34	65	99
PM Peak Hour (17:00-18:00)	65	43	108
12-Hour (07:00-19:00)	433	437	870

⁶¹ Watlington Relief Road TA Review

Table 2.9. Vehicle trip generation for Site B and C

Mode	AM Peak	PM Peak	Daily Trips
	(08:00-09:00)	(17:00-18:00)	
Vehicles	59	59	519

Table 2.10. Vehicle trip generation for PYR1

Time Period	Vehicle Trip Generation		
	Inbound	Outbound	Two-Way
AM Peak Hour (08:00-09:00)	7	6	13
PM Peak Hour (17:00-18:00)	5	8	13
Daily*	97	105	202

^{*}the Transport Assessment does not indicate if this is a 12-hour or 24-hour period.

Table 2.11. Vehicle trip generation for PYR2

Time Period	Vehicle Trips		
	Arrive	Depart	Total
AM Peak Hour (08:00-09:00)	15	37	53
PM Peak Hour (17:00-18:00)	33	19	52
12-Hour (07:00-19:00)	230	235	465

- 2.4.52 The Watlington Parking Study⁷ (2016) assessed the impact of removing on-street parking on traffic congestion in the town centre. One of the future modelled scenarios analysed as part of the study shows congestion performance in future years if an alternative 'Edge Road' were provided around the north of Watlington linking the B4009 west to east. The results of the modelling show that the provision of this 'Edge Road' (even with additional traffic flows from other developments) would result in significant journey time benefits for northbound and southbound journeys in a forecast year of 2033, in comparison to a 'do-nothing' scenario.
- 2.4.53 As has been mentioned in paragraph 2.4.13, the Watlington area (specifically the arterial routes running through Watlington) has high levels of pollutants and is classed as an AQMA. With proposed developments likely to increase the number of cars on the road and the traffic flow data showing an increase year on year, the possible future implications of this can only be assumed to affect air quality, specifically along Couching Street and Brook Street.
- 2.4.54 The South Oxfordshire Local Plan (2020) ⁶² sets out a requirement for 775 new homes a year between 2011 and 2035, or a total plan requirement of 18,600 homes. This is in the context of the commitment by all district authorities across Oxfordshire to plan for 100,000 new homes between 2011 and 2031.
- 2.4.55 It should be noted, in return for this commitment the Government has granted some flexibilities with regard to local housing land supply in the short term, as well as

⁶² https://www.southoxon.gov.uk/south-oxfordshire-district-council/planning-and-development/local-plan-and-planning-policies/forthcoming-policies/our-forthcoming-local-plan/

- committing to £150m worth of infrastructure funding for the first five years of the deal in order to facilitate development.
- 2.4.56 The emerging Local Plan sets out minimum housing growth requirements across settlements which surround Watlington, including at least 1,285 new homes in Henley-on-Thames, 1,518 new homes in Thame and 1,070 new homes in Wallingford. Across the border in Buckinghamshire there are proposals for significant development in Princes Risborough of around 2,500 new homes⁶³. Development across these settlements and other smaller settlements surrounding Watlington could potentially generate additional trip movements through Watlington.
- 2.4.57 The largest development proposed in the local area is the potential large-scale housing development at Chalgrove Airfield. Chalgrove Airfield is a former Second World War airfield located directly north of the village of Chalgrove, north east of the B480 approximately 3.5 miles north-west of Watlington.
- 2.4.58 This major housing development at Chalgrove will be developed to deliver approximately 3,000 new homes, with at least 2,025 dwellings to be delivered by 2034, 5ha of employment land, 3 pitches for Gypsies and Travellers and supporting services and facilities (e.g educational and health centres). According to the Watlington Neighbourhood Development Plan², it is with no doubt that this development will increase traffic travelling through Watlington, therefore increasing pressure on constrained town centre roads.

Identifying the Need for an Intervention

- 2.4.59 The analysis presented in this section has demonstrated that there are significant current and forecasted challenges (some interrelated) in the Watlington area. In particular:
 - Allocated housing development as prescribed in planning policy, which will place additional pressure on the existing transport network including additional vehicle trips.
 - Development growth across the wider area including around the towns of Wallingford and Princes Risborough, as well as the significant Chalgrove development. With roads through Watlington facilitating cross-county journeys, there is likely to be an increase in through traffic and/or use of less appropriate rural lanes such as Pyrton Lane and Station Road.
 - Traffic congestion issues on streets in the centre of town.
 - Air quality issues and the designation of an AQMA in Couching Street and Brook Street.
 - Residents reliant upon jobs, retail, leisure and access to key services that are not available in Watlington, therefore necessitating trips to other settlements.
 - Lack of public transport options to surrounding settlements.
 - Existing high car dependency.
- 2.4.60 From these challenges listed, three broad scheme objectives were formed which have been used to identify options:

⁶³ https://www.wycombe.gov.uk/pages/Planning-and-building-control/Major-projects-and-reserve-sites/Princes-Risborough-expansion-plan.aspx

- 1. Facilitate local housing growth around Watlington: there are three key substantial housing developments planned for the west of the town, and two in the neighbouring Pyrton parish.
- 2. Manage traffic growth across an expanded Watlington: the current level of traffic in Watlington is already causing issues such as congestion, as is demonstrated in the Watlington Parking Study, and air quality issues as demonstrated through DEFRA's declaration of an AQMA site in Watlington. From Transport Assessments carried out for each proposed development site, in total it is predicted that there could be an extra 2,056 vehicle trips per day. This is likely to necessitate the need for additional infrastructure and services to mitigate the impacts on the surrounding transport network. Growth across the wider area could also impact the transport network in and around Watlington.
- 3. Facilitate active travel within and around Watlington: the current cycle network in and around Watlington is poor in comparison to surrounding (albeit larger) settlements. With government, regional and local objectives aiming to increase active and sustainable travel (as demonstrated in the next sections), infrastructure to facilitate such trips is needed.

3. Policy Context and Objectives

3.1 Introduction

- 3.1.1 A review of relevant national, regional and local policies was undertaken to ensure the objectives align with broad policy goals and to confirm whether existing policies and programmes are in favour of interventions in these circumstances, and of a similar type and scale.
- 3.1.2 As such, the objectives have been tailored to the need for an intervention or package of interventions for the Watlington area, but also to maintain consistency with the policy aspirations and objectives set out in this section.

3.2 National Policies

- 3.2.1 At a national level, Government policy endeavours to balance the need to deliver economic growth for a growing population, increased housing demand and increasingly congested transport networks with a longer-term vision of a sustainable and carbon neutral economy, making better use of available capacity and technology. These are reflected in the National Planning Policy Framework (NPPF), Industrial Strategy White Paper, the Housing White Paper, and the DfT's Transport Investment Strategy.
- 3.2.2 The NPPF⁶⁴ seeks to promote sustainable transport and states that significant development should be focused on locations which are or can be made sustainable, through limiting the need to travel and offering a genuine choice of transport modes. Highways England's Delivery Plan⁶⁵ also highlights the need for a shift towards sustainable travel, including improving cycling and pedestrian environments on roads.
- 3.2.3 The **Industrial Strategy**⁶⁶ states that the availability of high-quality infrastructure is essential for continued growth and prosperity. The Strategy's vision for a transformed economy is centred around productivity, and infrastructure is identified as one of the five foundations of this.
- 3.2.4 The **Housing White Paper**⁶⁷ Fixing Our Broken Housing Market (2017) sets out initiatives that strive to reach a step-change in housing supply in England. There are four key proposals contained within the housing strategy:
 - Planning for the right homes in the right places;
 - Building homes faster:
 - Diversifying the market; and
 - Helping people now.
- 3.2.5 The role of transport in supporting local growth is highlighted in the **DfT's Transport Investment Strategy**⁶⁸, which states that transport investment must seek to create a better and more reliable transport network in order to build a stronger, more balanced economy, enhance productivity and respond to local growth priorities. Its objectives are:

⁶⁴ https://www.gov.uk/government/publications/national-planning-policy-framework--2

⁶⁵ https://www.gov.uk/government/publications/highways-england-delivery-plan-2020-2025

⁶⁶ https://www.gov.uk/government/topical-events/the-uks-industrial-strategy

⁶⁷ https://www.gov.uk/government/publications/fixing-our-broken-housing-market

⁶⁸ https://www.gov.uk/government/publications/transport-investment-strategy

- Create a more reliable, less congested, and better-connected transport network that works for the users who rely on it;
- Build a stronger, more balanced economy by enhancing productivity and responding to local growth priorities;
- Enhance the global competitiveness by making Britain a more attractive place to trade and invest; and
- Support the creation of new housing (the Housing White Paper recognises transport infrastructure as one of the keys to unlocking development and delivering places where people want to live).

3.3 Regional Policies

- 3.3.1 At a regional level, which in the context of this report is district and county level policies, **South Oxfordshire District Local Plan 2034**⁴ states a set of strategic objectives coming under headings of: Settlements; Housing; Economy; Infrastructure; Design; Community; Natural and Built environment; and, Climate change. In the context of this report and in relation to the Watlington scheme, key strategic objectives include housing and infrastructure. Housing objectives, in summary, include aims to deliver a wide range of housing and to cater for housing needs of the community; support the regeneration of housing and facilities, and support meeting the economic housing needs of the country.
- 3.3.2 Policy STRAT2 states that the housing requirements for South Oxfordshire are approximately 23,000 new houses until 2034. Infrastructure objectives include ensuring that essential infrastructure is delivered to support residents, services and growth, and make sustainable transport, walking and cycling an attractive and viable choice for people, whilst recognising that car travel will continue to be important in this predominantly rural district. The plan requirements also state that 37.5 hectares of land until 2034 will be covered by employment growth, which will require transport infrastructure to facilitate and support this growth.
- 3.3.3 Policy STRAT7 from South Oxfordshire Local Plan specifically references expected transport infrastructure for Chalgrove Airfield which includes Watlington, and states that: 'improvements to highway infrastructure through direct mitigation or significant contributions to new or improved roads, such as a bypass or edge road, including sustainable transport improvements, and where appropriate in association with relevant Neighbourhood Development Plans and any wider County Council highway infrastructure strategy'.
- 3.3.4 Policy TRANS3 acknowledges that transport demand from the proposed developments will increase and therefore safeguarding land for future transport infrastructure would be essential. The policy makes specific reference to a number of transport schemes within Oxfordshire, amongst which is a relief road around Watlington.
- 3.3.5 OxLEP's **Strategic Economic Plan**⁶⁹ (SEP) for Oxfordshire (2016) sets out a vision for Oxfordshire to be a vibrant, sustainable, inclusive, world leading economy, driven by innovation, enterprise and research excellence. Whilst being strong in many areas, including innovation, enterprise and research, the SEP also refers to challenges around the lack of affordable housing, increasing congestion, sustainability and inclusion, and the need for greater resilience. The SEP is clear that the overall priority for Oxfordshire's places is to plan simultaneously for both jobs and housing growth, putting in place the infrastructure required for both, whilst also protecting and where possible enhancing environmental quality and social inclusion. These priorities are

⁶⁹ https://www.oxfordshirelep.com/about/our-strategies/our-strategic-economic-plan-sep

- consistent with Government policy and the objectives set out in the TIS but adapted to suit Oxfordshire's own socio-economic and environmental challenges.
- 3.3.6 The **Oxfordshire's Housing and Growth Deal**⁷⁰ is an agreement between the national government and in the Oxfordshire area councils (Cherwell District Council; Oxford City Council; Oxfordshire County Council; South Oxfordshire District Council; Vale of White Horse District Council; West Oxfordshire District Council) and the Local Enterprise Partnership (OxLEP), to plan and support the delivery of 100,000 new homes between 2011 and 2031.
- 3.3.7 The **Connecting Oxfordshire Local Transport Plan 4**⁷¹ (LTP4, 2016), is the overarching local plan for transport in Oxfordshire. The LTP4 is part of the Connecting Oxfordshire series of documents. LTP4 promotes the use of low and zero emission forms of transport, including electric vehicles and associated infrastructure, where appropriate. It also supports the provision of free or reduced parking for low or zero emission vehicles at Park & Ride sites. LTP4 supports trials of electric buses and supports further pilots, where appropriate. It is expected that new public transport vehicles will conform to high environmental standards. Air Quality actions plans are included in the LTP4 for several areas, including Watlington.
- 3.3.8 Policies from the LTP4 can be directly supported by a potential new transport scheme in Watlington (summarised in **Table 3.1**):
 - Policy 1: Oxfordshire County Council will work to ensure that the transport network supports sustainable, economic and housing growth in the county, whilst protecting, and where possible enhancing, its environmental, creative and cultural heritage and tourism assets, and supporting the health and wellbeing of its residents;
 - Policy 2: Oxfordshire County Council will manage and, where appropriate, develop the county's road network to reduce congestion and minimise disruption and delays, prioritising strategic routes.

Table 3.1.Oxfordshire LTP4 Themes, Goals and Objectives aligned with the proposed transport scheme in Watlington

Themes and Goals		Objective
Theme Supporting growth and	1.1	Maintain and improve transport connections to support economic growth and vitality across the county
economic vitality	1.2	Make most effective use of all available transport capacity through innovative management of the network
Goal 1) To support jobs and housing growth and economic vitality	1.3	Increase journey time reliability and minimise end-to-end public transport journey times on main routes
growth and economic vitality	1.4	Develop a high-quality, innovative and resilient integrated transport system that is attractive to customers and generates inward investment
Theme Reducing emissions	2.1	Minimise the need to travel
Goal 2) To support the transition to a	2.2	Reduce the proportion of journeys made by private car by making the use of public transport, walking and cycling more attractive
low carbon future	2.3	Influence the location and layout of development to maximise the use and value of existing and planned sustainable transport investment

⁷⁰ Oxfordshire Housing and Growth Deal (2018, https://www.gov.uk/government/publications/oxfordshire-housing-deal)

⁷¹ https://www.oxfordshire.gov.uk/residents/roads-and-transport/connecting-oxfordshire/policy-and-overall-strategy

Themes and Goals		Objective
	2.4	Reduce per capita carbon emissions from transport in Oxfordshire in line with UK Government targets
Theme Improving quality of life Goal 3) To support social inclusion and equality of opportunity To protect and where possible enhance Oxfordshire's environment and improve quality of health To improve public health, safety and individual wellbeing	3.1	Mitigate and wherever possible enhance the impacts of transport on the local built, historic and natural environment
	3.2	Improve public health and wellbeing by increasing levels of walking and cycling, reducing transport emissions, reducing casualties and enabling inclusive access to jobs, education, training and services

3.4 Local Policies

- 3.4.1 The **Watlington Neighbourhood Development Plan 2017-2033**² (WNDP) sets out planned growth for the area and demonstrates local policies in line with European requirements, national planning policy and guidance and district strategic planning policies. Policies set out by the WNDP are as follows:
 - P1: Protect and enhance the character of Watlington and the historic setting of the town
 - P2: Transport
 - P3: Conserve and enhance the natural environment
 - P4: Green spaces
 - P5: New housing development
 - P6: Enhance Watlington as a service centre
 - P7: Employment
 - P8: Physical and social infrastructure
- 3.4.2 Development proposals will be required to take into consideration some of these policies in particular:
 - Policy P1. Protect and enhance the character of Watlington and the historic setting of the town – This policy is applicable to all types of development and seeks to protect the character of the town and special quality of the surrounding landscape.
 - Policy P2. Transport One clause within this policy requires development proposals on allocated sites to the north and west of Watlington to provide land to safeguard a route for a re-aligned B4009 and in accordance with an indicative route set out in the WNDP.
 - Policy P3. Conserve and enhance the natural environment This policy sets out several criteria for new developments to comply with, which include: protecting views to and from the Chilterns Area of Outstanding Natural Beauty (AONB); protecting ponds, streams, springs and groundwater sources; assessing flood risk; achieving a biodiversity net gain and limiting the impact of light pollution.

- Policy P8. Physical and social infrastructure This policy seeks to enhance Watlington's role as a service centre setting out support for development proposals which include (among others): transport connectivity and improved links and safety for non-motorised users.
- 3.4.3 **Pyrton Neighbourhood Plan**³ was published in 2019, with the purpose to express the wishes of Pyrton's parishioners in relation to development and use of land. Future development proposals will be required to consider the following policies:
 - Policy BNE1: Historic environment This policy seeks to conserve and enhance the historic significance and importance of existing heritage assets.
 - Policy BNE2: Landscape character Covering development proposals that could have an impact on the adjacent AONB, this policy seeks to protect and enhance the parish's distinctive landscape character.
 - Policy BNE4: Local Gap The Land off Pyrton Lane (PYR2) is outlined as a 'local gap', and its development needs to ensure that the open character of the local gap is retained and provides a strong edge to Watlington settlement.
 - Policy BNE6: Footpaths and bridleways This policy sets out that new development should respect and conserve the parish's footpaths and bridleways. A footpath (reference: 325/6/10) runs along the edge of PYR2 and the parish boundary.
 - Policy D1: Detailed design criteria The purpose of this policy is to ensure high design standards for any development relating to the parish, its boundaries and surrounding area. Amongst several design criteria, the one of highest relevance to this report is the consideration of dark night skies, as the policy requires for all new roads not to feature street lighting.
 - Policy SA1: Former MoD site (PYR1) The policy concerns the redevelopment of the former MoD site (PYR1), for affordable residential development, along with associated landscape and infrastructure works.

3.5 Transport Policy Objectives

3.5.1 **Table 3.2** sets out the objectives of the proposed scheme based on the traffic-related challenges analysed in section 2, and demonstrates their alignment with national, regional and local policies and objectives.

Table 3.2 Watlington infrastructure scheme objectives to national, regional & local policies

Scheme objective	Aligned Documents	Policies/objectives
	Housing White Paper	All four key proposals
	DfT Transport Investment Strategy	Main objectives 4: Supporting the creating of new housing
Facilitate local housing growth	South Oxfordshire District Local Plan 2034	Objective 2
across an expanded Watlington	OxLEP's Strategic Economic Plan	Key action area- Place
Traumigion	Oxfordshire Housing and Growth Deal	Delivering Oxfordshire's housing growth deal commitments
	Watlington Neighbourhood Development Plan 2017-2033	P5: new housing development
	Industrial Strategy	Foundation of productivity: Infrastructure

Scheme objective	Aligned Documents	Policies/objectives
	DfT's Transport Investment Strategy	Main objective 1: create a more reliable, less congested, and better connected transport network
Manage traffic growth across an expanded	South Oxfordshire District Local Plan 2034	Objective 4: Infrastructure
Watlington	OxLEP's Strategic Economic Plan	Key action area- Place
	Watlington Neighbourhood Development Plan 2017-2033	P2: Transport
Facilitate active	Connecting Oxfordshire Local Transport Plan 4	Objectives 3.2
travel within and	South Oxfordshire District Local Plan 2034	Objective 4.2
around Watlington	Watlington Neighbourhood Development Plan 2017-2033	P8: physical and social infrastructure

4. Option Generation

4.1 Introduction

- 4.1.1 This section discusses the development of an initial long list of broad transport options that could (to varying degrees) address the scheme objectives as these were set out in paragraph 2.4.60.
- 4.1.2 The options considered in this sifting exercise have been derived based on the following:
 - Proposed housing developments and the need to provide access to them
 - Assessment of current and forecast travel patterns, development objectives, growth, and identified challenges.
 - Previous and current proposals from the relevant local authorities and stakeholders.
 - Professional judgement based on experience within Oxfordshire and other similar Local Authorities.
 - Discussions with OCC, developers, relevant local parish members and stakeholders.
- 4.1.3 The options considered at this initial stage are high level concepts and not substantiated with any in-depth assessment of feasibility, design or cost. The purpose however is to identify and dismiss options which are considered less realistic, not well aligned to the scheme objectives and/or out of proportion to the problems that need to be addressed. It is important at this stage to consider a wide range of transport modes as opposed to focusing too soon on one particular mode of transport.
- 4.1.4 Seven options were considered at this stage, as summarised in the following paragraphs.

4.2 Option A – Heavy Rail Link

4.2.1 Option A would comprise a new railway line, potentially taking the alignment of the former Watlington and Princes Risborough Railway, with an intermediate station at Chinnor (and therefore using the route of the existing heritage railway), or a new alignment to the nearest larger settlement on the existing national rail network such as Didcot via Wallingford. The railway would be considered a rural branch line, probably comprising a single track with potentially passing loops for train services heading in opposite directions. It may not need to be electrified considering the Chiltern Main Line is not itself electrified, and therefore would be operated by diesel trains. A station would be required on the outskirts of Watlington.

4.3 Option B – Light Rail Link

4.3.1 Option B would comprise a new light rail system linking Watlington to the nearest larger settlement and service centre, e.g. Princes Risborough, Wallingford and/or Thame. This could replace the existing heritage line towards Princes Risborough or adopt a new route. Whilst Light Rail Systems can route into urban areas (with examples in major cities such as Manchester, Birmingham and Sheffield) the constrained nature of roads within Watlington would not be conducive to a light rail or tram system operating on road. The system would therefore bypass the town with a new interchange on the outskirts of Watlington. Light right has an advantage over

heavy rail as it can navigate tighter alignments so it could potentially route closer to the edge of Watlington.

4.4 Option C – Enhanced Bus Link or Network

4.4.1 Option C would comprise a single route, or system, of enhanced bus services linking Watlington to at least one larger settlement or multiple destinations, including Wallingford, Didcot, Princes Risborough, Thame and/or Oxford. It could be formed of a rapid transit system, potentially on a dedicated highway with bus priority, where buses meet general traffic. Alternatively, it could be formed of an on-demand, flexible, demand-responsive transit service.

4.5 Option D – Road Link – higher speed bypass

4.5.1 Option D would comprise a new road designed to Design Manual for Roads and Bridges (DMRB) standards, with a higher speed limit of around 40-60mph, consisting of a single carriageway with limited junctions along its length to improve flow and maintain vehicle speeds, as well as limited or no provision for pedestrians or cyclists. The road would function more as a bypass around Watlington.

4.6 Option E – Road Link – lower speed distributor/edge road

4.6.1 Option E would comprise a new road designed to DfT's Manual for Streets ⁷² standards, e.g. lower speed (circa maximum 30mph speed limit), single carriageway with intermediate junctions along its length and high quality provision for pedestrians and cyclists, including crossing points and footways or shared use footways/cycle routes alongside it. The road would be more considerate and connected to its surroundings.

4.7 Option F – 'Do nothing'

4.7.1 Option F would comprise no additional improvements aside from providing the means of access to each development site onto the existing road network.

4.8 Option G – 'Do Minimum' Highway Improvements

4.8.1 Option G would comprise minimal improvements to facilitate movements through Watlington, including localised improvements to footways, additional crossings, potentially some other local highway enhancements, and some limited additional bus services.

⁷² https://www.gov.uk/government/publications/manual-for-streets

5. Option Sifting

5.1 Introduction

- 5.1.1 This section discusses the assessment framework which has been developed to assess and sift the options based on a range of objectives, the value for money, as well as the wider impacts and risks.
- 5.1.2 The assessment framework has been developed based on a review of the Transport Appraisal Guidance from DfT, including TAG The Transport Appraisal Process (DfT, 2014) and Early Assessment Sifting Tool (EAST) guidance (DfT, 2017).

5.2 Methodology

5.2.1 The scheme specific assessment framework is formed of two sifting stages, with the first stage entailing three sub level sifts. The two stages are described in **Table 5.1**.

Table 5.1. Sifting Stages

Sifting Stage	Sift Method
Stage 1 – High Level Sift	 High Level Sift Part 1 is to assess an initial long list of broad multi- modal options against high level scheme objectives in addition to affordability, feasibility and acceptability criteria.
	 High Level Sift Part 2 is to represent a more detailed subset of the selected options from High Level Sift Part 1, and to assess them against high level scheme objectives in addition to affordability, feasibility and acceptability criteria.
	 High Level Sift Part 3 is to represent an even more detailed subset of the selected options from High Level Sift Part 2 and to assess them against affordability, feasibility and acceptability criteria.
Stage 2 – Detailed Sift	More detailed analysis and sift against HM Treasury five business case categories: strategic, economic, financial, management and commercial cases (using the DfT EAST tool) to get the most suitable Short List of options.

Stage 1 - High Level Sift

- 5.2.2 This stage of sifting entails scoring the initial long list of options introduced in the previous section against scheme objectives and additional criteria, and removing scheme options which are considered to have significant issues and therefore would not be appropriate to take forward. These initial issues can include potential lack of affordability (i.e. the scheme option could be very expensive and not proportionate to the problems being addressed), poor or uncertain feasibility (i.e. the scheme option is potentially highly complex to deliver, will carry significant risks and may not be deliverable) and low level of acceptability (i.e. the scheme option may not be considered acceptable to local communities and key stakeholders).
- 5.2.3 The options are scored on a scale of -2 to +2, as seen in **Table 5.2** against each criteria, with a negative score representing a poorer level of performance compared to a positive score. An overall score is then calculated from the individual criteria scores for each option. No weighting has been applied to the various scoring criteria across all High Level Sift Stage 1 Parts 1-3.

- 5.2.4 It is important at the outset to consider a more diverse range of modal options; therefore Part 1 covers public transport and highways options, as well as options to apply no intervention (do nothing) or to do very little to solve the problem (do minimum).
- 5.2.5 Where a scheme option achieves a negative or zero overall score, that option does not progress to the next sift because it suggests it would perform poorly against the objectives. Only options with an overall score above zero are considered in consecutive sifting steps.

Table 5.2. High Level Sift Scoring System

Scoring System		
+2	Very high/Very good	
+1	High/Good	
0	Moderate/Negligible	
-1	Low/Poor	
-2	Very low/Very poor	

High Level Sift Part 1

5.2.6 The scheme options considered in Part 1 of the High Level Sift, as discussed earlier, are shown in **Table 5.3** (not expressed in any order of priority).

Table 5.3. High level Sift Part 1 Options

Option	Description
(Option A) Heavy Rail Link	A new railway, potentially taking the alignment of the former Watlington and Princes Risborough Railway, with an intermediate station at Chinnor, or a new alignment to the nearest larger settlement on the existing national rail network such as Didcot.
(Option B) Light Rail Link	A new light rail system linking Watlington to the nearest larger settlement and service centre, e.g. Princes Risborough, Wallingford and/or Thame.
(Option C) Enhanced Bus Link or Network	A single route or system of enhanced bus services linking Watlington to at least one larger settlement or multiple destinations including Wallingford, Didcot, Princes Risborough, Thames and/or Oxford.
(Option D) New Road – higher speed bypass	A new road designed to DMRB standards, e.g. 40-60mph speed limit, single carriageway with limited junctions along its length to improve flow and maintain vehicle speeds, limited or no non-motorised user (NMU) provision.
(Option E) New Road – lower speed relief/edge road	A new road designed to Manual for Streets standards, e.g. 30mph or less speed limit, single lane carriageway with potential interim junctions along its length and high quality NMU provision including crossing points and footways or shared us footways/cycle routes alongside it.
(Option F) Do Nothing	No improvements (planned development load onto existing roads but no wider improvements).
(Option G) Do Minimum	Minimal improvements to facilitate movements through Watlington including localised improvements to footways, removal/reallocation of parking, additional crossings and some limited bus service enhancements (e.g. increased frequency during peak hours).

5.2.7 Considering the challenges, the selected option would need to fulfil (paragraph 2.4.60), the seven scheme options were assessed as follows:

- Option A Heavy Rail Link is not deemed to be proportionate to the level of housing growth in Watlington. Whilst it may encourage more sustainable travel, it would be an extremely expensive and inflexible option and is, therefore, not recommended to progress to High Level Sift Part 2.
- Option B Light Rail Link is also not recommended to progress to High Level Sift Part 2. Similar to Option A, this option is deemed disproportionate to the growth projected for Watlington, is unlikely to be affordable or cater for all generated journeys.
- Option C Enhanced Bus Link or Network is considered proportionate to the level of housing growth in Watlington, and could potentially be an affordable option, although creating a flexible service will increase costs. Services operating on dedicated routes will be less feasible and likely to require land acquisition and additional mitigation. It is uncertain that such infrastructure would be warranted and is, therefore, not recommended to progress to High Level Sift Part 2.
- Option D New Road higher speed bypass is not considered proportionate to the level of housing growth in Watlington. It is expensive and there may not be sufficient space to accommodate for a straight alignment to achieve higher traffic speeds. The option could decrease severance through the Watlington centre while it might increase severance for pedestrians, cyclists and equestrians around the bypass. The option does not encourage sustainable travel and could lead to air quality and noise issues. It is, therefore, not recommended to progress to High Level Sift Part 2.
- Option E New Road lower speed relief/edge road is considered proportionate to the level of housing growth in Watlington. The option would be expensive, but the alignment near the planned development sites could secure funding through developer contributions. It would enhance local connections and while it is likely to encourage car travel, the infrastructure provisions for pedestrians, cyclists and equestrians, such as crossings and cycling routes, cater for all road users and would reduce severance. It is, therefore, recommended this option progresses to High Level Sift Part 2.
- Option F Do Nothing not only would worsen traffic management across Watlington, it would not promote active travel. It does not facilitate the planned housing developments in Watlington. It would be an affordable option as no infrastructure would need to be built, however current congestion and air quality conditions will worsen. It is, therefore, not recommended to progress to High Level Sift Part 2.
- Option G Do Minimum does not fully facilitate the planned housing developments in Watlington. It is an affordable option as minimal construction or land purchase is needed, however, it would not have a significant impact in mitigating congestion and air quality challenges. It is, therefore, not recommended to progress to High Level Sift Part 2.
- 5.2.8 Based on the above, the highest scoring option from Part 1 of the High Level Sift was Option E 'New Road lower speed distributor/edge road'. This option scored highly against the assessed criteria, some of the key reasons being:
 - The road would facilitate the traffic from planned housing growth;
 - It would enhance local connections due to junctions being situated along the length of the road;
 - It would facilitate active travel with Non-Motorised User (NMU) provisions being included;

- It would facilitate a lower speed traffic environment with an emphasis on accessibility and road safety;
- Due to facilitating key housing growth areas, developer contribution could cover some of the costs; and
- Land planned for development could be used to facilitate the road.
- 5.2.9 It is important to note that local people in Watlington had expressed the need for a relief road at a public consultation, hence public acceptability was highlighted at a consultation held by Watlington Parish Council (published in the Watlington Neighbourhood Development Plan⁷³).
- 5.2.10 Furthermore, according to the Watlington Parking Study⁷, a modelling scenario considering 2033 and Chalgrove Airfield development traffic flows, indicates that the provision of an Edge Road will positively benefit the area with fewer junction delays, shorter traffic queues and improved journey times compared to the 2016 traffic conditions. It is also suggested that the Edge Road would provide significant traffic congestion and air quality benefits.
- 5.2.11 On the basis of the assessment in High Level Sift Part 1, Option E was then taken forward to Part 2 of the High Level Sift. No other option scored greater than zero and were therefore not taken forward to the Part 2 High level sift.
- 5.2.12 A detailed analysis and score of each option is provided in **Appendix A**.

High Level Sift Part 2 – Corridor Options

5.2.13 For Part 2 High Level Sift, Option E was broken down into three different potential corridor options, in order for a route to be assessed in more detail, as shown in the table below.

Table 5.4. High Level Sift Part 2 Options

Option	Description
(Option E1) New Road - lower speed distributor/edge road - full ring around Watlington:	A new road designed to Manual for Streets standards, e.g. 30mph or less speed limit, single carriageway with potential interim junctions along its length and NMU provision including crossing points and footways or shared us footways/cycle routes alongside it, linking all of the radial roads leading into Watlington.
(Option E2) New Road - lower speed distributor/edge road – west/north of Watlington	A new road designed to Manual for Streets standards, e.g. 30mph or less speed limit, single carriageway with potential interim junctions along its length and NMU provision including crossing points and footways or shared us footways/cycle routes alongside it, linking the B4009 Britwell Road, B480 Cuxham Road and B4009 Shirburn Road
(Option E3) New Road - lower speed distributor/edge road – east/south of Watlington	A new road designed to Manual for Streets standards, e.g. 30mph or less speed limit, single carriageway with potential interim junctions along its length and NMU provision including crossing points and footways or shared us footways/cycle routes alongside it, linking the B4009 Britwell Road, B480 Howe Road, Hill Road and B4009 Shirburn Road

5.2.14 Options E1, E2 and E3 were compared against the same criteria as High Level Sift Part 1, using the same scoring system (**Table 5.2**). The intention of using the same

⁷³ https://www.southoxon.gov.uk/wp-content/uploads/sites/2/2020/10/WNDP1-Watlington-Neighbourhood-Development-Plan-MADE-VERSION.pdf

criteria was to interrogate permutations of Option E (from part 1) in more detail and identify the key differences between alignment options.

- 5.2.15 Overall, the highest scoring option from this stage of the sift was Option E2. The key reasons for this option scoring highly in High Level Sift Part 2 are:
 - The alignment of the road in the west/north would mean it would directly serve the planned development sites in Watlington;
 - This route would link together the B4009 north and south with the B480;
 - The B4009 and B480 (Cuxham Road) are the more popular routes into/out of and through Watlington;
 - As the road would likely take traffic away from the centre of Watlington this could encourage active travel within the town centre as it could create a quieter and more pleasant environment to walk and cycle;
 - Situated in the west/north would mean the road will likely travel through or very near planned development sites, making developer contributions (financial and land availability) possible (presenting an opportunity);
 - In engineering terms, it is a more feasible option due to available land and development sites which could accommodate the road;
 - Due to addressing current issues in Watlington such as congestion in the town centre and AQMA, it is likely to be more acceptable than the other options; and
 - Watlington local community had expressed their preference in Watlington expanding in the west rather than east of the parish⁷⁴.
- 5.2.16 A detailed analysis and score of each option is provided in **Appendix B**.

High level Sift Part 3 – Route sections (Long List)

- 5.2.17 As far as being situated to the west of Watlington, option E2 is expressed as a broad corridor and is therefore not considered in sufficient detail in terms of road alignment. At Part 3 of the High Level Sift, Option E2 is split down further into more detailed sub options which include the more precise route of the different sections of the edge road as it traverses the various development sites allocated around Watlington (introduced in Section 2 of the report).
- 5.2.18 These sections are based upon the development sites defined around the west and north of Watlington of which the edge road will run through Sites A, B, C (as defined in the Watlington Neighbourhood Plan) and PYR1 and 2 (within the neighbouring parish of Pyrton).
- 5.2.19 Options have been defined through each development site and divided into route sections which align with the development sites. The options have been developed in recognition of an overall route alignment to ensure the sections could link together, although not all options across the various sites are compatible with each other in terms of alignment.
- 5.2.20 The sub options derived from option E2 in Part 2 can be seen in **Table 5.5**, with a diagram of the section option alignments provided in **Figure 5.1**.

⁷⁴ https://www.southoxon.gov.uk/wp-content/uploads/sites/2/2020/10/WNDP1-Watlington-Neighbourhood-Development-Plan-MADE-VERSION.pdf

Table 5.5. Suboptions of Option E2 New Road considered in High Level Sift Part 3

Sub-	Route	Section	
option	Section	Option	
E2.1	А	A 1	B4009 Britwell Road (priority give way junction - Junction 1) through Site A on most northerly alignment to B480 Cuxham Road (new roundabout - Junction 2)
E2.2	A	A2&4	B4009 Britwell Road (priority give way junction - Junction 1) through the southern part of Site A and Watlington Industrial Estate access road to B480 Cuxham Road (upgraded roundabout at Willow Close - Junction 2)
E2.3	A	A3	B4009 Britwell Road (priority give way junction - Junction 1) through Site A, taking a more northerly alignment before routing southwards to meet an upgraded roundabout at Cuxham Road/Willow Close - Junction 2)
E2.4	A	A5	B4009 Britwell Road (priority give way junction - Junction 1) through Site A on a northerly alignment to B480 Cuxham Road (new roundabout - Junction 2)
E2.5	В	B1	Linking Cuxham Road (at a new roundabout junction - Junction 2) through Site B on a northerly alignment
E2.6	В	B2	Linking Cuxham Road (at an existing, upgraded roundabout with Willow Close), taking the alignment of Willow Close, through Site B on a southerly alignment
E2.7	В	В3	Linking Cuxham Road (at an existing, upgraded roundabout with Willow Close) then through Site B on a more central alignment
E2.8	В	В4	Taking the alignment of Cuxham Road between the existing roundabout junction with Willow Close/Watlington Industrial Estate access to a new roundabout (Junction 2) NOTE - B4 would need to be combined with either B1 or B5 options)
E2.9	В	B5	Linking Cuxham Road (at a new roundabout junction - Junction 2) through Site B on a more central alignment
E2.10	С	C1	Through Site C on a more central alignment, taking a short section of the existing alignment of Pyrton Lane to the north of Icknield Community College
E2.11	С	C2	Through Site C on a more northerly alignment, crossing the existing Pyrton Lane at the northern most corner of the Icknield Community College site
E2.12	С	C3	Through Site C on a more southerly alignment, taking a longer section of the existing alignment of Pyrton Lane to the north of Icknield Community College
E2.13	Р	P1	Taking the existing alignment of Pyrton Lane and Station Road to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads. An upgraded junction between Pyrton Lane and Station Road also likely as will widening along the length of both roads to facilitate two-way traffic and footway and cycleway provision
E2.14	Р	P2	A new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.
E2.15	Р	P3	A new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road, taking an alignment through the southern side of PYR1 site
E2.16	Р	P4	A new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road, taking an alignment through the northern side of the Watlington Recreation Ground
E2.17	Р	P5	A new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road, taking an alignment through the southern edge of PYR1
E2.18	Р	P6	A new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads

Sub- option	Route Section	Section Option	
E2.19	C-P	P7	A new alignment around settlement edge of Watlington and along the southern edge of PYR1 to a new roundabout (Junction 3) on the B4009 Shirburn Road
E2.20	C-P	P8	A new alignment around settlement edge of Watlington and across the Watlington Recreation Ground (adjacent to Watlington Pavilion




Figure 5.1. Alignment representation of Option E2 suboptions

- 5.2.21 As part of High Level Sift Part 3, suboptions of Option E2, as seen in **Table 5.5**, are compared only against affordability, feasibility and acceptability. The purpose of excluding objectives from this sift is that the options at Part 2 were considered sufficiently refined to assess against objectives and differentiate between options.
- 5.2.22 As with Parts 1 and 2, an option which achieves a negative or zero overall score in High Level Sifting Part 3 is not taken forward to Stage 2 Detailed Sift.
- 5.2.23 From this sift, several of the highest scoring options were taken forward. The highest scoring individual route options through sites A, B, C and P (PYR) were then matched up with a compatible option across sections A-B and C-P. The purpose of pairing sections occurs in recognition of the strong synergies between sections A and B, and between sections C and P.
- 5.2.24 Overall, the highest scoring options from this stage of the sift were:
 - Route Section A
 - o A1, A2&4, A5

- Route Section B
 - o B1, B3, B4 and B5
- Route Section C
 - o C1 and C2
- Route Section P
 - o P1, P2, P6 and P7
- 5.2.25 In summary, whilst issues were flagged for all of the selected options against at least one of the criteria, in overall terms they were all found to have the potential for more favourable outcomes, and suitable for more detailed assessment. These options scored higher against the assessed criteria, as they could be more affordable, feasible and acceptable to varying degrees compared to the other options.
- 5.2.26 Options A3, B2, P3-5 and P8 were sifted out because of concerns around potential feasibility (including land availability) and acceptability from stakeholders and local community groups. It is worth noting that, in the case the above constraints are overcome, these options could be considered at a later stage.
- 5.2.27 As noted earlier, not all options are geometrically compatible, therefore an additional check before progressing options to Stage 2 Detailed Sift, was to ensure that each selected option from High Level Sift Part 3 was compatible with at least one other option within the A-B and C-P combined sections.
- 5.2.28 A detailed analysis and score of each option is provided in **Appendix C**.

Stage 2 - Detailed Sift

5.2.29 The final list of options taken forward to Stage 2 Detailed Sift are presented in **Table**5.6. Full details of each sift/scoring in the initial level sift can be seen in **Appendix E.**

Table 5.6. Options taken forward to detailed sift

Sections	Matched options	Description
A-B	A1-B1-	B4009 Britwell Road (priority give way junction - Junction 1) through Site A on most northerly alignment to B480 Cuxham Road (new roundabout - Junction 2) and through Site B on a northerly alignment
A-B	A5-B5-	B4009 Britwell Road (priority give way junction - Junction 1) through Site A on more northerly alignment to B480 Cuxham Road (new roundabout - Junction 2) and through Site B on a more central alignment
A-B	A2&4-B4-	B4009 Britwell Road (priority give way junction - Junction 1) through southern part of Site A and Watlington Industrial Estate access road to B480 Cuxham Road (existing roundabout at Willow Close) then using an existing upgraded section of the B480 Cuxham Road to a new roundabout (Junction 2) and into Site B via options B1 or B5
A-B	A2&4-B3-	B4009 Britwell Road (priority give way junction - Junction 1) through southern part of Site A and Watlington Industrial Estate access road to B480 Cuxham Road (upgraded roundabout at Willow Close - Junction 2) then into Site B on a more central alignment
C-P	-C1-P1	Through Site C on a more central alignment, taking part of the existing alignment of Pyrton Lane to the north of Icknield Community College and then taking the alignment of Pyrton Lane and Station Road to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.
С-Р	-C1-P2	Through Site C on a more central alignment, taking part of the existing alignment of Pyrton Lane to the north of Icknield Community College and then taking a new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.

C-P	-C2-P6	Through Site C on a more northerly alignment, crossing the existing Pyrton Lane at the northern most corner of the Icknield Community College site and then taking a new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.
С-Р	-C2-P7	Through Site C on a more northerly alignment, crossing the existing Pyrton Lane at the northern most corner of the Icknield Community College site and then taking a new alignment across broadly around the edge of Watlington and joining the B4009 Shirburn Road to the south of PYR1 and north of the Watlington Recreation Ground at a new roundabout junction (Junction 3)

- 5.2.30 At this point, the refined list of route section options (which have been paired within sections A-B and C-P) have been determined as a result of Stage 1 Parts 1-3 of the High Level Sift. Therefore, the list of route section options only consists of the most appropriate, detailed and potentially feasible options, although strengths and weaknesses are expected to be included in all options.
- 5.2.31 The purpose of the Stage 2 Detailed Sift is to compare and shortlist options against criteria set out in the HM Treasury's Five Case Model, as part of the strategic, economic, financial, management and commercial cases.
- 5.2.32 The Five Case Model is the required framework for considering the use of public resources, proportionally to the costs and risks involved whilst taking account of the context in which a decision is to be made (HM Treasury Green Book, 2020).
- 5.2.33 The DfT Early Assessment Sifting Tool (EAST) supports this process and identifies broad criteria aligned with DfT's Option Assessment Framework. It provides decision makers with relevant, high level, information to help form an early view of how options perform and compare.
- 5.2.34 The EAST tool is structured around the Five Case Model, with criteria and a scoring system that enable the shortlisting of options as shown in **Table 5.7**. The colour index used to present the scores in the table were identified for the purpose of this report. They are consistently used from this point throughout the report and provide a visual representation of problematic and acceptable criteria within options.

Table 5.7. Detailed Sift Criteria

Criteria	Description	Score
Strategic Case	Fit with project objectives and wider transport and government objectives	5: Fully addresses the identified problem /
Economic Case	The scale of benefits arising from the improved transport network in terms of connectivity, reliability, resilience, housing, wider economic impacts, environmental and social impacts.	4: Significant impact / Good fit
Financial Case	Assessment of infrastructure capital costs, operating and maintenance costs	3: Moderate Impact / Reasonable fit
Management Case	Assessment of option feasibility and stakeholder and public accessibility	2: Minor Impact/ Low fit
Commercial Case	Flexibility of an option, funding and income potential	1: Very small overall Impact / Poor fit

- 5.2.35 Within each of the detailed sift criteria described in **Table 5.7**, there are subcategories that allow finer details for each option to be assessed. The majority of subcategories are assigned a score between 1 and 5 (with a few exceptions), however, not all subcategories are scored. At the end, an overall score is calculated which can be used as a general guide for the potential performance of an option.
- 5.2.36 The EAST tool provides a plethora of subcategories to apply to a variety of schemes. Nonetheless, some of these subcategories are either not relevant to the options examined in this report (e.g. terrorism) or are including too much uncertainty and were hence excluded from the sifting process. It is not atypical at this stage for less information to be available, especially in relation to the Financial and Commercial cases. The subcategories considered in the assessment of options during detailed sift are shown in **Table 5.8.**

Table 5.8. Assessed Subcategories in Stage 2 Detailed Sift

Criteria	Subcategories
Strategic Case	 Identified problems and objectives Scale of impact Fit with wider transport and government objectives Fit with other objectives Key uncertainties Degree of consensus over outcomes
Economic Case	 Economic growth Carbon emissions Socio-distributional impacts and the regions Local environment Well being Expected value for money
Management Case	 Implementation timetable Public acceptability Practical feasibility Quality of supporting evidence Key risks
Financial Case	- Affordability - Capital costs - Cost profile
Commercial Case	- Flexibility of option - Funding source

- 5.2.37 Once all options from **Table 5.6** are scored, as per the detailed sift criteria discussed, the highest scoring option for Sections A-B and C-P separately, would be the options recommended for further development. Each matched A-B and C-P route section option is discussed in the following paragraphs in relation to potential benefits, issues and performance against the business case criteria.
- 5.2.38 With regard to the Financial Case in particular, it should be noted that the costings provided for each option, and therefore their relating scores, refer to the construction of alignment sections that OCC is responsible for. It is assumed that the developer will cover the costs for the remaining alignment sections, and are therefore not included in the cost estimates provided in the subsequent analysis.
- 5.2.39 Detailed scoring for each matched option against criteria subcategories is included in **Appendix D** with separate tables for each of the five cases.

5.3 Matched option A1-B1

5.3.1 **Option A1-B1** consists of the B4009 Britwell Road (priority give way - Junction 1) through Site A on most northerly alignment to B480 Cuxham Road (new roundabout - Junction 2) and through Site B on a northerly alignment.

Table 5.9. Potential benefits and issues of Option A1-B1

Potential Benefits	Potential Issues	Business case criteria
 Would unlock development sites Situated farthest away from the edge of the town, minimising disruption to the local community Reduce congestion and air quality in town centre Protect the character of the town Fits reasonably well with some local objectives A1 will provide access to an activity centre and to the existing residential area of Watlington. B1 will provide access to the existing residential area of Watlington Traffic associated with Site A will not congest the existing roundabout on Cuxham Road Preferable option due to moving the main junction further away from the Watlington Conservation Area and the Church of St Leonard 	 Requires crossing a substantial flood zone New link road likely to facilitate car traffic and therefore potentially an increase in emissions will occur. Planning permission unlikely to be achieved without support from Environment Agency. Expensive as requires numerous structures (conveyance structures through flood plain for cross drainage, and single span structure across Charlgrove Brook). 	Strategic: the option scores well against government and local objectives, with a medium degree of consensus. Economic: the option highly supports economic growth and scores highly for socio-distributional impacts and wellbeing. However, carbon emissions have scored in the middle and local environment has scored low. Managerial: the option scored in the middle for public acceptability and supporting evidence, however has scored low for practical feasibility. Financial: the option scored lower against affordability compared to other options, with total estimated costs for construction considered to reach £3,949,100 for the OCC section(s). Commercial: the option scored in the middle for flexibility.

5.4 Matched option A5-B5

5.4.1 Option A5-B5 consists of the B4009 Britwell Road (priority give way - Junction 1) through Site A on more northerly alignment to B480 Cuxham Road (new roundabout - Junction 2) and through Site B on a more central alignment.

Table 5.10. Potential benefits and issues of option A5-B5

Potential Benefits	Potential Issues	Business case summary
 Would unlock development sites Less disruption to local community Reduce congestion and air quality in town centre Less impact to existing flood plain loss (reducing compensation required) Protect character of the town Fits well with local objectives Highly supports economic growth areas Traffic associated with Site A will not congest the existing roundabout on Cuxham Road Preferable option due to moving the main junction further away from the Watlington Conservation Area and the Church of St Leonard 	 New link road likely to facilitate car traffic and therefore potentially an increase in emissions will occur Planning permission unlikely to be achieved without support from Environment Agency. Expensive as requires numerous structures (conveyance structures through flood plain for cross drainage, and single span structure across Charlgrove Brook). 	Strategic: the option scores highly against government objectives and well against local objectives, with a medium degree of consensus over outcomes. Economic: the option highly supports economic growth and scores highly for socio distributional impacts, it has also scored well against wellbeing. However, carbon emissions have scored in the middle and local environment has scored low. Managerial: the option has scored in the middle for public acceptability and quality of supporting evidence. Financial: the option lower against affordability compared to other options, with total estimated costs for construction considered to reach £4,243,000 for the OCC section(s). Commercial: the option has scored in the middle for flexibility.

5.5 Matched Option A2&4-B4

5.5.1 Option A2&4-B4 consist of B4009 Britwell Road (priority give way - Junction 1) through the southern part of Site A and Watlington Industrial Estate access road to B480 Cuxham Road (existing roundabout at Willow Close) then using an existing upgraded section of the B480 Cuxham Road to a new roundabout (Junction 2) and into Site B via options B1 or B5.

Table 5.11. Potential benefit and issues of option A2&4-B4

Potential Benefits	Potential Issues	Business case summary
 Unlock development sites Reduce congestion and air quality in town centre Low risk of flooding Protect character of the town Fits well with local objectives Highly supports economic growth areas 	 New link road likely to facilitate car traffic and therefore potentially an increase in emissions will occur Route could increase journey time and reduce attractiveness Could be more disruptive to existing road users on Cuxham Road Potential congestion caused on Cuxham Road could affect air quality The route contains two roundabout junctions which are likely to increase carbon emissions with stopping/starting. Also, reduced route continuity which may reduce attractiveness over alternative routes, e.g. through Watlington Adverse traffic noise impacts for residents on Willow Close and Beech Close Cuxham roundabout will require levels being raised due to flooding Possible impact on existing utilities. 	Strategic: the option scores in the middle against government objectives and scoring well against local objectives, with a medium degree of consensus over outcomes. Economic: the option highly supports economic growth and scores highly for socio distributional impacts, it also scores well against wellbeing. However, scores low on carbon emissions and scores in the middle for local environment. Managerial: the option has scored in the middle for public acceptability and supporting evidence, however, has scored low for practical feasibility. Financial: the option scored highly against affordability, with total estimated costs for construction considered to reach £2,838,900 for the OCC section(s). Commercial: the option scored low on flexibility of option

5.6 Matched option A2&4-B3

5.6.1 Option A2&4-B3 consists of B4009 Britwell Road (priority give way - Junction 1) through the southern part of Site A and Watlington Industrial Estate access road to B480 Cuxham Road (upgraded roundabout at Willow Close - Junction 2) then into Site B on a more central alignment.

Table 5.12. Potential benefits and issues of option A2&4-B3

Potential Benefits	Potential Issues	Business case summary
 Unlock development sites Reduce congestion and air quality in town centre Low risk of flooding Protect character of the town Fits well with local objectives Highly supports economic growth 	 New link road likely to facilitate car traffic and therefore potentially an increase in emissions will occur. Option is close to Watlington Conservation area and Church of St Leonard. Could be more disruptive to existing road users on Cuxham Road. Potential congestion caused on Cuxham Road could affect air quality. The route contains two roundabout junctions which are likely to increase carbon emissions with stopping/starting. Adverse traffic noise impacts for residents on Willow Close and Beech Close. Cuxham roundabout will require levels being raised due to flooding Possible impact on existing utilities. 	Strategic: the option scores well against government and local objectives, with a medium degree of consensus over outcomes. Economic: the option highly supports economic growth and scores highly for socio distributional impacts, it also scores we against wellbeing. However, scores low on carbon emissions and scores in the middle for local environment. Managerial: the option has scored low for public acceptability and also scored low for practical feasibility, however has scored in the middle for quality of supporting evidence. Financial: the option scored highly against affordability, with total estimated costs for construction considered to reach £3,031,200 for the OCC section(s). Commercial: the option has scored low for flexibility of option.

5.8 Matched option C1-P1

5.8.1 Option C1-P1 runs through Site C on a more central alignment, taking part of the existing alignment of Pyrton Lane to the north of Icknield Community College and then taking the alignment of Pyrton Lane and Station Road to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.

Table 5.13. Potential benefits and issues of option C1-P1

Potential Benefits	Potential Issues	Business case summary
 Unlock development sites Reduce congestion and air quality in town centre Furthest away from edge of town to less disruption to the local community Protects character of the town Meets some local objectives Supports economic growth P1 is aligned the farthest from Watlington and educational activity 	 Not the most direct route and lacks continuity. Positioning of P1 means current road will need to be widened and hedges removed, impacting environment and ecology. Likely queueing along Pyrton Lane. New link road likely to facilitate car traffic and therefore potentially an increase in emissions will occur. The alignment of C1 is closer to Pyrton Lane and Station Road, therefore is likely to have slightly greater adverse effect on noise for residents of Pyrton. Opportunities to widen Station Road limited due to residential property. New junction required at the intersection of Pyrton Lane with Station Road, requiring additional landtake. 	Strategic: the option has scored in the middle against both government and local objectives, with a medium degree over consensus over outcomes. Economic: the option has scored well in supporting economic growth and has scored highly for socio distributional impacts. It has scored in the middle against local environment and wellbeing, however scored low for carbon emissions. Managerial: the option has scored low for public acceptability, practical feasibility and quality of supporting evidence. Financial: the option scored lower against affordability compared to other options, with total estimated costs for construction considered to reach £4,440,000 for the OCC sections(s). Commercial: the option has scored low for flexibility of option.

5.9 Matched option C1-P2

5.9.1 Option C1-P1 runs through Site C on a more central alignment, taking part of the existing alignment of Pyrton Lane to the north of Icknield Community College and then taking a new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.

Table 5.14. Potential benefits and issues of option C1-P2

Potential Benefits	Potential Issues	Business case summary
Potential Benefits Unlock development sites Reduce congestion and air quality in town centre Furthest away from edge of town to less disruption to the local community Protects character of the town Higher degree of continuity Fits some local objectives Supports economic growth	 Higher disruption for residents in Pyrton. Likely queueing along Station Road as it becomes a sideroad linking into the new alignment. Queueing likely to have greater effect on air quality. New link road likely to facilitate car traffic and therefore potentially an increase in emissions will occur. 	Strategic: the option scores well against government objectives and had scored in the middle for local objectives with a medium degree of consensus over outcomes. Economic: the option has scored well in supporting economic growth and has scored highly for socio distributional impacts. It has scored well for local environment but scored in the middle for carbon emissions and wellbeing. Managerial: the option scored in the middle for public acceptability but scored low for practical feasibility and quality of supporting information. Financial: the option scored lower against affordability compared to other options, with total estimated costs for construction considered to
		reach £2,770,300 for the OCC section(s).
		Commercial: the option has scored in the middle for flexibility of option.

5.11 Matched option C2-P6

5.11.1 Option C2-P6 runs through Site C on a more northerly alignment, crossing the existing Pyrton Lane at the northern most corner of the Icknield Community College site and then taking a new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.

Table 5.15. Potential benefits and issues of option C2-P6

Potential Benefits Potential Issues Business case summary Unlock development sites **Strategic:** the option scores Likely queueing along Station Road as it becomes well against government Reduce congestion and a side-road linking into the objectives but scored in the air quality in town centre new alignment. Queueing middle against local objectives, Furthest away from edge likely to have greater effect with a medium degree of of town so less disruption on air quality consensus over outcomes. to the local community in New link road likely to Watlington an Pyrton facilitate car traffic and **Economic:** the option has Protects character of the therefore potentially an scored well in supporting increase in emissions will economic growth and local Higher degree of occur. environment. It has scored continuity P6 aligned closer to very highly with socio Fits with some local residential and educational distributional impacts. objectives activities. However had scored in the Supports economic middle for carbon emissions growth and wellbeing. Opportunity for transference of land by Managerial: the option has the developers of PYR1 scored well with public to enable new acceptability but has scored roundabout junction. low for practical feasibility and the quality of supporting evidence. Financial: the option scored highly against affordability, with total estimated costs for construction considered to reach £2,517,600 for the OCC section(s). Commercial: the option has scored in the middle for flexibility of option.

5.13 Matched option C2-P7

5.13.1 Option C2-P7 runs through Site C on a more northerly alignment, crossing the existing Pyrton Lane at the northern most corner of the Icknield Community College site and then taking a new alignment across broadly around the edge of Watlington and joining the B4009 Shirburn Road to the south of PYR1 and north of the Watlington Recreation Ground at a new roundabout junction (Junction 3).

Table 5.16. Potential benefits and issues of option C2-P7

Potential Benefits Potential Issues Business case summary Strategic: the scored in the middle Unlock New link road likely to facilitate car development traffic and therefore potentially an against government objectives and increase in emissions will occur. sites local objectives, with a medium degree of consensus over Reduce Near school and recreational outcomes. congestion and ground so likely to cause disruption and concerns for road air quality in Economic: the option has scored town centre safety. well in supporting economic growth, Protects the Likely queueing along Pyrton Lane and highly against socio character of the and Station Road. distributional impacts. However, town More circuitous alignment may has scored in the middle for carbon make the route less attractive and Fits with some emissions, local environment and local objectives effective for its intended purpose. wellbeing. Likely to have Closer to Watlington boundary slightly smaller with concerns over environmental Managerial: the option scored in effect on noise impacts, including air quality, the middle for public acceptability around Pyrton noise, light spill and loss of but scored low for practical Lane hedgerow. feasibility and quality of supporting Queueing modelled on Station evidence. Road is likely to have greater Financial: the option scored highly effect on air quality. against affordability, with total Aligned closest to the residential estimated costs for construction and educational activities. considered to reach £2,477,600 for Constraints due to land access the OCC section(s). and ownership to the south of PYR1. Commercial: the option has scored low against flexibility.

5.14 Results: Short list of options

- 5.14.1 Following the analysis and score of each of the 8 route section options against all relevant criteria, the options can be ranked as follows in **Table 5.17**. It is important to repeat that ranking is based on a high-level score of the options. At this stage of developing scheme options, there remain many uncertainties that will not be entirely resolved until the schemes are developed in more detail. Taking this into account, it is not possible to fully differentiate between options against some of the criteria and therefore in some respects the scoring of options is closely matched.
- 5.14.2 The option ranking and more detailed discussion with scores is contained in **Appendix E** and summarised in **Appendix E**.

Rank	Route Section A-B	Score	Route Section C-P	Score
1 st	A1-B1 / A2&4-B4	50	C2-P6	49
2 nd	A5-B5 / A2&4-B3	49	C2-P7	47
3 rd			C1-P2	46
4 th			C1-P1	43

Table 5.17. Indicative ranking of route section options

6. Conclusions and Next Steps

6.1 Summary

- 6.1.1 This OAR for Watlington has provided evidence to support the need for a potential new infrastructure scheme as a response to a number of transport-related challenges related to future housing growth and regional and local aspirations for the area.
- 6.1.2 A high level list of different modal options was considered at first, including Heavy Rail, Light Rail, Bus Network, New Road, as well as options to do nothing and to do a minimum set of improvements. Their best fit against the wider objectives and challenges in the area was assessed as part of Stage 1 High Level Sift Part 1, and through a high level comparison, a new road of lower speed configuration which is integral to housing development (Option E) was selected.
- 6.1.3 Progressing to Stage 1 High Level Sift Part 2, Option E was expanded out to a number of possible broad corridor options that could potentially accommodate the new road link. The results of this process showcased that a road corridor to the west and north of Watlington seemed the most appropriate.
- 6.1.4 Progressing to Stage 1 High Level Sift Part 3, corridor options in Part 2 were divided into more detailed route sections with sub-option alignments defined through each development site to the west and north of Watlington.
- 6.1.5 Each option was outlined, and potential benefits and issues were identified. Some options were discounted due to them being unfeasible. The remaining options were analysed and compared further, using the DfT EAST tool. Criteria and subcategories of criteria relating to the five case business model as defined by HM Treasury (strategic, economic, financial, management and commercial) were scored resulting in a list of shortlisted options of possible alignment.

- 6.1.6 The highest ranking option(s) (A1-B1 or A2&4-B4 within sites A and B and C2-P6 within sites PYR1 and PYR2) scored highly on feasibility and public acceptability, comply with national, regional and local objectives and are considered to respond appropriately to current and future traffic-related challenges in Watlington.
- 6.1.7 With regard to affordability, the cost estimates for each option have been compared, and although the two options within sites A-B have obtained the highest score overall based on the Detailed Sift, it is important to note that option A1-B1 represents the second most expensive of all the A-B options.
- 6.1.8 Analysis on affordability considered the cost of construction only for alignment sections that OCC is responsible for. The costs for the remaining alignment sections would be covered by the developer, and were therefore excluded from the cost estimates. It is worth noting that the affordability of a complete alignment should consider the combination of costs from the two parties, which could potentially alter the ranking of the examined options and result in a different preferred alignment.

6.2 Next Steps

- 6.2.1 In line with the TAG guidance on option appraisal, further assessment of the shortlisted options is required. The options will be assessed through modelling, using microsimulation and strategic transport modelling where appropriate. The method for assessing the schemes should be investigated as part of an Appraisal Specification Report as recommended by the DfT. The preferred scheme options will undergo a process of public consultation to seek local stakeholders and community views. The feedback from the public consultation exercise in conjunction with new transport modelling evidence will be used to inform the preliminary design of the scheme which will consider all aspects in more detail than have been considered to date. It is envisaged that in late 2021 a planning application will be submitted for the scheme, which will be supported by more detailed evidence.
- 6.2.2 It is important to note that whilst the alignment options considered as part of the Stage 2 Detailed Sift have been defined to a reasonable level of detail, they remain indicative having been based on an early assessment of engineering feasibility. The alignment(s) taken forward to public consultation and subsequently the preliminary design stage may therefore vary from the options considered in this OAR. It is not however expected that the alignments will significantly differ from those considered in this OAR, and therefore the report's assessment and conclusions should remain relevant.

Appendix A: Stage 1 - High Level Sift: Part 1

Sift ID Option Name	Option Description	local h	ve 1 - Facilitate ousing growth Watlington	traffic	ive 2 - Manage growth across an led Watlington	Objective 3 - Facilitate active travel within and around an expanded Watlington		Affordability		Feasibility		Acceptability		Total Score	Rank	Summary
		Score	Commentary	Score	Commentary	Score	Commentary	Score	Commentary	Score	Commentary	Score	Commentary			
			_								Heavy rail link may be					
											feasible to introduce					
											along the former railway					
											alignment between					
											Watlington and Chinnor.					
											New structures and some					
											land purchase would be					
											required along the closed					
											section. Disruption and					
											renewal costs would be					
											required to upgrade the					
											Chinnor and Princes					
											Risborough heritage railway. A commercial					
											service may or may not					
											be able to operate					
											alongside heritage					
											services. Upgrades to					
											Chiltern Main Line		Heavy rail link			
									Heavy rail link would		connection and Princes		would promote			
									be very expensive. It		Risborough Station would		more sustainable			
									may be feasible to		be required. An		journeys and may			
									reopen an old rail		alternative new alignment		be perceived as			
									alignment between		e.g. towards Didcot via		more acceptable			
									Watlington and		Wallingford and/or		than road-based			
									Chinnor from which		Cholsey, potentially		options but could			
									point a railway line		taking a section of the		largely depend on			
									exists towards Princes		Wallingford-Cholsey		the composition of			
									Risborough but for		heritage line could also		service and			
	A								leisure/heritage use		be considered, but could		destinations			
	A new railway,				I I a a con constitue la constitue de la const				only. Evidence does		potentially be even more		served. High cost,			
	potentially taking the alignment of				Heavy rail link may influence some				not indicate that Princes Risborough or		challenging as it will require more land		disruption during construction,			
	the former				traffic movements		Heavy rail link may		destination served		acquisition and new		visual and noise			
	Watlington and		Heavy rail link		through		not facilitate active		along the Chiltern		structures. Whilst		intrusion during			
	Princes		would help		Watlington,		travel, except for		Main Line are a key		Wallingford is identified		construction and			In summary, this option
	Risborough		facilitate		however it is		accessing a		direction of travel for		as a key origin/destination		when operational			is not considered
	Railway, with an		planned growth,		unlikely to cater for		station. It may		Watlington residents		for trips to/from		may make this			proportionate to the level
	intermediate		although it		all journeys, taking		cause severance		and would not		Watlington, onward		option less			of housing growth in
	station at		could be		into consideration		(cutting off existing		therefore generate		destinations served on		acceptable. Its			Watlington. Whilst it may
	Chinnor, or a		considered		the dispersed		public rights of		sufficient passenger		the Great Western Main		potential minimal			encourage more
	new alignment to		disproportionate		pattern of trips		way, diverting		demand or revenue to		Line are not considered		impact on traffic			sustainable travel, it
	the nearest		to the level of		across a wide		roads) and		justify high		major destinations with		issues in			would be an extremely
	larger settlement		growth		catchment area		therefore create		implementation and		the exception of Oxford. A		Watlington may			expensive and inflexible
	on the existing		proposed and		which roads		longer routes for		maintenance costs. A		new station would most		also increase the			option. It is therefore not
	national rail		may still lead to		through Watlington		pedestrians,		new rail alignment		likely be located some		perception the rail			recommended to take
	network such as		pressure placed		are assumed to		cyclists and		could be more		distance outside of		link is not			this option forward to the
A Heavy Rail Link	Didcot	1	on local roads.	-2	cater for.	-2	equestrians.	-2	expensive.	-2	Watlington.	0	effective.	-7	6	High Level Sift Part 2.

Sift ID Option N		option Description	local he	ve 1 - Facilitate ousing growth Watlington	traffic	ive 2 - Manage growth across an led Watlington	active t	ve 3 - Facilitate ravel within and an expanded gton	Afforda	ability	Feasib	ility	Accept	ability	Total Score	Rank	Summary
			Score	Commentary	Score	Commentary	Score	Commentary	Score	Commentary	Score	Commentary	Score	Commentary			
	sy W ne se se	new light rail ystem linking Vatlington to the earest larger ettlement and ervice centre, .g. Princes	Score	Light rail / tram link would help facilitate planned growth, although it could be considered disproportionate to the level of growth proposed and	Score	Light rail / tram link may influence some traffic movements through Watlington, however it is unlikely to cater for all journeys, taking into consideration the dispersed pattern of trips across a wide catchment area which roads	Score	Light rail link may not facilitate active travel, except for accessing a station. It may cause severance (cutting off existing public rights of way, diverting roads) and therefore create longer routes for		Light rail link would be very expensive. It will require a new alignment therefore requiring significant land acquisition. It may not be compatible with the Chinnor-Princes Risborough Railway. It may not be efficient to operate it further than the nearest key town. Evidence does not indicate that Princes Risborough is a key direction of travel for Watlington residents and would not therefore generate sufficient passenger demand and revenue to justify high implementation and maintenance costs. A		Light rail link likely to require new alignment. New structures and significant land purchase would be required. It may not be feasible to route light rail close enough to the nearest mainline railway to facilitate interchange therefore a separate interchange may be required. A new	Score	Light rail link would promote more sustainable journeys and may be perceived as more acceptable than road-based options. High cost, disruption during construction, visual and noise intrusion during construction and when operational may make this option less acceptable. Its potential minimal impact on traffic issues in Watlington may also increase the			In summary, this option may be considered not proportionate to the level of housing growth in Watlington. Whilst it may encourage sustainable travel, it would be an expensive option and is unlikely to cater for all journeys. It is therefore not recommended to
	Ri	tisborough,		may still lead to		through Watlington		pedestrians,		new light rail alignment		station would most likely		perception the rail			take this option forward
B Light Rail		Vallingford nd/or Thame	1	pressure placed on local roads.	-1	are assumed to cater for.	-2	cyclists and equestrians.	-2	could be more expensive.	-2	be located some distance outside of Watlington.	-1	link is not effective.	-7	6	to the High Level Sift Part 2.
b Light Kali	I LIIIK ai	nu/or mame	'	on local loads.		cater ior.	-2	equestriaris.	-2	Enhanced bus link or	-2	Enhanced bus link or		Enhanced bus link	-1	0	raitz.
										network could potentially be		network could be very feasible to introduce		or network would promote more			
										affordable if it can be		depending on		sustainable			
										supported by development (pump		configuration, for example number of vehicles and		journeys and may be perceived as			
										priming the funding of		supporting infrastructure.		more acceptable			
										new vehicles and		Services operating on		than private			
										supporting infrastructure). To be a		dedicated routes or corridors, e.g. bus lanes,		vehicle-based options.			
										more flexible service, it		bus only roads or guided		Depending on			
										would need to connect to different locations in		busway tracks, will be less feasible and likely to		configuration, a potential high cost,			In summary, this option
										multiple directions		require land acquisition		disruption during			is considered
										which could increase costs and may not		and additional mitigation costs. It is uncertain		construction (required), visual			proportionate to the level of housing growth in
										generate sufficient		however that such		and noise intrusion			Watlington. It is
	_	single route or								demand. A Demand Responsive Transit		infrastructure would be warranted, therefore		during construction and			potentially an affordable option although creating
		single route or ystem of				Enhanced bus link				system may be more		services could mix with		when operational			a flexible service will
	en	nhanced bus				or network may				affordable and		general traffic on public		may make this			increase the price.
		ervices linking Vatlington to at				influence some traffic movements				proportionate as service levels and		road with new, enhanced stops provided at key		option less acceptable. Its			Services operating on dedicated routes will be
		east one larger				through Watlington				patterns would adjust		locations. Demand		potential minimal			less feasible and likely to
	se	ettlement or				and could cater for				according to the level		Responsive Transit		impact on traffic			require land acquisition
		nultiple estinations		Enhanced bus link or network		a selection of journeys, taking		Enhanced bus link		of demand. A prominent direction of		typically operates using smaller vehicles which		issues in Watlington may			and additional mitigation. It is uncertain that such
		estinations icluding		would help		into consideration		or network may		travel is desirable for		could be more easily		also increase the			infrastructure would be
	W	Vallingford,		facilitate		the dispersed		not facilitate active		such services to		accommodated on rural		perception bus			warranted. It is therefore
		idcot, Princes tisborough,		planned growth, and be better		catchment area which roads		travel but should not create		operate effectively. Wallingford or Oxford		roads and narrow streets through Watlington. It		services are not fully effective.			not recommended to take this option forward
Enhanced		hames and/or		connected with		through Watlington		severance if using		could be considered		may however dilute		However, a			to the High Level Sift
C Link or Ne	etwork Ox	xford	1	homes	0	cater for.	-1	existing roads.	0	key destinations.	-1	patronage on existing bus	1	Demand	0	2	Part 2.

Sift ID Option Name	Option Description	local h	ive 1 - Facilitate ousing growth I Watlington	traffic	ive 2 - Manage growth across an led Watlington	active	ive 3 - Facilitate travel within and d an expanded gton	Afforda	ability	Feasib	ility	Ассер	Acceptability		To ceptability So						Rank	Summary
		Score	Commentary	Score	Commentary	Score	Commentary	Score	Commentary	Score	Commentary	Score	Commentary									
								000/0			services as there may not be sufficient overall demand in such a rural location.		Responsive Transit type system may offer the flexibility and proportionality required.									
Road Link - higher D speed bypass	A new road designed to DMRB standards, e.g. 40-60mph speed limit, single carriageway with limited junctions along its length to improve flow and maintain vehicle speeds, limited or no NMU provision	0	Road Link of high-speed bypass configuration would help facilitate development, however it may not enhance local connections as development traffic may still need to route through Watlington. It would not be considered proportionate to the problem and opportunities in Watlington	-1	Road Link of high- speed bypass configuration may not enhance local connections as development traffic may still need to route through Watlington. It may induce traffic from across a wide area including trips which would not occur by car or take a different route. Potentially transfer of traffic from less appropriate rural routes as well as through Watlington	-1	Road Link of high- speed bypass configuration could increase severance for pedestrians, cyclists and equestrians, depending on frequency and quality of crossings. This could be slightly offset by a reduction in severance through the centre of Watlington where traffic volumes may reduce.	-1	High speed bypass would be expensive, but more affordable with developer contributions. As it would only benefits car users and not NMU's, other schemes would need to be implemented in conjunction in order to facilitate all road users, which could result in higher costs. In order to serve all new developments, it would need to be positioned very carefully near Site A and at the end of PYR1, meaning it would also require rural land purchase.		Being a bypass, this would mean it would not need to be built through the town and would preserve the character of the town. New structures and significant land purchase would be required. There may not be sufficient space to accommodate sufficient structures such as bridges and grade separated junctions to facilitate a straight, faster alignment for traffic.	-2	As the new bypass would result in higher car use and no NMU facilities, this would not be accepted by all road users and does not support sustainable travel. Could also lead to air quality issues with high speed limit. The construction would result in noise, high costs, and the final structure could also result in a lot of noise from fast travelling vehicles and visually it would not be pleasing or fitting with the local environment.	-5	5	In summary, this option is not considered proportionate to the level of housing growth in Watlington. It is expensive and there may not be sufficient space to accommodate for a straight, faster alignment. The option could decrease severance through the Watlington centre while it might increase severance for pedestrians, cyclists and equestrians around the bypass. The option does not encourage sustainable travel and could lead to air quality and noise issues. It is therefore not recommended to take this option forward to the High Level Sift Part 2.						

Sift ID Option Name	Option Description	Objective 1 - Facilitate local housing growth around Watlington		traffic growth across an expanded Watlington		Objective 3 - Facilitate active travel within and around an expanded Watlington		Afford	Affordability		Feasibility		tability	Total Score	Rank	Summary
Road Link - lower speed distributor/edge E road	A new road designed to MfS standards, e.g. max 30mph mph speed limit, single carriageway with potential interim junctions along its length and NMU provision including crossing points and footways or shared us footways/cycle routes alongside it	Score 2	Road link/edge road of lower speed would help facilitate planned development growth for both vehicle and NMU. Junctions would also allow for enhanced local connections.		Road link / edge road would enhance local connections with junctions to facilitate movements at different places along the road. Potentially transfer of traffic from less appropriate rural routes as well as through Watlington. Would also help facilitate traffic growth	Score	Edge road with NMU provisions does facilitate active travel and reduces severance. The road may also take traffic away from Watlington centre and could improve environment for NMUs in the town centre.	Score 1	Edge road would be expensive but costs would be less than other options. The alignment and route of the edge road would have an impact on the costs of the road. Edge road going through or near the planned development sites could secure funding through developer contributions. Some land purchase may be necessary but could be covered by routing through development sites, therefore clear opportunity for developers to help fund it.	Score 1	An edge road would potentially require land purchase, most likely rural or agricultural to be used for the construction of the road around the edge of the town, however proposed developments in the area could facilitate this due to where they are situated		A new road would likely encourage higher car use in an already high car dependant town, however with NMU provisions such as crossings and cycle routes these could open up connections for all road users in Watlington and also to further destinations.	6	1	In summary, this option is considered proportionate to the level of housing growth in Watlington. The option is expensive but the alignment near the planned development sites could secure funding through developer contributions. The option would enhance local connections and while it is likely to encourage car travel the NMU provisions such as crossings and cycling routes cater for all road users and reduces severance. It is therefore recommended to take this option forward to the High Level Sift Part 2.
A Do Nothing	No improvements (planned development load onto existing roads but no wider improvements)	-2	A do nothing option would not help facilitate housing development, and may in fact hinder the development. No improvements would result in more traffic travelling through the streets of Watlington and the current road infrastructure would be required to facilitate the growing number of vehicle trips from developments.	-2	A do nothing option would worsen traffic management across Watlington as the current road infrastructure would be required to facilitate traffic growth.	-2	A do nothing option would not improve active travel around Watlington. It also may worsen active travel and traffic growth will mean more vehicle trips, increasing severance and a potentially unsafe active mode environment	2	A do nothing option would be affordable.	2	A do nothing option would mean no infrastructure needs to be built or planned	-2	A do nothing option would mean current issues such as congestion and air quality will worsen.	-4	4	In summary, a do nothing option would worsen traffic management across Watlington and not improve active travel. It would be an affordable option as no infrastructure needs to be built but current issues as congestion and air quality will worsen. It is therefore not recommended to take this option forward to the High Level Sift Part 2.

Sift ID	Option Name	Option Description	local h	ive 1 - Facilitate ousing growth Watlington	acilitate Objective 2 - Manage agrowth traffic growth across an a			ve 3 - Facilitate ravel within and an expanded gton	fordability Feasibility			Accept	ability	Total Score	Rank	Summary	
			Score	Commentary	Score	Commentary	Score	Commentary	Score	Commentary	Score	Score Commentary		Score Commentary			
		Minimal improvements to facilitate movements through Watlington including localised improvements to footways, additional crossings and some limited bus service enhancements		Minimal improvements could potentially facilitate a small amount of growth, however it does not facilitate the scale of planned		Minimal improvements would not manage the traffic growth fully and would not address current issues such as congestion that		Minimal improvements such as additional crossings may slightly improve the current environment for active travel, however it is unlikely that it will make a huge difference and will		Minimal improvements would not cost a lot of money nor would the maintenance costs be high. Additional bus services would create income and so some		Minimal improvements would not require a lot of		Do minimum would results in only slight if any improvement to current issues like congestion and air quality and may be perceived as being ineffective and poor value for money given the			In summary, a do minimum option does not facilitate the planned housing developments in Watlington. It is an affordable option as no a lot of construction or land purchase Is needed. However, the option would result only to slight if any improvements to
	Do Minimum	(e.g. increased		housing growth		are likely to		not encourage		of those costs may be		construction or land use,		scale of			current issues like
	highway	frequency during		developments		intensify in the		further active		covered if demand is		as it would be within the		development			congestion and air
Н	improvement	peak hours).	-1	in Watlington.	-1	future.	-1	travel	2	high enough.	2	existing highway	-1	proposed.	0	2	quality.

Watlington Option Assessment Report

Appendix B : Stage 1 - High Level Sift Part 2

Sift	Option Name	Option Description	Objective 1 - Facilitate local housing growth around Watlington		Objective 2 - Manage traffic growth across an expanded Watlington		Objective 3 - Facilitate active travel within and around an expanded Watlington		Affordability		Feasibility		Acceptability		Total Score Ran		Summary
				Commentary	_	Commentary		Commentary		Commentary		Commentary		Commentary			
	New Dood	A new road designed to MfS standards, e.g. max 30mph speed limit, single carriageway with potential interim junctions along its length and NMU provision including crossing points, footways or shared us footways/cycle routes alongside it. Completely encircling Watlington with in standards.	Score	A new road all around Watlington would help facilitate housing development by providing	Score	A new road would provide additional road capacity around Watlington, linking together each key	Score	A new road encircling Watlington could increase severance,		A new road all around Watlington would be considered less affordable and not in proportion to the defined problem and level of housing growth proposed on the edges of Watlington. It would	Score	A new road all around Watlington might be feasible in engineering	Score	A new road encircling Watlington is unlikely to be acceptable as it will likely have significant detrimental impacts on the			In summary, the option is not proportionate to the level of housing growth in Watlington. Whilst it would provide additional road capacity it is likely to increase severance and have significant detrimental impacts on the
<u>E1</u>	New Road - lower speed distributor/edge road - full ring around Watlington	junction links onto the B4009S, B480W, B4009N, Hil Road, B480E	1	additional transport capacity although it could be considered disproportionate to the scale and location of growth.	1	radial route leading into/out of the town. By providing additional capacity, it could serve to induce traffic around Watlington.	-1	making it more difficult for people to cross roads on foot and by bike to access the countryside or Watlington.	-2	require significant land purchase and potentially purchase and demolition of properties particularly on the eastern side of the town.	0	terms, assuming all required land could be secured to achieve a sensible alignment.	-2	environment, and is considered a disproportionate solution to the problem.	-4	3	environment. It is therefore not recommended to take this option forward to the High Level Sift Part 3. In summary, the option is proportionate to the level of housing growth in
		A new road designed to MfS standards, e.g. max 30mph mph speed limit, single carriageway with potential interim junctions along its length and NMU provision including crossing points and footways or						A new road is likely to relieve some traffic within Watlington and therefore in turn could facilitate an increase in active travel if roads are quieter and safer. However, overall a relief road could encourage car use and not active or sustainable travel		A new road west of Watlington would be relatively affordable and in proportion to the defined problem and level of housing growth proposed on the edges of Watlington. Due to the		A new road west of Watlington is		A new road west of Watlington is more likely to be acceptable as it is a proportionate solution to the problem and has less impacts on environmentally sensitive areas. There are likely			Watlington and has less detrimental impacts on the environment. The option is more affordable and developer contribution to the cost is likely. It is not likely to encourage active travel and it might increase severance for active travel
E 2	New Road - lower speed distributor/edge road - west of Watlington	shared us footways/cycle routes alongside it. Routes around the west of Watlington only, with junction links onto the B4009S, B480W and B4009N	2	A new road west of Watlington would help facilitate housing development by providing additional transport capacity.	1	A new road would provide additional road capacity west of Watlington, linking together B4009 north and south of Watlington and B480 leading into/out of the town from the west (the main rural route towards Oxford)	0	(sustainable travel – NPPF and government climate change objectives). A new road could increase severance for active travel outside of Watlington, depending on frequency and quality of crossings.	2	positioning to the west of Watlington, it would potentially travel through development sites meaning strong likelihood for contributions from developers (either through reserving land or construction of sections themselves).	2	likely to be feasible in engineering terms, assuming all required land could be secured to achieve a sensible alignment which complies with standards.	1	to be concerns regarding potential knock-on impacts, including induced traffic, noise and visual intrusion which could make the scheme less acceptable.	5	1	outside of Watlington depending on frequency and quality of crossings. It is therefore recommended to take this option forward to the High Level Sift Part 3.

	Sift D	Option Name	Objective 1 - Facilitate local Option Housing growth around Description Watlington Objective 2 - Manage traffic growth across an expanded Watlington Objective 3 - Facilitate active travel within and around an expanded Watlington		Affordability Feasibility					Acceptability Total Score			Summary					
				Score	Commentary	Score	Commentary	Score	Commentary	Score	Commentary	Score Commentary		Score	Commentary			
			A new road designed to MfS standards, e.g. max 30mph mph speed limit, single carriageway with potential interim junctions along its length and NMU provision including	Score	Commentary	Score	Commentary	Score	A new road is likely to relief the traffic within Watlington and therefore encourage active travel. However, overall a	Score	A new road east of	Score	Commentary	Score	A new road east of Watlington is likely to have a low level of			In summary, the option is proportionate to the level of housing growth in Watlington and has less detrimental impacts on the environment. However, it would require land purchase and demolition of properties while developer contribution to the cost would be limited. The option is not likely to encourage active
			crossing points and footways or						relief road can be seen encouraging car		Watlington would be relatively affordable and				acceptability as it would impact			travel and it might increase
			shared us						use and not active or		in proportion to the		A new road west		on areas			severance for
			footways/cycle						sustainable travel		defined problem and		of Watlington is		classified as			active travel
			routes alongside it. Routes				A new road east of		(sustainable travel – NPPF and		level of housing growth proposed on the edges		likely to be feasible in		"area of outstanding			outside of Watlington
			around the east				Watlington may relieve		government climate		of Watlington. It would		engineering		natural beauty"			depending on
			of Watlington				some pressure on		change objectives). A		require land purchase		terms, assuming		east of			frequency and
			only, with				roads in Watlington,		new road could		and potentially purchase		all required land		Watlington			quality of
			junction links		A new road east of		although development		increase severance		and demolition of		could be secured		(Landscape			crossings. It is
		New Road -	onto the		Watlington would not		traffic may not be		for active travel		properties. There would		to achieve a		Figure.pdf) and			therefore not
		lower speed	B4009S, B480E		help facilitate		attracted to use it and		outside of Watlington,		be limited opportunity to		sensible		is on the			recommended to
		distributor/edge	(Howe Road),		housing development		would instead use		depending on		directly fund the full link		alignment which		opposite side of			take this option
_		road - east of	Hill Road and		located west of		existing roads through		frequency and quality		through planned		complies with		town to	_	_	forward to the High
E	≣3	Watlington	B4009N	0	Watlington	-1	Watlington and Pyrton.	0	of crossings.	-1	developments	0	standards.	-1	development	-2	2	Level Sift Part 3.

Appendix C : Stage 1 - High Level Sift Part 3

Sift ID	Section	Option	Option Description	Affordability F		Feasibility			ability	Total Score	Rank Note:	Summary
				Score	Commentary	Score	Commentary	Score	Commentary		ranking considers each section (A, B, C and P) separately)	
E2.1	A	A1	B4009 Britwell Road (priority give way - Junction 1) through Site A on most northerly alignment to B480 Cuxham Road (new roundabout - Junction 2)	0	Awaiting cost estimation for section(s) to be funded by OCC. Likely to be more expensive that other A-section options as it requires numerous structures (conveyance structures through flood plain for cross drainage, and single span structure across Charlgrove Brook)	1	The option is considered reasonably feasible, subject to EA approval and sufficient structures capable of addressing flooding risks.	1	The option's acceptability is considered positive given that it will have benefits in terms of connectivity and knock-on improvements on existing roads, however crossing an environmentally sensitive area could reduce its acceptability.	2		The option is likely to be relatively expensive as it requires numerous structures to address flooding risk. Its acceptability is considered positive and it is likely reasonably feasible. Therefore, it is recommended to take this option forward to the Detailed Assessment.
E2.2	Α	A2&4	B4009 Britwell Road (priority give way - Junction 1) through southern part of Site A and Watlington Industrial Estate access road to B480 Cuxham Road (upgraded roundabout at Willow Close - Junction 2)	2	Awaiting cost estimation for section(s) to be funded by OCC. Utilises a section of existing road (access to Watlington Industrial Estate) which could reduce costs. Cuxham Roundabout will require levels being raised due to flooding but no floodplain storage or conveyance structures would be required. Possible impact on existing utilities.	1	The option is considered reasonably feasible, subject to sufficient structures capable of addressing flooding risks.	1	The option's acceptability is considered positive given that it will have benefits in terms of connectivity and knock-on improvements on existing roads. The option may cause congestion on the Cuxham Road roundabout which may have an adverse effect on the acceptability. (Environmental Baseline Report). It may cause more disruption to businesses although conversely, they may benefit from improved connectivity (quicker journey times by car around Watlington)	4	1	The option is likely to be more affordable due to utilisation of existing road. Its acceptability is considered positive and it is likely reasonably feasible. Therefore it is recommended to take this option forward to the Detailed Assessment.
E2.3	A	A3	B4009 Britwell Road (priority give way - Junction 1) through Site A, taking a more northerly alignment before routing southwards to meet an upgraded roundabout at Cuxham Road/Willow Close - Junction 2)	-1	Awaiting cost estimation for section(s) to be funded by OCC. Cuxham Rbt will require levels being raised due to flooding. Possible impact on existing utilities which would need to be mitigated with conveyance structures and floodplain storage.	-2	The option is considered not feasible given the issues around flood protection, land ownership and access.	0	The option's acceptability is considered neutral given that it will have benefits in terms of connectivity and knock-on improvements on existing roads, but conversely it may cause congestion on Cuxham Road roundabout which may have an adverse effect on its acceptability. (Environmental Baseline Report).	-3	4	The option is likely to be relatively expensive due to required flood protection structures. It is not considered feasible given the problems around flood protection, land ownership and access. Therefore it is recommended not to take this option forward to the Detailed Assessment.

Sift ID	Section	Option	Option Description	Affordability Score Commentary	Feasibi Score	lity Commentary	Accepta	Acceptability S Score Commentary		Rank Note: ranking considers each section (A, B, C and P) separately)	Summary
				,		,		,		- cop an analy)	
E2.4	A	A 5	B4009 Britwell Road (priority give way - Junction 1) through Site A on a northerly alignment to B480 Cuxham Road (new roundabout - Junction 2)	Awaiting cost estimation for section(s) to be funded by OCC. Expensive as requires numerous structures (conveyance structures through flood plain for cross drainage, and single span structure across Charlgrove Brook) but less costly compared to A3 and A1.	1	The option is considered reasonably feasible, subject to EA approval and sufficient structures capable of addressing flooding risks.	1	The option's acceptability is considered positive given that it will have benefits in terms of connectivity and knock-on improvements on existing roads, however crossing an environmentally sensitive area could reduce its acceptability.	2	2	The option is likely to be relatively expensive as it requires numerous structures to address flooding risk. Its acceptability is considered positive and it is likely reasonably feasible. Therefore it is recommended to take this option forward to the Detailed Assessment.
E2.5	В	B1	Linking Cuxham Road (at a priority give way junction - Junction 1) through Site B on a northerly alignment	Awaiting cost estimation for section(s) to be funded by OCC.	2	The option is considered feasible. The option has been safeguarded in the Watlington Neighbourhood Plan as well as the emerging South Oxfordshire District Local Plan.	2	The option's acceptability is considered positive given that it will have benefits in terms of connectivity and knock-on improvements on existing roads. The option may cause congestion on the Cuxham Road roundabout which may have an adverse effect on the acceptability. (Environmental Baseline Report).	6	1	The option is likely to be relatively affordable. The option's acceptability and feasibility are considered positive given it is safeguarded in the Watlington Neighbourhood Plan as well as the emerging South Oxfordshire District Local Plan. Therefore it is recommended to take this option forward to the Detailed Assessment.
E2.6	В	B2	Linking Cuxham Road (at an existing, upgraded roundabout with Willow Close), taking the alignment of Willow Close, through Site B on a southerly alignment		0	The option is considered less feasible given the close alignment to Willow Close. The option has been safeguarded in the emerging South Oxfordshire District Local Plan.	-2	The option's acceptability is considered low given the close proximity to the residential properties on Willow Close. The option may cause congestion on the Cuxham Road roundabout which may have an adverse effect on the acceptability. (Environmental Baseline Report).	0	5	The option is likely to be relatively affordable. The option is likely to be less acceptable and feasible given its close proximity to residential properties on Willow Close and adverse affect on traffic on Cuxham Road. Therefore it is recommended not to take this option forward to the Detailed Assessment.
E2.7	В	В3	Linking Cuxham Road (at an existing, upgraded roundabout with Willow Close) then through Site B on a more central alignment	Awaiting cost estimation for section(s) to be funded by OCC. Land purchase required at roundabout. Levels of existing roundabout will need to be raised.	2	The option is considered reasonably feasible, subject to land purchase at roundabout.	0	The option's acceptability is considered neutral given that it will have benefits in terms of connectivity and knock-on improvements on existing roads. The option may cause congestion on the Cuxham Road roundabout which may have an adverse effect on the acceptability. It would also be more disruptive to Willow Close residents (Environmental Baseline Report).	4	3	The option is likely to be more disruptive to the residents on Willow Close and it may affect traffic on Cuxham Road. However, it is likely to be relatively affordable and feasible option. Therefore it is recommended to take this option forward to the Detailed Assessment.

										Total		
Sift ID	Section	Option	Option Description	Afford	ability	Feasibi	lity	Accepta	ability	Score	Rank Note:	Summary
											ranking considers each	
											section (A, B, C and P)	
			Taking the	Score	Commentary	Score	Commentary	Score	Commentary		separately)	
			alignment of Cuxham Road									
			between the existing roundabout junction						The option's acceptability is			
			with Willow Close/Watlington		Awaiting cost estimation for section(s) to be funded by OCC.				considered positive given that it will have benefits in terms of			The option is likely to be relatively affordable although it would need to be
			Industrial Estate access to a priority		Likely more costly than Options B2		The option is considered		connectivity and knock-on improvements on existing roads.			combined with either B1 or B5 reducing affordability. The option's
			give way junction (Junction 1) NOTE -		and B3. Will require construction of compact roundabout with 28m ICD.		reasonably feasible as improvements could be secured		The option may cause congestion on the Cuxham Road roundabout			acceptability and feasibility are considered positive although the option
			B4 would need to be combined with either		It would need to be combined with either B1 or B5 therefore reducing		within the existing highway boundary or through adjacent		which may have an adverse effect on the acceptability.			may affect the traffic on Cuxham Road. It is recommended to take this option
E2.8	В	B4	B1 or B5 options)	1	affordability.	2	development land.	1	(Environmental Baseline Report).	4	3	forward to the Detailed Assessment.
									The option's acceptability is			
									considered positive given that it will have benefits in terms of			The engine is likely as he releasely.
			Linking Cuxham Road (at a priority		Awaiting and actimation for				connectivity and knock-on improvements on existing roads. The option may cause congestion			The option is likely to be relatively affordable. The option's acceptability and feasibility are considered positive
			give way junction - Junction 1) through		Awaiting cost estimation for section(s) to be funded by OCC.				on the Cuxham Road roundabout which may have an adverse effect			although the option may affect the traffic on Cuxham Road. It is
E2.9	В	B5	Site B on a more central alignment	2	Requires construction of compact roundabout with 28m ICD	2	The option is considered feasible.	2	on the acceptability. (Environmental Baseline Report).	6	1	recommended to take this option forward to the Detailed Assessment.
L2.3	Б	БЭ	central alignment		Touridabout with 2011 TCD		The option is considered reasible.		(Environmental baseline report).	0		ioi waitu to tile Detaileu Assessifierit.
							The option is considered feasible, subject to purchase or CPO of the		The option's acceptability is considered positive given that it will			The option is likely to be relatively
			Through Site C on a more central				Icknield college playing fields. Issue regarding reserved land on		have benefits in terms of connectivity and knock-on			affordable. The option's acceptability is considered positive although the option
			alignment, taking a short section of the				PYR2 - safeguarded for possible expansion of Icknield College. This		improvements on existing roads. It is aligned the furthest from the			may affect the traffic on Cuxham Road. It is likely a feasible option subject to
			existing alignment of Pyrton Lane to the				route is safeguarded in the Watlington Neighbourhood Plan as		residential properties on Willow Close which is likely to improve the			purchase or CPO of the Icknield college playfields. It is recommended
E2.10	С	C1	north of Icknield Community College	2	Awaiting cost estimation for section(s) to be funded by OCC.	2	well as the emerging South Oxfordshire District Local Plan	2	acceptability. (Environmental Baseline Report).	6	1	to take this option forward to the Detailed Assessment.
							The option is considered reasonably feasible, subject to					The option is likely to be relatively
			Through Site C on a more northerly				purchase or CPO of the Icknield college playing fields. Issue					affordable. It is likely a feasible option subject to purchase or CPO of the
			alignment, crossing the existing Pyrton				regrading reserved land on PYR2 - safeguarded for possible		The option's acceptability is considered positive given that it will			Icknield college. The option's acceptability is likely positive although
			Lane at the northern most corner of the				expansion of Icknield College. The option is not aligned with the		have benefits in terms of connectivity and knock-on			it may affect the traffic on Cuxham Road. It is recommended to take this
E2.11	С	C2	Icknield Community College site	2	Awaiting cost estimation for section(s) to be funded by OCC.	1	Providence masterplan which is currently awaiting determination	1	improvements on existing roads (Environmental Baseline Report).	4	2	option forward to the Detailed Assessment.

Sift ID	Section	Option	Option Description	Afforda	bility	Feasibi	litv	Accepta	ability	Total Score	Rank	Summary
		Space.		Score	Commentary	Score	Commentary		Commentary		Note: ranking considers each section (A, B, C and P) separately)	
				000.0	- Commonary	000.0	Commontary	000.0	Commonary		ooparatory)	
E2.12	С	СЗ	Through Site C on a more southerly alignment, taking a longer section of the existing alignment of Pyrton Lane to the north of Icknield Community College	2	Awaiting cost estimation for section(s) to be funded by OCC.	-1	Issue regrading reserved land on PYR2 - safeguarded for possible expansion of Icknield College. Not aligned with the Providence masterplan which is currently awaiting determination	-1	The option will have benefits in terms of connectivity and knock-on improvements on existing roads. However, the option is close to Watlington Primary School and Icknield college which may have an adverse effect on the acceptability. (Environmental Baseline Report).	0	3	The option is likely to be relatively affordable. However, its feasibility and acceptability are considered low given the close proximity to educational properties and issues with reserved land on PYR2. Therefore, it is recommended not to take this option forward to the Detailed Assessment.
E2.13	Р	P1	Taking the existing alignment of Pyrton Lane and Station Road to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads. An upgraded junction between Pyrton Lane and Station Road also likely as will widening along the length of both roads to facilitate two-way traffic and footway and cycleway provision	1	Awaiting cost estimation for section(s) to be funded by OCC. Widening along Pyrton Lane would require land purchase. Compact rbt would require land purchase of private lane in norther corner. Although widening of existing road may initially seem to provide cost savings, two 28m ICD roundabout likely to be required (1x at Station Road / Pyrton Lane and 1x Station Lane/Station Road/ B4009)	2	The option is considered feasible, subject to land purchase to widen Pyrton Lane. Widening of Station Road may not be possible due to presence of private residence.	-2	The option will have benefits in terms of connectivity and knock-on improvements on existing roads. The option is likely to affect the environment and is close to Pyrton Conservation Area which may have an adverse effect on the acceptability. (Environmental Baseline Report).	1	3	The option is likely to be relatively affordable given the utilisation of existing roadway. However, construction work to widen Pyrton Lane is needed. In addition, the option may have an adverse affect on the Pyrton Conservation Area. It is recommended not to take this option forward to the Detailed Assessment.
E2.14	Р	P2	A new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.	2	Awaiting cost estimation for section(s) to be funded by OCC.	2	The option is considered feasible, subject to development of PYR1 proceeding with the planning permission whereby land will be transferred to OCC. The route is safeguarded in the emerging South Oxfordshire District Local Plan.	1	The option's acceptability is considered neutral given that it will have benefits in terms of connectivity and knock-on improvements on existing roads however it would reduce the green gap between Watlington and Pyrton and may therefore be considered less acceptable to Pyrton residents.	5	1	The option is likely to be affordable and feasible. The option's acceptability is considered positive although the option may be considered less acceptable to Pyrton residents. It is recommended to take this option forward to the Detailed Assessment.

										Total		
Sift ID	Section	Option	Option Description	Afford	ability	Feasibi	lity	Accepta	ability	Score	Rank	Summary
				Score	Commentary	Score	Commentary	Score	Commentary		Note: ranking considers each section (A, B, C and P) separately)	
E2.15	Р	P3	A new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road, taking an alignment through the southern side of PYR1 site	1	Awaiting cost estimation for section(s) to be funded by OCC. Proposals will require 28m ICD compact roundabout at junction with B4009 (furthering loss of playing fields and potentially impacting PYR1). Would require third party land acquisition or CPO.	-1	Alignment would require land from PYR1 site which would rely on the redesign of the Masterplan and the resubmission of the Planning Application (at the developers cost, which is likely to draw objection). OCC are reliant on the landowner releasing land to OCC, which is likely to be difficult if the developer has to bear the cost of the renewed Masterplan and Planning Application	0	The option's acceptability is considered neutral given that it will have benefits in terms of connectivity and knock-on improvements on existing roads however it would reduce the green gap between Watlington and Pyrton and may therefore be considered less acceptable to Pyrton residents. It would also create an additional junction on the B4009 which could cause more disruption and inconvenience.	0	4	The option is likely to be affordable. It is not considered feasible due to need to redesign the Masterplan and resubmit the planning application. The option may be considered less acceptable to Pyrton residents and would require creation of additional junction. It is recommended not to take this option forward to the Detailed Assessment.
E2.16	Р	P4	A new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road, taking an alignment through the northern side of the Watlington Recreation Ground	1	Awaiting cost estimation for section(s) to be funded by OCC. Proposals will require 28m ICD compact roundabout at junction with B4009 (furthering loss of playing fields and potentially impacting PYR1). Would require third party land acquisition or CPO.	-1	Alignment would require land from the existing cricket ground/playing fields, which is potentially difficult to argue in planning policy terms.	-1	The option's acceptability is considered neutral given that it will have benefits in terms of connectivity and knock-on improvements on existing roads however it would reduce the green gap between Watlington and Pyrton and may therefore be considered less acceptable to Pyrton residents. It would require land from the Recreation Ground which could impact local communities. It would also create an additional junction on the B4009 which could cause more disruption and inconvenience.	-1	6	The option is likely to be affordable. It is not considered feasible due to utilisation of land from the existing playing fields. The option may be considered less acceptable to Pyrton residents and would require creation of additional junction. It is recommended not to take this option forward to the Detailed Assessment.
E2.17	Р	P5	A new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road, taking an alignment through	1	Awaiting cost estimation for section(s) to be funded by OCC.	-1	Alignment would require land from PYR1 site which would rely on the redesign of the Masterplan and the resubmission of the Planning Application (at the developers cost, which is likely to draw objection). OCC are reliant on the landowner releasing land to OCC, which is likely to be difficult if the developer has to bear the cost of the renewed Masterplan and Planning Application	0	The option's acceptability is considered neutral given that it will have benefits in terms of connectivity and knock-on improvements on existing roads however it would reduce the green gap between Watlington and Pyrton and may therefore be considered less acceptable to Pyrton residents. It would also create an additional junction on the B4009 which could cause more disruption and inconvenience.	0	4	The option is likely to be affordable. It is reliant on the landowner releasing land which might be difficult. The option may be considered less acceptable to Pyrton residents and would require creation of additional junction. It is recommended not to take this option forward to the Detailed Assessment.

Sift ID	Section	Option	Option Description	Afforda	bility	Feasibi	lity	Accepta	ability	Total Score	Rank	Summary
				Score	Commentary	Score	Commentary	Score	Commentary		Note: ranking considers each section (A, B, C and P) separately)	
E2.18	Р	P6	A new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.	2	Awaiting cost estimation for section(s) to be funded by OCC.	2	The option is considered feasible, subject to development of PYR1 proceeding with the planning permission whereby land will be transferred to OCC. The route is safeguarded in the emerging South Oxfordshire District Local Plan.	1	The option's acceptability is considered positive given that it will have benefits in terms of connectivity and knock-on improvements on existing roads however it would reduce the green gap between Watlington and Pyrton and may therefore be considered less acceptable to Pyrton residents.	5	1	The option is likely to be affordable and feasible. The option's acceptability is considered positive although the option may be considered less acceptable to Pyrton residents. It is recommended to take this option forward to the Detailed Assessment.
E2.19	Р	P 7	A new alignment around settlement edge of Watlington and along the southern edge of PR1 to a new roundabout (Junction 3) on the B4009 Shirburn Road	1	Awaiting cost estimation for section(s) to be funded by OCC.	-1	Alignment would require land from PYR1 site which would rely on the redesign of the Masterplan and the resubmission of the Planning Application (at the developers cost, which is likely to draw objection). OCC are reliant on the landowner releasing land to OCC, which is likely to be difficult if the developer has to bear the cost of the renewed Masterplan and Planning Application	-1	The option's acceptability is considered low that it will route close to Watlington and route through PYR1 thus requiring an additional junction on the B4009 which could cause more disruption and inconvenience.	-1	6	The option is likely to be affordable. It is not considered feasible due to need to redesign the Masterplan and resubmit the planning application. The option may be considered less acceptable due to close alignment to Watlington and need for an additional junction. It is recommended not to take this option forward to the Detailed Assessment.
E2.20	Р	P8	A new alignment around settlement edge of Watlington and across the Watlington Recreation Ground (adjacent to Watlington Pavilion.	2	Awaiting cost estimation for section(s) to be funded by OCC. Proposals will require 28m ICD compact roundabout at junction with B4009 (furthering loss of playing fields). Would require third party land acquisition or CPO	-1	Alignment would require land from the existing cricket ground/playing fields (including separating clubhouse from playing fields), which is potentially difficult to argue in planning policy terms.	-2	The option's acceptability is considered very low as it will dissect Watlington Recreation Ground	-1	6	The option is likely to be affordable. It is not considered feasible due to need to redesign the Masterplan and resubmit the planning application. The option is likely not to be accepted as it will dissect Watlington Recreation Ground. It is recommended not to take this option forward to the Detailed Assessment.

AECOM 71 Prepared for: Oxfordshire County Council

Appendix D : Stage 2 - Detailed Sift

Score Categories (as defined in DfT EAST)

1	Very Poor
2	Poor/Low
3	Negligible/No Change
4	Good/High
5	Very Good/Very High

								Strate	egic Case				
					1	l	Total Control Control	0.000	- J.C. C.C.C		l	The second secon	
Sift ID	Section	Option Name	Option Description	Identified problems and objectives of the option	Scale of impact	Scale of impact - Comments	Fit with wider transport and government objectives	Wider transport and government objectives - Comments	Fit with other objectives	Fit with other objectives -	Key uncertainties	Degree of consensus over outcomes?	Degree of consensus over outcomes? -
	2001.011		3 cccption	- paren		Tambér Sommono	32,000,000		22,230,700	Enhances social inclusion and		22.22.11001	
										tackles increasing congestion (OxLEP's SEP). However, it could be seen as encouraging car use and not encouraging active or sustainable travel (sustainable travel - OxLEP SEP). 2. Takes traffic away from key AQMA streets in the town centre (Defra). 3. OCC Transport Plan 2015 - 2031:	The main uncertainties include: 1. Impacts on air quality and noise: although the alignment has the position prove air		
				The key identified						3a. Maintains and improves transport connections to support economic	quality (environmental report), the actual environmental impacts		
				problem (opportunity) is				In no particular order:		growth and vitality across the county	are uncertain and could depend		
				to provide a transport						3b. Makes most efficient use of all	on the eventual composition of		
				solution which unlocks				1. Supports rural economy		available transport capacity through	development, the attractiveness		
				housing development around Watlington				with the aid of new		innovative management of the	of the entire scheme (not only for		
				which is identified in the				infrastructure (Industrial strategy).		network 3b. Increases journey time reliability	local traffic but also its wider impacts)		
				South Oxfordshire				2. Supports the creation of		3c. Develops a high-quality, resilient	2. Impact on journey times: this		
				Local Plan and the				new housing (white		integrated transport system that is	will depend on the volume of		
				Watlington				paper).		attractive to customers and	traffic attracted onto the road and		
				Neighbourhood Plan.		This allows a street and a constitution to all		3. Aids in creating a more		generates inward investment	the operation of junctions		The broad concept of
				The following objectives are identified for this		This alignment option would unlock development in sites A and B and in		reliable, less congested and better connected		3d. Improves public health and reduces transport emissions (town	(although initial modelling indicates that they should		the scheme and indicative alignment
				option:		turn help facilitate an alignment through		network (DfT Transport		centre).	operate within capacity). The		corridor has gone
				option.		Sites C and PYR1 & 2. Both A1 and B1		Investment Strategy).		4. Watlington Neighbourhood plan:	level of active frontage onto the		through public
				1. To unlock		links are situated farthest away from the		4. Helps build a stronger,		4a. Protects and enhances the	road may influence reliability.		consultation (through
				development and		edge of the town so could mean less		more balanced economy		special features of Watlington, such	Less active frontage from side		South OX local plan
				increase the availability		disruption to the local community		by responding to local		as its historic character, natural	roads and properties will reduce		and Watlington
				of affordable homes 2. To relieve congestion in		although they would be closer to a traveller's site on Cuxham Road. The		growth priorities. (DfT Transport Investment		beauty, landscape and rural setting 4b. Resolves traffic issues, such as	the potential for disruption. 3. Level of trips diverted away		neighbourhood plan). Local relevant councils
				the Watlington centre		link will divert some through traffic from		Strategy).		safety by reducing traffic speeds,	from Watlington town centre:		have been engaged
				and make alternative		the town centre and potentially reduce		5. Conversely, however, it		reduction of the impact of traffic	although this is not the primary		(Watlington, Pyrton
			B4009 Britwell	provision for some		congestion. This alignment could		could be seen as		generated by new development,	purpose of the scheme, the		and Shirburn) in road
			Road (priority	through traffic		improve air quality in the town centre		encouraging car use and		reduction of the number of	volume of traffic switching routes		alignment discussions,
			give way	3. To improve air		of Watlington (environmental report).		not encouraging active or		unauthorised HGVs using the town	will influence the function,		as have developers.
			junction - Junction 1)	quality and to reduce the risk of flooding		The site of this link will be built in a flood		sustainable travel (sustainable travel –		centre as a through route, reduction	performance and impacts of the		However there is less
			through Site A	4. To protect the		zone 1, meaning there will be low to very low risk of flooding, however this		NPPF, government		of congestion by better managing through traffic including the	proposed scheme. 4.Planning permission unlikely to		consensus over the need for the overall
			on most	character of Watlington		link will also need to be built crossing		climate change objectives		development of an edge road to the	be achieved without support from		(all sections through
			northerly	as the town grows		the main river (Environmental report		including the Ten Point		north and west of the town	Environment Agency.		sites A, B, C and PYR)
			alignment to	5. To support the		appendix E). Removing traffic from the		Plan for a Green Industrial		4c.Makes good provision for new and	5.Expensive as requires		scheme which has
			B480 Cuxham	viability of the Town		centre and redirecting it through the link		Revolution, Walking and		existing residents by providing a well-	numerous structures		been expressed by
			Road (new	Centre shops and local		would help protect the character of		Cycling Investment		balanced mix of housing to meet	(conveyance structures through		Pyrton Parish Council,
			roundabout -	businesses and to		the town. Through increasing		Strategy, Gear Change - a bold vision for cycling and		identified local needs and affordable	flood plain for cross drainage,		or on the preferred
E2.1.1.1	A-B	A1-B1-	Junction 2) and into Site B	optimise opportunities for local employment	5	connectivity it will support the viability of local businesses.	4	walking).	4	homes, by making sure that there is good access for all from new housing	and single span structure across Charlgrove Brook).	3	alignments (differing views from all parties)

AECOM 72 Prepared for: Oxfordshire County Council

Project Number: 60635885

								Strat	egic Case)			
Sift ID	Section	Option Name	Option Description	Identified problems and objectives of the option	Scale of impact	Scale of impact - Comments	Fit with wider transport and government objectives	Wider transport and government objectives - Comments	Fit with other objectives	Fit with other objectives - Comments	Key uncertainties	Degree of consensus over outcomes?	Degree of consensus over outcomes? - Comments
										development into the town centre, to other services and facilities and into the surrounding countryside, by creating a network of cycling and walking paths and routes and by supporting initiatives to improve public transport 4d. Helps the local economy to grow and 4e. Ensures that local infrastructure is in place to meet the needs of a growing population			

AECOM 73 Prepared for: Oxfordshire County Council

								Strate	egic Case				
Sift ID Sec	ection	Option Name	Option Description	Identified problems and objectives of the option	Scale of impact	Scale of impact - Comments	Fit with wider transport and government objectives	Wider transport and government objectives - Comments	Fit with other objectives	Fit with other objectives - Comments	Key uncertainties	Degree of consensus over outcomes?	Degree of consensus over outcomes? - Comments
										1. Enhances social inclusion and tackles increasing congestion (OxLEP's SEP). However, it could be seen as encouraging car use and not encouraging active or sustainable travel (sustainable travel - OxLEP SEP). 2. Takes traffic away from key AQMA streets in town centre (Defra). 3. OCC Transport Plan 2015 - 2031: 3a. Maintains and improves transport connections to support economic growth and vitality across the county 3b. Makes most efficient use of all available transport capacity through innovative management of the			
				The key identified problem (opportunity) is to provide a transport solution which unlocks housing development around Watlington which is identified in the South Oxfordshire Local Plan and the				In no particular order: 1. Supports rural economy with the aid of new infrastructure (Industrial strategy). 2. Supports the creation of new housing (white		network 3b. Increases journey time reliability 3c. Develops a high-quality, resilient integrated transport system that is attractive to customers and generates inward investment 3d. Improves public health and reduces transport emissions (town centre). 4. Watlington Neighbourhood plan: 4a. Protects and enhances the special features of Watlington, such as its historic character, natural beauty, landscape and rural setting 4b. Resolves traffic issues, such as safety by reducing traffic speeds, reduction of the impact of traffic	The main uncertainties include: 1. Impacts on air quality and noise: although the alignment has the potential to improve air quality (environmental report), the actual environmental impacts are uncertain and could depend on the eventual composition of development, the attractiveness of the entire scheme (not only for local traffic but also its wider impacts) 2. Impact on journey times: this will depend on the volume of		
			B4009 Britwell	Watlington Neighbourhood Plan. The following objectives are identified for this option: 1. To unlock development and increase the availability of affordable homes 2. To relieve congestion in the Watlington centre and make alternative provision for some		This alignment would unlock development in sites A and B and in turn help facilitate an alignment through Sites C and PYR1 & 2. Links A5 and B5 are closer to the town edge but still a distance away that could mean less disruption to the local community although they would be closer to a traveller's site on Cuxham Road (but not as close as A1-B1). The link will divert some through traffic from the town centre and potentially reduce congestion. This link could improve air		paper). 3. Aids in creating a more reliable, less congested and better connected network (DfT Transport Investment Strategy). 4. Helps build a stronger, more balanced economy by responding to local growth priorities. (DfT Transport Investment Strategy). 5. Conversely, however, it could be seen as		generated by new development, reduction of the number of unauthorised HGVs using the town centre as a through route, reduction of congestion by better managing through traffic including the development of an edge road to the north and west of the town 4c.Makes good provision for new and existing residents by providing a well-balanced mix of housing to meet identified local needs and affordable homes, by making sure that there is good access for all from new housing	traffic attracted onto the road and the operation of junctions (although initial modelling indicates that they should operate within capacity). The level of active frontage onto the road may influence reliability. Less active frontage from side roads and properties will reduce the potential for disruption. 3. Level of trips diverted away from Watlington town centre: although this is not the primary purpose of the scheme, the		The broad concept of the scheme and indicative alignment corridor has gone through public consultation (through South OX local plan and Watlington neighbourhood plan). Local relevant councils have been engaged (Watlington, Pyrton and Shirburn) in road alignment discussions,
E2.1.1.2 A-E	В	A5-B5-	Road (priority give way junction - Junction 1) through Site A on more northerly alignment to B480 Cuxham Road (new roundabout - Junction 2) and into Site B	through traffic 3. To improve air quality and to reduce the risk of flooding 4. To protect the character of Watlington as the town grows 5. To support the viability of the Town Centre shops and local businesses and to optimise opportunities for local employment	5	quality in the town centre of Watlington (environmental report). The site of this link will be built in a flood zone 1, meaning there will be low to very low risk of flooding, however this alignment will also need to be built crossing the main river (Environmental report appendix E). Removing traffic from the centre and redirecting it through the link would help protect the character of the town. Through increasing connectivity it will support the viability of local businesses.	4	encouraging car use and not encouraging active or sustainable travel (sustainable travel – NPPF, government climate change objectives including the Ten Point Plan for a Green Industrial Revolution, Walking and Cycling Investment Strategy, Gear Change - a bold vision for cycling and walking).	4	development into the town centre, to other services and facilities and into the surrounding countryside, by creating a network of cycling and walking paths and routes and by supporting initiatives to improve public transport 4d. Helps the local economy to grow and 4e. Ensures that local infrastructure is in place to meet the needs of a growing population	volume of traffic switching routes will influence the function, performance and impacts of the proposed scheme. 4.Planning permission unlikely to be achieved without support from Environment Agency. 5.Expensive as requires numerous structures (conveyance structures through flood plain for cross drainage, and single span structure across Charlgrove Brook).	3	as have developers. However there is less consensus over the need for the scheme the overall (all sections through sites A, B, C and PYR) which has been expressed by Pyrton Parish Council, or on the preferred alignments (differing views from all parties)

AECOM 74 Prepared for: Oxfordshire County Council

								Strate	egic Case				
		Ontion	Ontion	Identified problems	Scale		Fit with wider transport and government	Wider transport and	Fit with	Fit with other objectives -		Degree of consensus	Degree of consensus
Sift ID	Section	Name	Description	option	impact	Scale of impact - Comments	objectives	Comments	objectives	Comments	Key uncertainties	outcomes?	Comments
Sift ID	Section	Option Name	B4009 Britwell Road (priority give way junction - Junction 1) through southern part of Site A and Watlington Industrial Estate access road to B480	and objectives of the	of	This alignment would unlock development in sites A and B and in turn help facilitate an alignment through Sites C and PYR1 & 2. Link A2&4 is closer to the edge of the town partly on an existing route through the industrial estate. Alterations required on the industrial estate access road, on Cuxham Road and to the Willow Close roundabout (if required) could potentially disturb the local community. The alignment through Site A will not match the alignment through Site B, therefore requiring a dog-leg which could increase journey time, reduce attractiveness and route continuity, and could be more disruptive to existing users of Cuxham Road. The link will divert some through traffic from the town centre and potentially reduce congestion. This link could improve air quality in the town	government	government objectives -	other	Fit with other objectives - Comments 1. Enhances social inclusion and tackles increasing congestion (OxLEP's SEP). However, it could be seen as encouraging car use and not encouraging active or sustainable travel (sustainable travel - OxLEP SEP). 2. Takes traffic away from key AQMA streets in town centre (Defra). 3. OCC Transport Plan 2015 - 2031: 3a. Maintains and improves transport connections to support economic growth and vitality across the county 3b. Makes most efficient use of all available transport capacity through innovative management of the network 3b. Increases journey time reliability 3c. Develops a high-quality, resilient integrated transport system that is attractive to customers and generates inward investment 3d. Improves public health and reduces transport emissions (town centre). 4. Watlington Neighbourhood plan: 4a. Protects and enhances the special features of Watlington, such as its historic character, natural beauty, landscape and rural setting 4b. Resolves traffic issues, such as safety by reducing traffic speeds, reduction of the impact of traffic generated by new development, reduction of the number of unauthorised HGVs using the town centre as a through route, reduction of congestion by better managing through traffic including the development of an edge road to the north and west of the town 4c.Makes good provision for new and existing residents by providing a well-balanced mix of housing to meet identified local needs and affordable homes, by making sure that there is good access for all from new housing	The main uncertainties include: 1. Impacts on air quality and noise: although the alignment has the potential to improve air quality (environmental report), the actual environmental impacts are uncertain and could depend on the eventual composition of development, the attractiveness of the entire scheme (not only for local traffic but also its wider impacts). The alignment contains two roundabout junctions which are likely to increase carbon emissions with stopping/starting. Also, the reduced route continuity may reduce attractiveness over alternative routes, e.g. through Watlington. With the alignment being close to Willow Close and Beech Close, traffic noise could negatively impact residents. 2. Impact on journey times: this will depend on the volume of traffic attracted onto the road and the operation of junctions (although initial modelling indicates that they should operate within capacity). The level of active frontage onto the road may influence reliability. Less active frontage from side roads and properties will reduce the potential for disruption. • Also, reduced route continuity which may reduce attractiveness over alternative routes, e.g. through Watlington	over	over outcomes? -
			Cuxham Road	through traffic		centre of Watlington (environmental		encouraging car use and		development into the town centre, to	3. Level of trips diverted away		alignment discussions,
			(existing roundabout at	To improve air quality and to reduce		report). The site of this alignment will be built in a flood zone 1, meaning there		not encouraging active or sustainable travel		other services and facilities and into the surrounding countryside, by	from Watlington town centre: although this is not the primary		as have developers. However there is less
			Willow Close)	the risk of flooding		will be low to very low risk of		(sustainable travel –		creating a network of cycling and	purpose of the scheme, the		consensus over the
			then using an	4. To protect the		flooding, however this link will also		NPPF, government		walking paths and routes and by	volume of traffic switching routes		need for the overall
			existing upgraded	character of Watlington as the town grows		need to be built crossing the main river (Environmental report appendix E).		climate change objectives including the Ten Point		supporting initiatives to improve public transport	will influence the function, performance and impacts of the		scheme (all sections through sites A, B, C
			section of the	5. To support the		(Environmental report appendix E). Removing traffic from the centre and		Plan for a Green Industrial		4d. Helps the local economy to grow	proposed scheme.		and PYR) which has
			B480 Cuxham	viability of the Town		redirecting it through the link would help		Revolution, Walking and		and	4. General impacts : Cuxham		been expressed by
			Road to a new	Centre shops and local		protect the character of the town.		Cycling Investment		4e. Ensures that local infrastructure	roundabout will require levels		Pyrton Parish Council,
		A O O A	roundabout	businesses and to		Through increasing connectivity it will		Strategy, Gear Change - a		is in place to meet the needs of a	being raised due to flooding. This		or on the preferred
E2.1.1.3	A-R	A2&4- B4-	(Junction 2) and into Site B	optimise opportunities for local employment	5	support the viability of local businesses.	1	bold vision for cycling and walking).	1	growing population	alignment could have a possible impact on existing utilities.	3	alignments (differing views from all parties)
E2.1.1.3	A-D	D4-	and into Site B	Tor local employment	5	มนอแเซออซอ.	4	waikiliyj.	4		impact on existing utilities.	3	views ironi ali parties)

AECOM 75 Prepared for: Oxfordshire County Council

									Strate	egic Case				
	iff ID	Saction	Option	Option Description	Identified problems and objectives of the	Scale of	Scale of impact - Comments	Fit with wider transport and government	Wider transport and government objectives -	Fit with other	Fit with other objectives -	Koy uncortainties	Degree of consensus over	Degree of consensus over outcomes? -
	ifft ID	Section	A2&4-	B4009 Britwell Road (priority give way junction - Junction 1) through southern part of Site A and Watlington Industrial Estate access road to B480 Cuxham Road (upgraded roundabout at Willow Close - Junction 2) then into Site B on a more southerly	The key identified problem (opportunity) is to provide a transport solution which unlocks housing development around Watlington which is identified in the South Oxfordshire Local Plan and the Watlington Neighbourhood Plan. The following objectives are identified for this option: 1. To unlock development and increase the availability of affordable homes 2. To relieve congestion in the Watlington centre and make alternative provision for some through traffic 3. To improve air quality and to reduce the risk of flooding 4. To protect the character of Watlington as the town grows 5. To support the viability of the Town Centre shops and local businesses and to optimise opportunities	impact	This alignment would unlock development in sites A and B and in turn help facilitate an alignment through Sites C and PYR1 & 2. Link A2&4 runs closer to the edge of the town on an existing route through Watlington Industrial Estate. Alterations required on this road and at the roundabout with Cuxham Road and Willow Close could potentially disturb the local community. The alignment will divert some through traffic from the town centre and reduce congestion. This link could improve air quality in the town centre of Watlington (environmental report). The site of this link will be built in a flood zone 1, meaning there will be low to very low risk of flooding (Environmental report appendix E). Removing traffic from the centre and redirecting it through the link would help protect the character of the town. Through increasing connectivity it will support the viability	objectives	In no particular order: 1. Supports rural economy with the aid of new infrastructure (Industrial strategy). 2. Supports the creation of new housing (white paper). 3. Aids in creating a more reliable, less congested and better connected network (DfT Transport Investment Strategy). 4. Helps build a stronger, more balanced economy by responding to local growth priorities. (DfT Transport Investment Strategy). 5. Conversely, however, it could be seen as encouraging car use and not encouraging active or sustainable travel (sustainable travel (sustainable travel (sustainable travel responding to the consultation of the c	objectives	1. Enhances social inclusion and tackles increasing congestion (OxLEP's SEP). However, it could be seen as encouraging car use and not encouraging active or sustainable travel (sustainable travel - OxLEP SEP). 2. Takes traffic away from key AQMA streets in town centre (Defra). 3. OCC Transport Plan 2015 - 2031: 3a. Maintains and improves transport connections to support economic growth and vitality across the county 3b. Makes most efficient use of all available transport capacity through innovative management of the network 3b. Increases journey time reliability 3c. Develops a high-quality, resilient integrated transport system that is attractive to customers and generates inward investment 3d. Improves public health and reduces transport emissions (town centre). 4. Watlington Neighbourhood plan: 4a. Protects and enhances the special features of Watlington, such as its historic character, natural beauty, landscape and rural setting 4b. Resolves traffic issues, such as safety by reducing traffic speeds, reduction of the impact of traffic generated by new development, reduction of the number of unauthorised HGVs using the town centre as a through route, reduction of congestion by better managing through traffic including the development of an edge road to the north and west of the town 4c.Makes good provision for new and existing residents by providing a well-balanced mix of housing to meet identified local needs and affordable homes, by making sure that there is good access for all from new housing development into the town centre, to other services and facilities and into the surrounding countryside, by creating a network of cycling and walking paths and routes and by supporting initiatives to improve public transport 4d. Helps the local economy to grow and 4e. Ensures that local infrastructure is in place to meet the needs of a	The main uncertainties include: 1. Impacts on air quality and noise: although the alignment has the potential to improve air quality (environmental report), the actual environmental impacts are uncertain and could depend on the eventual composition of development, the attractiveness of the entire scheme (not only for local traffic but also its wider impacts) 2. Impact on journey times: this will depend on the volume of traffic attracted onto the road and the operation of junctions (although initial modelling indicates that they should operate within capacity). The level of active frontage onto the road may influence reliability. Less active frontage from side roads and properties will reduce the potential for disruption. 3. Level of trips diverted away from Watlington town centre: although this is not the primary purpose of the scheme, the volume of traffic switching routes will influence the function, performance and impacts of the proposed scheme. 4. General impacts: Cuxham roundabout will require levels being raised due to flooding. This alignment could have a possible	outcomes?	The broad concept of the scheme and indicative alignment corridor has gone through public consultation (through South OX local plan and Watlington neighbourhood plan). Local relevant councils have been engaged (Watlington, Pryton and Shirton) in road alignment discussions, as have developers. However there is less consensus over the need for the overall scheme (all sections through sites A, B, C and PYR) which has been expressed by Pyrton Parish Council, or on the preferred alignments (differing
E	2.1.1.4	A-B	A2&4- B3-	on a more	businesses and to	5	the town. Through increasing	4	Strategy, Gear Change - a	4	4e. Ensures that local infrastructure	being raised due to flooding. This	3	or on the prefer

AECOM 76 Prepared for: Oxfordshire County Council

								Strate	egic Case				
								Ottati	- 				
Sift ID	Section	Option Name	Option Description	Identified problems and objectives of the option	Scale of impact	Scale of impact - Comments	Fit with wider transport and government objectives	Wider transport and government objectives - Comments	Fit with other objectives	Fit with other objectives - Comments	Key uncertainties	Degree of consensus over outcomes?	Degree of consensus over outcomes? - Comments
										1. Enhances social inclusion and tackles increasing congestion (OxLEP's SEP). However, it could be seen as encouraging car use and not encouraging active or sustainable travel (sustainable travel - OxLEP SEP). 2. Takes traffic away from key AQMA streets in town centre (Defra). 3. OCC Transport Plan 2015 - 2031: 3a. Maintains and improves transport connections to support economic			
										growth and vitality across the county 3b. Makes most efficient use of all available transport capacity through innovative management of the network 3b. Increases journey time reliability 3c. Develops a high-quality, resilient integrated transport system that is attractive to customers and generates inward investment 3d. Improves public health and reduces transport emissions (town centre). 4. Watlington Neighbourhood plan:	The main uncertainties include: 1. Impacts on air quality and noise: although the alignment has the potential to improve air quality (environmental report), the actual environmental impacts are uncertain and could depend on the eventual composition of development, the attractiveness of the entire scheme (not only for least the interest of the county		
				The key identified problem (opportunity) is to provide a transport solution which unlocks housing development around Watlington which is identified in the South Oxfordshire Local Plan and the Watlington Neighbourhood Plan.				In no particular order: 1. Supports rural economy with the aid of new infrastructure (Industrial strategy). 2. Supports the creation of new housing (white paper). 3. Aids in creating a more		4a. Protects and enhances the special features of Watlington, such as its historic character, natural beauty, landscape and rural setting 4b. Resolves traffic issues, such as safety by reducing traffic speeds, reduction of the impact of traffic generated by new development, reduction of the number of unauthorised HGVs using the town centre as a through route, reduction of congestion by better managing	local traffic but also its wider impacts) 2. Impact on journey times: this will depend on the volume of traffic attracted onto the road and the operation of junctions (although initial modelling indicates that they should operate within capacity). The level of active frontage onto the road may influence reliability. Less active frontage from side		The broad concept of
			Through Site C on a more southerly alignment, taking part of the existing alignment of Pyrton Lane to the north of Icknield Community	The following objectives are identified for this option: 1. To unlock development and increase the availability of affordable homes 2. To relieve congestion in the Watlington centre and make alternative provision for some		This alignment would unlock development in sites C, PYR2 and PYR1 and in turn help facilitate development in Sites A and B. The alignment is situated farthest away from the edge of the town so could mean less disruption to the local community. It will divert through traffic from the town centre and could reduce congestion. This alignment could improve air quality in the town centre		reliable, less congested and better connected network (DfT Transport Investment Strategy). 4. Helps build a stronger, more balanced economy by responding to local growth priorities. (DfT Transport Investment Strategy). 5. Conversely, however, it could be seen as		through traffic including the development of an edge road to the north and west of the town 4c.Makes good provision for new and existing residents by providing a well-balanced mix of housing to meet identified local needs and affordable homes, by making sure that there is good access for all from new housing development into the town centre, to other services and facilities and into the surrounding countryside, by	roads and properties will reduce the potential for disruption. 3. Level of trips diverted away from Watlington town centre: although this is not the primary purpose of the scheme, the volume of traffic switching routes will influence the function, performance and impacts of the proposed scheme. 4. Level of impact on Pyrton Village: this option runs close to		the scheme and indicative alignment corridor has gone through public consultation (through South OX local plan and Watlington neighbourhood plan). Local relevant councils have been engaged (Watlington, Pyrton and Shirburn) in road
E2.1.1.	5. C-P	-C1-P1	College and then taking the alignment of Pyrton Lane and Station Road to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.	through traffic 3. To improve air quality and to reduce the risk of flooding 4. To protect the character of Watlington as the town grows 5. To support the viability of the Town Centre shops and local businesses and to optimise opportunities for local employment		of Watlington however it would increase traffic in close proximity to schools. Due to the positioning of P1 this will mean the current road will need to be altered and hedges to be removed. The existing route is not the most direct one so may lack continuity and could be less attractive. Removing traffic from the centre and redirecting it through the link would help protect the character of the town. Through increasing connectivity it will support the viability of local businesses.		encouraging car use and not encouraging active or sustainable travel (sustainable travel – NPPF, government climate change objectives including the Ten Point Plan for a Green Industrial Revolution, Walking and Cycling Investment Strategy, Gear Change - a bold vision for cycling and walking).	3	creating a network of cycling and walking paths and routes and by supporting initiatives to improve public transport 4d. Helps the local economy to grow and 4e. Ensures that local infrastructure is in place to meet the needs of a growing population 5. Pyrton Neighbourhood Plan: 5a. Protects heritage features by avoiding traffic moving through PYR1 site	Pyrton village as it will use existing roads which will be upgraded. This could have more of an immediate impact on local communities, causing additional disruption, noise and severance. 5.Generalimpacts: Opportunities to widen Station Road limited due to residential property and the new junction required at the intersection of Pyrton Lane with Station Road, requiring additional landtake.		alignment discussions, as have developers. However there is less consensus over the need for the overall scheme (all sections through sites A, B, C and PYR) which has been expressed by Pyrton Parish Council, or on the preferred alignments (differing views from all parties)

AECOM 77 Prepared for: Oxfordshire County Council

								Strate	egic Case				
Sift ID	Section	Option Name	Option Description	Identified problems and objectives of the option	Scale of impact	Scale of impact - Comments	Fit with wider transport and government objectives	Wider transport and government objectives - Comments	Fit with other objectives	Fit with other objectives - Comments	Key uncertainties	Degree of consensus over outcomes?	Degree of consensus over outcomes? - Comments
										5b. Manages sensitively any redevelopment or re-use of the former Ministry of Defence (MoD) site (PYR1) at the junction of the Shirburn Road (B4009) with the unnamed road leading down to Pyrton 5c. Establishes the principles for the future of planning policy for Pyrton charity lands and PYR2; 5d. However, it could be seen as not managing and minimising traffic movements, nor safeguarding Pyrton from any adverse impact from increased levels of through-traffic			
				The key identified problem (opportunity) is				In no particular order:		1. Enhances social inclusion and tackles increasing congestion (OxLEP's SEP). However, it could be seen as encouraging car use and not encouraging active or sustainable travel (sustainable travel - OxLEP SEP). 2. Takes traffic away from key AQMA streets in town centre (Defra). 3. OCC Transport Plan 2015 - 2031: 3a. Maintains and improves transport connections to support economic growth and vitality across the county 3b. Makes most efficient use of all available transport capacity through	The main uncertainties include: 1. Impacts on air quality and noise: although the alignment has the potential to improve air quality (environmental report), the actual environmental impacts are uncertain and could depend on the eventual composition of development, the attractiveness		
			Through Site C on a more southerly alignment, taking part of the existing	to provide a transport solution which unlocks housing development around Watlington which is identified in the South Oxfordshire Local Plan and the Watlington Neighbourhood Plan. The following objectives are identified for this option: 1. To unlock development and		This alignment would unlock development in sites C, PYR2 and PYR1 and in turn help facilitate development in Sites A and B. The		1. Supports rural economy with the aid of new infrastructure (Industrial strategy). 2. Supports the creation of new housing (white paper). 3. Aids in creating a more reliable, less congested and better connected network (DfT Transport Investment Strategy). 4. Helps build a stronger, more balanced economy		innovative management of the network 3b. Increases journey time reliability 3c. Develops a high-quality, resilient integrated transport system that is attractive to customers and generates inward investment 3d. Improves public health and reduces transport emissions (town centre). 4. Watlington Neighbourhood plan: 4a. Protects and enhances the special features of Watlington, such as its historic character, natural beauty, landscape and rural setting	of the entire scheme (not only for local traffic but also its wider impacts). Queueing is likely to have greater effect on air quality. 2. Impact on journey times: this will depend on the volume of traffic attracted onto the road and the operation of junctions (although initial modelling indicates that they should operate within capacity). The level of active frontage onto the road may influence reliability. Less active frontage from side roads and properties will reduce		The broad concept of the scheme and indicative alignment corridor has gone through public consultation (through South OX local plan and Watlington
	6 C-P	-C1-P2	alignment of Pyrton Lane and Station Road to the north of Icknield Community College and then taking a new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current Iocation of the crossroads.	increase the availability of affordable homes 2. To relieve congestion in the Watlington centre and make alternative provision for some through traffic 3. To improve air quality and to reduce the risk of flooding 4. To protect the character of Watlington as the town grows 5. To support the viability of the Town Centre shops and local businesses and to optimise opportunities for local employment		alignment is situated farthest away from the edge of the town so could mean less disruption to the local community in Watlington but higher disruption to residents in Pyrton. It will divert through traffic from the town centre and could reduce congestion. This link could improve air quality in the town centre of Watlington however it would increase traffic in close proximity to schools. Removing traffic from the centre and redirecting it through the link would help protect the character of the town. Through increasing connectivity it will support the viability of local businesses. There should be a higher degree of route continuity therefore it should perform better for its intended purpose.		by responding to local growth priorities. (DfT Transport Investment Strategy). 5. Conversely, however, it could be seen as encouraging car use and not encouraging active or sustainable travel (sustainable travel – NPPF, government climate change objectives including the Ten Point Plan for a Green Industrial Revolution, Walking and Cycling Investment Strategy, Gear Change - a bold vision for cycling and walking).		4b. Resolves traffic issues, such as safety by reducing traffic speeds, reduction of the impact of traffic generated by new development, reduction of the number of unauthorised HGVs using the town centre as a through route, reduction of congestion by better managing through traffic including the development of an edge road to the north and west of the town 4c.Makes good provision for new and existing residents by providing a well-balanced mix of housing to meet identified local needs and affordable homes, by making sure that there is good access for all from new housing development into the town centre, to other services and facilities and into	the potential for disruption. 3. Level of trips diverted away from Watlington town centre: although this is not the primary purpose of the scheme, the volume of traffic switching routes will influence the function, performance and impacts of the proposed scheme. 4. Level of impact on Pyrton Village: this option runs fairly close to Pyrton village which the existing Pyrton Lane and Station Road expected to feed into the new road as minor side arms. This could have some impact on local communities, causing additional disruption, noise and severance.		and Watlington neighbourhood plan). Local relevant councils have been engaged (Watlington, Pyrton and Shirburn) in road alignment discussions, as have developers. However there is less consensus over the need for the overall scheme (all sections through sites A, B, C and PYR) which has been expressed by Pyrton Parish Council, or on the preferred alignments (differing views from all parties)

AECOM 78 Prepared for: Oxfordshire County Council

								Strate	egic Case				
Sift ID	Section	Option Name	Option Description	Identified problems and objectives of the option	Scale of impact	Scale of impact - Comments	Fit with wider transport and government objectives	Wider transport and government objectives - Comments	Fit with other objectives	Fit with other objectives - Comments	Key uncertainties	Degree of consensus over outcomes?	Degree of consensus over outcomes? - Comments
										the surrounding countryside, by creating a network of cycling and walking paths and routes and by supporting initiatives to improve public transport 4d. Helps the local economy to grow and 4e. Ensures that local infrastructure is in place to meet the needs of a growing population 5. Pyrton Neighbourhood Plan: 5a. Protects heritage features by avoiding traffic moving through PYR1 site 5b. Manages sensitively any redevelopment or re-use of the former Ministry of Defence (MoD) site (PYR1) at the junction of the Shirburn Road (B4009) with the unnamed road leading down to Pyrton 5c. Establishes the principles for the future of planning policy for Pyrton charity lands and PYR2; 5d. However, it could be seen as not managing and minimising traffic movements, nor safeguarding Pyrton from any adverse impact from increased levels of through-traffic			
E2.1.1.7	C-P	-C2-P6	Through Site C on a more central alignment, crossing the existing Pyrton Lane at the northern most corner of the Icknield Community College site and then taking a new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.	The key identified problem (opportunity) is to provide a transport solution which unlocks housing development around Watlington which is identified in the South Oxfordshire Local Plan and the Watlington Neighbourhood Plan. The following objectives are identified for this option: 1. To unlock development and increase the availability of affordable homes 2. To relieve congestion in the Watlington centre and make alternative provision for some through traffic 3. To improve air quality and to reduce the risk of flooding 4. To protect the character of Watlington as the town grows 5. To support the viability of the Town Centre shops and local businesses and to optimise opportunities for local employment	5	This alignment would unlock development in sites C, PYR2 and PYR1 and in turn help facilitate development in Sites A and B. The alignment is situated farthest away from the edge of the town so could mean less disruption to the local community of Watlington and to Pyrton (in comparison to Options P1 and P2). It will divert some through traffic from the town centre and could reduce congestion. This link could improve air quality in the town centre of Watlington. Removing traffic from the centre and redirecting it through the link would help protect the character of the town. Through increasing connectivity it will support the viability of local businesses. There should be a higher degree of route continuity therefore it should perform better for its intended purpose.	4	In no particular order: 1. Supports rural economy with the aid of new infrastructure (Industrial strategy). 2. Supports the creation of new housing (white paper). 3. Aids in creating a more reliable, less congested and better connected network (DfT Transport Investment Strategy). 4. Helps build a stronger, more balanced economy by responding to local growth priorities. (DfT Transport Investment Strategy). 5. Conversely, however, it could be seen as encouraging car use and not encouraging active or sustainable travel (sustainable travel (sustainable travel – NPPF, government climate change objectives including the Ten Point Plan for a Green Industrial Revolution, Walking and Cycling Investment Strategy, Gear Change - a bold vision for cycling and walking).	3	1. Enhances social inclusion and tackles increasing congestion (OxLEP's SEP). However, it could be seen as encouraging car use and not encouraging active or sustainable travel (sustainable travel - OxLEP SEP). 2. Takes traffic away from key AQMA streets in town centre (Defra). 3. OCC Transport Plan 2015 - 2031: 3a. Maintains and improves transport connections to support economic growth and vitality across the county 3b. Makes most efficient use of all available transport capacity through innovative management of the network 3b. Increases journey time reliability 3c. Develops a high-quality, resilient integrated transport system that is attractive to customers and generates inward investment 3d. Improves public health and reduces transport emissions (town centre). 4. Watlington Neighbourhood plan: 4a. Protects and enhances the special features of Watlington, such as its historic character, natural beauty, landscape and rural setting 4b. Resolves traffic issues, such as safety by reducing traffic speeds, reduction of the impact of traffic generated by new development, reduction of the number of	1. Impacts on air quality and noise: although the alignment has the potential to improve air quality (environmental report), the actual environmental impacts are uncertain and could depend on the eventual composition of development, the attractiveness of the entire scheme (not only for local traffic but also its wider impacts). Queueing is likely to have greater effect on air quality. 2. Impact on journey times: this will depend on the volume of traffic attracted onto the road and the operation of junctions (although initial modelling indicates that they should operate within capacity). The level of active frontage onto the road may influence reliability. Less active frontage from side roads and properties will reduce the potential for disruption. 3. Level of trips diverted away from Watlington town centre: although this is not the primary purpose of the scheme, the volume of traffic switching routes will influence the function, performance and impacts of the proposed scheme. 4. Level of impact on Pyrton Village: this option runs fairly	3	The broad concept of the scheme and indicative alignment corridor has gone through public consultation (through South OX local plan and Watlington neighbourhood plan). Local relevant councils have been engaged (Watlington, Pyrton and Shirburn) in road alignment discussions, as have developers. However there is less consensus over the need for the overall scheme (all sections through sites A, B, C and PYR) which has been expressed by Pyrton Parish Council, or on the preferred alignments (differing views from all parties)

AECOM 79 Prepared for: Oxfordshire County Council

							Strate	egic Case				
Sift ID Section	Option Name	Option Description	Identified problems and objectives of the option	Scale of impact	Scale of impact - Comments	Fit with wider transport and government objectives	Wider transport and government objectives - Comments	Fit with other objectives	Fit with other objectives - Comments	Key uncertainties	Degree of consensus over outcomes?	Degree of consensus over outcomes? - Comments
									unauthorised HGVs using the town centre as a through route, reduction of congestion by better managing through traffic including the development of an edge road to the north and west of the town 4c. Makes good provision for new and existing residents by providing a well-balanced mix of housing to meet identified local needs and affordable homes, by making sure that there is good access for all from new housing development into the town centre, to other services and facilities and into the surrounding countryside, by creating a network of cycling and walking paths and routes and by supporting initiatives to improve public transport 4d. Helps the local economy to grow and 4e. Ensures that local infrastructure is in place to meet the needs of a growing population 5. Pyrton Neighbourhood Plan: 5a. Protects heritage features by avoiding traffic moving through PYR1 site 5b. Manages sensitively any redevelopment or re-use of the former Ministry of Defence (MoD) site (PYR1) at the junction of the Shirburn Road (B4009) with the unnamed road leading down to Pyrton 5c. Establishes the principles for the future of planning policy for Pyrton charity lands and PYR2; 5d. However, it could be seen as not managing and minimising traffic movements, nor safeguarding Pyrton from any adverse impact from increased levels of through-traffic	close to Pyrton village which the existing Pyrton Lane and Station Road expected to feed into the new road as minor side arms. This could have some impact on local communities, causing additional disruption, noise and severance.		
		Through Site C on a more central alignment, crossing the existing Pyrton Lane at the northern most corner of the Icknield Community College site and then taking a new alignment across broadly around the edge of	The key identified problem (opportunity) is to provide a transport solution which unlocks housing development around Watlington which is identified in the South Oxfordshire Local Plan and the Watlington Neighbourhood Plan. The following objectives are identified for this option: 1. To unlock development and increase the availability		This alignment would unlock development in sites C, PYR2 and PYR1 and in turn help facilitate development in Sites A and B. P7 link runs close to the edge of Watlington, near schools and on the edge of the recreation ground, so likely to cause disruption. The link will divert some through traffic from the town centre and could reduce congestion. This alignment would improve air quality in the town centre of Watlington but could create new air quality issues around the edge of the town. Removing traffic from the centre and redirecting it through the link would help protect the character of the town. Through increasing connectivity it will support the viability		In no particular order: 1. Supports rural economy with the aid of new infrastructure (Industrial strategy). 2. Supports the creation of new housing (white paper). 3. Aids in creating a more reliable, less congested and better connected network (DfT Transport Investment Strategy). 4. Helps build a stronger, more balanced economy by responding to local growth priorities. (DfT		1. Enhances social inclusion and tackles increasing congestion (OxLEP's SEP). However, it could be seen as encouraging car use and not encouraging active or sustainable travel (sustainable travel - OxLEP SEP). 2. Takes traffic away from key AQMA streets in town centre (Defra). 3. OCC Transport Plan 2015 - 2031: 3a. Maintains and improves transport connections to support economic growth and vitality across the county 3b. Makes most efficient use of all available transport capacity through innovative management of the network	The main uncertainties include: 1. Impacts on air quality and noise: although the alignment has the potential to improve air quality (environmental report), the actual environmental impacts are uncertain and could depend on the eventual composition of development, the attractiveness of the entire scheme (not only for local traffic but also its wider impacts). Queueing modelled on Station Road is likely to have greater effect on air quality. 2. Impact on journey times: this will depend on the volume of		The broad concept of the scheme and indicative alignment corridor has gone through public consultation (through South OX local plan and Watlington neighbourhood plan). Local relevant councils have been engaged (Watlington, Pyrton and Shirburn) in road alignment discussions, as have developers. However there is less consensus over the need for the overall
E2.1.1.8 C-P	-C2-P7	Watlington and joining the B4009 Shirburn Road	of affordable homes 2. To relieve congestion in the Watlington centre and make alternative	5	of local businesses. The more circuitous alignment may make the route less attractive and effective for its intended purpose.	3	Transport Investment Strategy). 5. Conversely, however, it could be seen as	3	3b. Increases journey time reliability 3c. Develops a high-quality, resilient integrated transport system that is attractive to customers and	traffic attracted onto the road and the operation of junctions (although initial modelling indicates that they should	3	scheme (all sections through sites A, B, C and PYR) which has been expressed by

AECOM 80 Prepared for: Oxfordshire County Council

								Strat	egic Case				
Sift ID	Section	Option Name	Option Description	Identified problems and objectives of the option	Scale of impact	Scale of impact - Comments	Fit with wider transport and government objectives	Wider transport and government objectives - Comments	Fit with other objectives	Fit with other objectives - Comments	Key uncertainties	Degree of consensus over outcomes?	Degree of consensus over outcomes? - Comments
			to the south of PYR1 and north of the Watlington Recreation Ground at a new roundabout junction (Junction 3)	provision for some through traffic 3. To improve air quality and to reduce the risk of flooding 4. To protect the character of Watlington as the town grows 5. To support the viability of the Town Centre shops and local businesses and to optimise opportunities for local employment				encouraging car use and not encouraging active or sustainable travel (sustainable travel — NPPF, government climate change objectives including the Ten Point Plan for a Green Industrial Revolution, Walking and Cycling Investment Strategy, Gear Change - a bold vision for cycling and walking).		generates inward investment 3d. Improves public health and reduces transport emissions (town centre). 4. Watlington Neighbourhood plan: 4a. Protects and enhances the special features of Watlington, such as its historic character, natural beauty, landscape and rural setting 4b. Resolves traffic issues, such as safety by reducing traffic speeds, reduction of the impact of traffic generated by new development, reduction of the number of unauthorised HGVs using the town centre as a through route, reduction of congestion by better managing through traffic including the development of an edge road to the north and west of the town 4c.Makes good provision for new and existing residents by providing a well-balanced mix of housing to meet identified local needs and affordable homes, by making sure that there is good access for all from new housing development into the town centre, to other services and facilities and into the surrounding countryside, by creating a network of cycling and walking paths and routes and by supporting initiatives to improve public transport 4d. Helps the local economy to grow and 4e. Ensures that local infrastructure is in place to meet the needs of a growing population 5. Pyrton Neighbourhood Plan: 5a. Protects heritage features by avoiding traffic moving through PYR1 site 5b. Manages sensitively any redevelopment or re-use of the former Ministry of Defence (MoD) site (PYR1) at the junction of the Shirburn Road (B4009) with the unnamed road leading down to Pyrton 5c. Establishes the principles for the future of planning policy for Pyrton charity lands and PYR2; 5d. However, it could be seen as not managing and minimising traffic movements, nor safeguarding Pyrton from any adverse impact from increased levels of through-traffic	operate within capacity). The level of active frontage onto the road may influence reliability. Less active frontage from side roads and properties will reduce the potential for disruption. 3. Level of trips diverted away from Watlington town centre: although this is not the primary purpose of the scheme, the volume of traffic switching routes will influence the function, performance and impacts of the proposed scheme.		Pyrton Parish Council, or on the preferred alignments (differing views from all parties)

AECOM 81 Prepared for: Oxfordshire County Council

									Ed	onom	ic Case				
		Option	Option	Economic	Economic growth -	Carbon	Carbon emissions -	Socio- distribu tional impact s and the	Socio-distributional impacts and the	Local environ				Expected VfM	Expected VfM Category -
Sift ID	Section	Name	B4009 Britwell Road (priority give way junction - Junction 1) through Site A on most northerly alignment to B480 Cuxham Road (new roundabout -	Growth	1. Connectivity: the scheme will provide faster connections between new developments and areas south of Watlington as well as the M40 2. Reliability: the scheme junctions will operate within capacity and acceptable queueing will be observed. Journey times will be improved (transport modelling report). However, as it is a new road, accidents may occur. 3. Wider Economic Impacts: this can only be assessed at a later stage. An area of influence (AoI) will have to be defined so this alignment is assessed. 4. Resilience: the alignment will be built for flood resistance would increase resilience of the local network. It is unlikely to be affected by terrorism, however climate change, such as extreme snow/ice/adverse weather, may have an effect. 4. Delivery of housing as it is essential for the connection of local	emissions	1. Activity: New link road likely to facilitate car traffic and therefore potentially an increase in emissions will occur. 2. Embedded Carbon: No evidence found. 3. Carbon Efficiency: There is no clear indication that the option	regions	The proposed scheme is expected to increase accessibility between areas and will increase attraction for previously undeveloped parts of Watlington. As any new construction, it is expected to reduce affordability, however, Watlington's objective to develop affordable	ment	1. Air quality: The residential area on Willow Close is less likely to be impacted. Traffic associated with Site A will not congest the existing roundabout on Cuxham Road. (Environmental Baseline Report) 2. Noise: Given the distance of the properties from the proposed route and the intervening housing development noise increases are not likely to be large (Environmental Baseline Report). May result in some noise increases at the traveller site to the west of Site A (Noise Comments.docx). 3. Natural environment, heritage and landscape: Proposed roundabout in the western part of Site A would reduce the visibility of the proposed road for residents in Watlington and retain the vegetated boundary adjacent to Willow Close (Environmental Baseline Report). The alignment of A1 is through poor semi-improved grassland whereas B1 is aligned through arable field. (Wood Ecology Plans.pdf) In terms of heritage, alignment A1-B1 is a preferable option due to moving the main junction further away from the Watlington Conservation Area and the Church of St Leonard (Environmental Baseline Report) In terms of water environment, alignment A1-B1 requires a large increase in impermeable area close to Chalgrove Brook, has watercourse crossings and crosses a substantial area of Flood Zone 3. (Environmental Baseline Report, Water Environment Comments.docx and https://flood-map-for-planning.service.gov.uk/confirm-location?easting=468633&northing=194858&placeOrPostcode=watlington) 4. Streetscape and urban environment: No significant impact on streetscape and urban environment (Based on own	Well being	1. Severance: No interference with Public Rights of Way are expected for this option (https://publicrightsofway.oxfor dshire.gov.uk/Web/standardm ap.aspx) 2. Physical activity: New relief road will provide an alternative route to cars, LGVs and HGVs, which will help create better conditions for walking and cycling and improve bus journey times in Watlington. However, the new link road will likely encourage car travel elsewhere. 3. Injury or deaths: As for every new road, local road users will require a period of adjustment, which could possibly result in creating new risks, such as accidents. However, these risks would be expected to reduce as local people get familiar with the new road system. 4. Crime: No evidence found. 5. Enjoying access: A1 will provide access to an activity centre and to the existing residential area of Watlington. B1 will provide access to the	Category	Value for Money cannot be fully judged at this stage therefore a mid-estimate has been made. Value for money could be higher as the private sector is completing part of the route therefore costs
E2.1.1.1	А-В	A1-B1-	Junction 2) and into Site B	5	development sites A, B, C, PYR1 and PYR2	3	would lead to increased carbon efficiencies	5	housing will alleviate this risk.	3	judgment; no evidence found from reports).	4	existing residential area of Watlington.	Medium - 1.5- 2	to the UK tax payer will be lowered.

AECOM 82 Prepared for: Oxfordshire County Council

									Ec	onomi	c Case				
		Option	Option	Economic	Economic growth -	Carbon	Carbon emissions -	Socio- distribu tional impact s and the	Socio-distributional impacts and the	Local environ				Expected VfM	Expected VfM Category -
Sift ID	Section	Option Name	B4009 Britwell Road (priority give way junction - Junction 1) through Site A on more northerly alignment to B480 Cuxham	Growth	1. Connectivity: the scheme will provide faster connections between new developments and areas south of Watlington as well as the M40 2. Reliability: the scheme junctions will operate within capacity and acceptable queueing will be observed. Journey times will be improved (transport modelling report). However, as it is a new road, accidents may occur. 3. Wider Economic Impacts: this can only be assessed at a later stage. An area of influence (AoI) will have to be defined so this alignment is assessed. 4. Resilience: the alignment will be built for flood resistance would increase resilience of the local network. It is unlikely to be affected by terrorism, however climate change, such as extreme snow/ice/adverse weather, may have an effect. 4. Delivery of housing: the scheme will directly aid the delivery of housing as	Carbon emissions	1. Activity: New link road likely to facilitate car traffic and therefore potentially an increase in emissions will occur. 2. Embedded Carbon: No evidence found. 3. Carbon Efficiency:	regions	The proposed scheme is expected to increase accessibility between areas and will increase attraction for previously undeveloped parts of Watlington. As any new construction, it is expected to reduce affordability, however,	environment	Local environment - Comments 1. Air quality: The residential area on Willow Close is less likely to be impacted. Traffic associated with Site A will not congest the existing roundabout on Cuxham Road. (Environmental Baseline Report) 2. Noise: Given the distance of the properties from the proposed route and the intervening housing development noise increases are not likely to be large (Environmental Baseline Report). May result in some noise increases at the traveller site to the west of Site A (Noise Comments.docx). 3. Natural environment, heritage and landscape: Proposed roundabout in the western part of Site A would reduce the visibility of the proposed road for residents in Watlington and retain the vegetated boundary adjacent to Willow Close (Environmental Baseline Report). However, B5 is a preferred option on the Site B as it provides a direct alignment across the Site without the loss of key vegetation and is sited away from the residents. (Landscape Comments.docx). In terms of heritage, alignment A5-B5 is preferable due to moving the main junction further away from the Watlington Conservation Area and the Church of St Leonard (Environmental Baseline Report). In terms of water environment, alignment A5-B5 requires a large increase in impermeable area close to Chalgrove Brook, has watercourse crossings and crosses a substantial area of Flood Zone 3. (Water Environment Comments.docx and https://flood-map-for-planning.service.gov.uk/confirm-location?easting=468633&northing=194858&placeOrPostcode=watlington) 4. Streetscape and urban environment: No significant impact on	Well being	1. Severance: No interference with Public Rights of Way are expected for this option (https://publicrightsofway.oxfor dshire.gov.uk/Web/standardm ap.aspx) 2. Physical activity: New relief road will provide an alternative route to cars, LGVs and HGVs, which will help create better conditions for walking and cycling and improve bus journey times in Watlington. However, the new link road will likely encourage car travel elsewhere. 3. Injury or deaths: As for every new road, local road users will require a period of adjustment, which could possibly result in creating new risks, such as accidents. However, these risks would be expected to reduce as local people get familiar with the new road system. 4. Crime: No evidence found. 5. Enjoying access: A1 will provide access to an activity centre and to the existing residential area of Watlington.	Category	Value for Money cannot be fully judged at this stage therefore a mid-estimate has been made. Value for money could be higher as the private sector is
			Road (new roundabout - Junction 2) and		it is essential for the connection of local development sites A.		There is no clear indication that the option would lead to increased		Watlington's objective to develop affordable housing will alleviate this		streetscape and urban environment (Based on own judgment; no evidence found from		B1 will provide access to the existing residential area of Watlington and religious	Medium - 1.5-	completing part of the route therefore costs to the UK tax payer
E2.1.1.2	A-B	A5-B5-		5	B, C, PYR1 and PYR2	3	carbon efficiencies	5	•	3	reports).	4	centres.	2	will be lowered.

AECOM 83 Prepared for: Oxfordshire County Council

									E	conomi	ic Case				
I D	Section	Option Name	Option Description	Economic Growth	Economic growth - Comments	Carbon emissions	Carbon emissions - Comments	Socio- distribu tional impact s and the regions	Socio-distributional impacts and the regions - Comments	Local environ ment	Local environment - Comments	Well being	Wellbeing - Comments	Expected VfM Category	Expected VfM Category - Comments
					1. Connectivity: the scheme will provide										
					faster connections										
					between new										
					developments and										
					areas south of Watlington as well as										
					the M40										
					2. Reliability: the										
					scheme junctions will operate within										
					capacity and										
					acceptable queueing										
					will be observed.										
					Journey times will be improved. Additional										
					traffic from the						1. Air quality: Use of the existing				
					proposed residential						industrial estate road for access to				
					development will not						Site A may cause congestion on the existing Cuxham Road				
					cause any major concerns for the						roundabout which could affect air				
					existing roundabout						quality. The road also brings		1. Severance: No interference		
					(transport modelling						vehicles closer to new residential		with Public Rights of Way are		
					report). However, as it is a new road,						properties within Site B development. (Environmental		expected for this option (https://publicrightsofway.oxfor		
					accidents may occur.						Baseline Report)		dshire.gov.uk/Web/standardm		
					3. Wider Economic						2. Noise: This option would result		ap.aspx)		
					Impacts: this can only						in adverse traffic noise impacts for		2. Physical activity: New		
					be assessed at a later stage. An area of						residents on Willow Close and Beech Close. It would also likely		relief road will provide an alternative route to cars. LGVs		
					influence (AoI) will						result in adverse construction		and HGVs, which will help		
			B4009 Britwell		have to be defined so		1. Activity: New link				noise impacts at these locations		create better conditions for		
			Road (priority		this alignment is assessed.		road likely to facilitate car traffic and therefore				during the works. 3. Natural environment, heritage		walking and cycling and improve bus journey times in		
			give way junction -		4. Resilience: the		potentially an increase in				and landscape: The alignment is		Watlington. However, the new		
			Junction 1)		alignment will be built		emissions will occur.				mainly through plain ground and		link road will likely encourage		
			through		for flood resistance		2. Embedded Carbon:				arable fields (A2&4) and on the		car travel elsewhere.		
			southern part of Site A and		would increase resilience of the local		No evidence found. 3. Carbon Efficiency:				existing Cuxham Road (B4). (Wood Ecology Plans.pdf)		3. Injury or deaths: As for every new road, local road		
			Watlington		network. It is unlikely		Use of the existing				The option is closer to the		users will require a period of		
			Industrial Estate		to be affected by		industrial estate road for				Watlington Conservation Area and		adjustment, which could		
			access road to B480 Cuxham		terrorism, however climate change, such		access to Site A may cause congestion on the				the Church of St Leonard compared to A1-B1 and A5-B5		possibly result in creating new risks, such as accidents.		
			Road (existing		as extreme		existing Cuxham Road				(Environmental Baseline Report).		However, these risks would be		
			roundabout at		snow/ice/adverse		roundabout				In terms of water environment,		expected to reduce as local		Value for Mone
			Willow Close)		weather, may have an		(Environmental Baseline				A2&4 includes little change in		people get familiar with the		cannot be fully
			then using an existing		effect. 4. Delivery of		Report). The route contains two roundabout				impermeable area at the south of the scheme south (Environmental		new road system. 4. Crime: No evidence found.		at this stage the
			upgraded		housing: the scheme		junctions which are likely		The proposed scheme is		Baseline Report)		5. Enjoying access: A1 will		been made. Va
			section of the		will directly aid the		to reduce the average		expected to increase		4. Streetscape and urban		provide access to an activity		money could be
			B480 Cuxham Road to a new		delivery of housing as		speed and increase carbon emissions		accessibility between		environment: No significant		centre and to the existing		as the private s
			roundabout		it is essential for the connection of local		through the		areas and will increase attraction for previously		impact on streetscape and urban environment (Based on own		residential area of Watlington. B1 will provide access to the		completing part route therefore
		A2&4-	(Junction 2) and		development sites A,		starting/stopping car		undeveloped parts of		judgment; no evidence found from		existing residential area of	Medium - 1.5-	to the UK tax pa
3	A-B	B4-	into Site B	5	B, C, PYR1 and PYR2	2	phases (Own judgment).	5	Watlington.	3	reports).	4	Watlington	2	will be lowered.

AECOM 84 Prepared for: Oxfordshire County Council

									E	conom	ic Case				
Sift ID	Section	Option Name	Option Description	Economic Growth	Economic growth - Comments	Carbon emissions	Carbon emissions - Comments	Socio- distribu tional impact s and the regions	Socio-distributional impacts and the regions - Comments	Local environ ment	Local environment - Comments	Well being	Wellbeing - Comments	Expected VfM Category	Expected VfM Category - Comments
			B4009 Britwell Road (priority give way junction - Junction 1) through southern part of Site A and Watlington Industrial Estate access road to B480 Cuxham Road (upgraded roundabout at Willow Close - Junction 2) then into Site B on a		1. Connectivity: the scheme will provide faster connections between new developments and areas south of Watlington as well as the M40 2. Reliability: the scheme junctions will operate within capacity and acceptable queueing will be observed. Journey times will be improved (transport modelling report). However, as it is a new road, accidents may occur. 3. Wider Economic Impacts: this can only be assessed at a later stage. An area of influence (AoI) will have to be defined so this alignment is assessed. 4. Resilience: the alignment will be built for flood resistance would increase resilience of the local network. It is unlikely to be affected by terrorism, however climate change, such as extreme snow/ice/adverse weather, may have an effect. 4. Delivery of housing as it is essential for the connection of local		1. Activity: New link road likely to facilitate car traffic and therefore potentially an increase in emissions will occur. 2. Embedded Carbon: No evidence found. 3. Carbon Efficiency: Use of the existing industrial estate road for access to Site A may cause congestion on the existing Cuxham Road roundabout (Environmental Baseline Report). The route contains two roundabout junctions which are likely to reduce the average speed and could increase carbon emissions through the		The proposed scheme is expected to increase accessibility between areas and will increase attraction for previously		1. Air quality: Use of the existing industrial estate road for access to Site A may cause congestion on the existing Cuxham Road roundabout which could affect air quality. The road also brings vehicles closer to new residential properties within Site B development. (Environmental Baseline Report) 2. Noise: This option would result in adverse traffic noise impacts for residents on Willow Close and Beech Close. It would also likely result in adverse construction noise impacts at these locations during the works. 3. Natural environment, heritage and landscape: The alignment of A2&4 is mainly through plain ground and arable fields while B3 is aligned through arable fields. (Wood Ecology Plans.pdf) The option is closer to the Watlington Conservation Area and the Church of St Leonard compared to A1-B1 and A5-B5 (Environmental Baseline Report). In terms of water environment, A2&4 includes little change in impermeable area at the south of the scheme south (Environmental Baseline Report) 4. Streetscape and urban environment: No significant impact on streetscape and urban environment (Based on own		1. Severance: No interference with Public Rights of Way are expected for this option (https://publicrightsofway.oxfor dshire.gov.uk/Web/standardm ap.aspx) 2. Physical activity: New relief road will provide an alternative route to cars, LGVs and HGVs, which will help create better conditions for walking and cycling and improve bus journey times in Watlington. However, the new link road will likely encourage car travel elsewhere. 3. Injury or deaths: As for every new road, local road users will require a period of adjustment, which could possibly result in creating new risks, such as accidents. However, these risks would be expected to reduce as local people get familiar with the new road system. 4. Crime: No evidence found. 5. Enjoying access: A1 will provide access to an activity centre and to the existing residential area of Watlington. B1 will provide access to the		Value for Money cannot be fully judged at this stage therefore a mid-estimate has been made. Value for money could be high as the private sector completing part of the route therefore costs
≣2.1.1.4	A-B	A2&4- B3-	more southerly alignment.	5	development sites A, B, C, PYR1 and PYR2	2	starting/stopping car phases	5	undeveloped parts of Watlington.	3	judgment; no evidence found from reports).	4	existing residential area of Watlington	Medium - 1.5- 2	to the UK tax payer will be lowered.

AECOM 85 Prepared for: Oxfordshire County Council

									_						
							T. T		Ed	onomi	ic Case				
		Option	Option	Economic	Economic growth -	Carbon	Carbon emissions -	Socio- distribu tional impact s and the	Socio-distributional impacts and the	Local environ				Expected VfM	Expected VfM Category -
Sift ID	Section	Name	Description	Growth	1. Connectivity: the	emissions	Comments	regions	regions - Comments	ment	Local environment - Comments	Well being	Wellbeing - Comments	Category	Comments
			Through Site C on a more southerly alignment, taking part of the existing alignment of Pyrton Lane to the north of Icknield Community College and then taking the alignment of Pyrton Lane and Station Road to a new roundabout (Junction 3) on the B4009 Shirburn Road		scheme will provide faster connections between new developments and areas south of Watlington as well as the M40 2. Reliability: the scheme junctions will operate within capacity and acceptable queueing will be observed. Journey times will be improved, however there will likely be queuing along Pyrton Lane. It is anticipated that this junction will be converted to a roundabout, which would resolve the issues predicted at present. (transport modelling report). However, as it is a new road, accidents may occur. 3. Wider Economic Impacts: this can only be assessed at a later stage. An area of influence (AoI) will have to be defined so this alignment is assessed. 4. Resilience: the alignment will be built for flood resistance would increase resilience of the local network. It is unlikely to be affected by terrorism, however climate change, such as extreme snow/ice/adverse weather, may have an effect. 4. Delivery of housing: the scheme will directly aid the delivery of housing as it is essential for the		1. Activity: New link road likely to facilitate car traffic and therefore potentially an increase in emissions will occur. 2. Embedded Carbon: No evidence found. 3. Carbon Efficiency: P1 is slightly longer compared to other P options and run along Pyrton Ln for which queueing has been modelled. The sharp right turn it includes will require significant change of speed for safe manoeuvring, thus this alignment is likely to		The proposed scheme is expected to increase accessibility between areas and will increase		1. Air quality: Queueing modelled on Pyrton Lane is likely to have greater effect on air quality. P1 utilizes the existing Pyrton Lane and is aligned the farthest from Watlington and educational activity south and south-west to the Site PYR2 development. (Based on own judgment; no evidence found from reports for C1-P1). 2. Noise: The alignment of C1 is closer to Pyrton Lane than C2 and therefore is likely to have slightly greater adverse effect on noise for residents of Pyrton. P1 is aligned the farthest from the residential and educational activity south and south-west to the Site PYR2 development. (Based on own judgment; no evidence found from reports for C1-P1). 3. Natural environment, heritage and landscape: The alignment is mainly through arable fields and existing Pyrton Lane. (Wood Ecology Plans.pdf). Potential loss of vegetation due to widening of Pyrton Lane. (Based on own judgment). P1 is located close to Pyrton Conservation Area and Shirburn Castle Conservation Area and Shirburn Castle Conservation Area. (F1 - HER Assets.pdf) 4. Streetscape and urban environment: No significant impact on streetscape		1. Severance: Some interference with Public Rights of Way are expected for this option (https://publicrightsofway.oxfor dshire.gov.uk/Web/standardm ap.aspx) 2. Physical activity: New relief road will provide an alternative route to cars, LGVs and HGVs, which will help create better conditions for walking and cycling and improve bus journey times in Watlington. However, the new link road will likely encourage car travel elsewhere. 3. Injury or deaths: As for every new road, local road users will require a period of adjustment, which could possibly result in creating new risks, such as accidents. However, these risks would be expected to reduce as local people get familiar with the new road system. 4. Crime: No evidence found. 5. Enjoying access: This section will provide access to educational institutions such as the Watlington Primary school and the Icknield Community College, a		Value for Money cannot be fully judged at this stage therefore a mid-estimate has been made. Value for money could be higher as the private sector is completing part of the
			at the current location of the		connection of local development sites A,		increase carbon emissions. (Own		attraction for previously undeveloped parts of		environment (Based on own judgment; no evidence found from		Recreation Centre and to other residential areas around	Medium - 1.5-	route therefore costs to the UK tax payer
E2.1.1.5	C-P	-C1-P1	crossroads.	4	B, C, PYR1 and PYR2	2	judgment)	5	Watlington.	3	reports).	3	Watlington.	2	will be lowered.

AECOM 86 Prepared for: Oxfordshire County Council

									Ed	conomi	ic Case				
Sift ID	Section	Option Name	Option Description	Economic Growth	Economic growth - Comments	Carbon emissions	Carbon emissions - Comments	Socio- distribu tional impact s and the regions	Socio-distributional impacts and the regions - Comments	Local environ ment	Local environment - Comments	Well being	Wellbeing - Comments	Expected VfM Category	Expected VfM Category - Comments
			Through Site C on a more southerly alignment, taking part of the existing alignment of Pyrton Lane to the north of Icknield Community College and then taking a new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009		1. Connectivity: the scheme will provide faster connections between new developments and areas south of Watlington as well as the M40 2. Reliability: the scheme junctions will operate within capacity and acceptable queueing will be observed. Journey times will be improved, however there will likely be queuing along Pyrton Lane and Station Road. It is anticipated that this junction will be converted to a roundabout, which would resolve the issues predicted at present. (transport modelling report). However, as it is a new road, accidents may occur. 3. Wider Economic Impacts: this can only be assessed at a later stage. An area of influence (AoI) will have to be defined so this alignment will be built for flood resistance would increase resilience of the local network. It is unlikely to be affected by terrorism, however climate change, such as extreme snow/ice/adverse weather, may have an effect. 4. Delivery of housing as		1. Activity: New link road likely to facilitate car traffic and therefore potentially an increase in emissions will occur. 2. Embedded Carbon: No evidence found. 3. Carbon Efficiency:		The proposed scheme is expected to increase accessibility between		1. Air quality: Queueing modelled on Pyrton Lane is likely to have greater effect on air quality, however this alignment is utilising Pyrton Lane partially. P2 is aligned closer to the residential and educational activities south and south-west to the Site PYR2 development compared to P1 but noticeably farther than P6 or P7. (Based on own judgment; no evidence found from reports for C1-P2). 2. Noise: The alignment of C1 is closer to Pyrton Lane than C2 and therefore is likely to have slightly greater adverse effect on noise around Pyrton Lane. P2 is closer to the residential and educational activities south and south-west to the Site PYR2 development compared to P1 but noticeably farther than P6 or P7. (Based on own judgment; no evidence found from reports for C1-P2). 3. Natural environment, heritage and landscape: The alignment is mainly through arable fields. (Wood Ecology Plans.pdf) 4. Streetscape and urban environment: No significant		1. Severance: Some interference with Public Rights of Way are expected for this option (https://publicrightsofway.oxfor dshire.gov.uk/Web/standardm ap.aspx) 2. Physical activity: New relief road will provide an alternative route to cars, LGVs and HGVs, which will help create better conditions for walking and cycling and improve bus journey times in Watlington. However, the new link road will likely encourage car travel elsewhere. 3. Injury or deaths: As for every new road, local road users will require a period of adjustment, which could possibly result in creating new risks, such as accidents. However, these risks would be expected to reduce as local people get familiar with the new road system. 4. Crime: No evidence found. 5. Enjoying access: This section will provide access to educational institutions such as the Watlington Primary school and the lcknield		Value for Money cannot be fully judged at this stage therefore a mid-estimate has been made. Value for money could be higher as the private sector is
E2.1.1.6	C-P	-C1-P2	Shirburn Road at the current location of the crossroads.	4	it is essential for the connection of local development sites A, B, C, PYR1 and PYR2	3	There is no clear indication that the option would lead to increased carbon efficiencies	5	areas and will increase attraction for previously undeveloped parts of Watlington.	4	impact on streetscape and urban environment (Based on own judgment; no evidence found from reports).	3	Community College, a Recreation Centre and to other residential areas around Watlington.	Medium - 1.5- 2	completing part of the route therefore costs to the UK tax payer will be lowered.

AECOM 87 Prepared for: Oxfordshire County Council

									Ed	onomi	ic Case				
ift ID	Section	Option Name	Option Description	Economic Growth	Economic growth - Comments	Carbon emissions	Carbon emissions - Comments	Socio- distribu tional impact s and the regions	Socio-distributional impacts and the regions - Comments	Local environ ment	Local environment - Comments	Well being		pected VfM tegory	Expected VfM Category - Comments
וונ וט	Section	Ivallie	Description	Growth	1. Connectivity: the	CIIIISSIOIIS	Comments	regions	regions - Comments	ment	Local environment - Comments	wen being	wendering - confinence Car	legory	Comments
					scheme will provide faster connections between new developments and areas south of Watlington as well as the M40 2. Reliability: the scheme junctions will operate within capacity and acceptable queueing will be observed. Journey times will be improved, however there will likely be queuing along Pyrton Lane. It is anticipated that this junction will be converted to a								1. Severance: Some		
					roundabout, which would resolve the issues predicted at present. (transport modelling report). However, as it is a new road, accidents may occur. 3. Wider Economic Impacts: this can only be assessed at a later stage. An area of influence (AoI) will have to be defined so						1. Air quality: Queueing modelled on Pyrton Lane is likely to have greater effect on air quality, however this alignment is utilising Pyrton Lane the least. P6 is aligned closer to the residential and educational activities south and south-west to the Site PYR2		1. Severance: Some interference with Public Rights of Way are expected for this option (https://publicrightsofway.oxfor dshire.gov.uk/Web/standardm ap.aspx) 2. Physical activity: New relief road will provide an alternative route to cars, LGVs and HGVs, which will help create better conditions for walking and cycling and improve bus journey times in		
			Through Site C on a more central alignment, crossing the existing Pyrton Lane at the		this alignment is assessed. 4. Resilience: the alignment will be built for flood resistance would increase resilience of the local						development compared to P1 and P2 but slightly farther compared to P7. (Based on own judgment; no evidence found from reports for C2-P6). 2. Noise: The alignment of C2 is further from Pyrton Lane than C1.		Watlington. However, the new link road will likely encourage car travel elsewhere. 3. Injury or deaths: As for every new road, local road users will require a period of adjustment, which could		
			northern most corner of the lcknield Community College site and then taking a new alignment		network. It is unlikely to be affected by terrorism, however climate change, such as extreme snow/ice/adverse weather, may have an		Activity: New link road likely to facilitate car traffic and therefore				P6 is closer to the residential and educational activities south and south-west to the Site PYR2 development compared to P7. (Based on own judgment; no evidence found from reports). 3. Natural environment, heritage		possibly result in creating new risks, such as accidents. However, these risks would be expected to reduce as local people get familiar with the new road system. 4. Crime: No evidence found.		Value for Money cannot be fully jud
			across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road		effect. 4. Delivery of housing: the scheme will directly aid the delivery of housing as it is essential for the		potentially an increase in emissions will occur. 2. Embedded Carbon: No evidence found. 3. Carbon Efficiency: There is no clear		The proposed scheme is expected to increase accessibility between areas and will increase		and landscape: The alignment is mainly through arable fields. (Wood Ecology Plans.pdf) 4. Streetscape and urban environment: No significant impact on streetscape and urban		5. Enjoying access: This section will provide access to educational institutions such as the Watlington Primary school and the Icknield Community College, a		at this stage there a mid-estimate ha been made. Value money could be h as the private sec completing part of
2.1.1.7	C-P	-C2-P6	at the current location of the crossroads.	4	connection of local development sites A, B, C, PYR1 and PYR2	3	indication that the option would lead to increased carbon efficiencies	5	attraction for previously undeveloped parts of Watlington.	4	environment (Based on own judgment; no evidence found from reports).	3	Recreation Centre and to other residential areas around Mew Watlington.	dium - 1.5-	route therefore co to the UK tax paye will be lowered.

AECOM 88 Prepared for: Oxfordshire County Council

									Ed	conomi	ic Case				
Sift ID	Section	Option Name	Option Description	Economic Growth	Economic growth - Comments 1. Connectivity: the	Carbon emissions	Carbon emissions - Comments	Socio- distribu tional impact s and the regions	Socio-distributional impacts and the regions - Comments	Local environ ment	Local environment - Comments	Well being	Wellbeing - Comments	Expected VfM Category	Expected VfM Category - Comments
E2.1.1.8	C-P	-C2-P7	Through Site C on a more central alignment, crossing the existing Pyrton Lane at the northern most corner of the lcknield Community College site and then taking a new alignment across broadly around the edge of Watlington and joining the B4009 Shirburn Road to the south of PYR1 and north of the Watlington Recreation Ground at a new roundabout junction (Junction 3)	4	scheme will provide faster connections between new developments and areas south of Watlington as well as the M40 2. Reliability: the scheme junctions will operate within capacity and acceptable queueing will be observed along Pyrton Lane and Station Road. Journey times will be improved, however there will likely be queuing along Pyrton Lane. It is anticipated that this junction will be converted to a roundabout, which would resolve the issues predicted at present. (transport modelling report). However, as it is a new road, accidents may occur. 3. Wider Economic Impacts: this can only be assessed at a later stage. An area of influence (AoI) will have to be defined so this alignment is assessed. 4. Resilience: the alignment will be built for flood resistance would increase resilience of the local network. It is unlikely to be affected by terrorism, however climate change, such as extreme snow/ice/adverse weather, may have an effect. 4. Delivery of housing: the scheme will directly aid the delivery of housing: the scheme will directly aid the delivery of housing as it is essential for the connection of local development sites A, B, C, PYR1 and PYR2	3	1. Activity: New link road likely to facilitate car traffic and therefore potentially an increase in emissions will occur. 2. Embedded Carbon: No evidence found. 3. Carbon Efficiency: There is no clear indication that the option would lead to increased carbon efficiencies	5	The proposed scheme is expected to increase accessibility between areas and will increase attraction for previously undeveloped parts of Watlington.	3	1. Air quality: Queueing modelled on Pyrton Lane is likely to have greater effect on air quality, however this alignment is utilising Pyrton Lane the least. P7 reaches the southern border of the Site PYR2 development and is aligned closest to the residential and educational activities south and south-west to the Site PYR2 development. (Based on own judgment; no evidence found from reports for C2-P7). 2. Noise: The alignment of C2 is farther from Pyrton Lane than C1 and therefore is likely to have slightly smaller effect on noise around Pyrton Lane. P7 reaches the southern border of the Site PYR2 development and is aligned closest to the residential and educational activities south and south-west to the Site PYR2 development. (Based on own judgment; no evidence found from reports for C2-P7). 3. Natural environment, heritage and landscape: The alignment is mainly through arable fields. The alignment of P7 is close to the southern border of site PYR2 with rich hedge and trees vegetation. (Wood Ecology Plans.pdf) 4. Streetscape and urban environment: No significant impact on streetscape and urban environment (Based on own judgment; no evidence found from reports).	3	1. Severance: Some interference with Public Rights of Way are expected for this option (https://publicrightsofway.oxfor dshire.gov.uk/Web/standardm ap.aspx) 2. Physical activity: New relief road will provide an alternative route to cars, LGVs and HGVs, which will help create better conditions for walking and cycling and improve bus journey times in Watlington. However, the new link road will likely encourage car travel elsewhere. 3. Injury or deaths: As for every new road, local road users will require a period of adjustment, which could possibly result in creating new risks, such as accidents. However, these risks would be expected to reduce as local people get familiar with the new road system. 4. Crime: No evidence found. 5. Enjoying access: This section will provide access to educational institutions such as the Watlington Primary school and the Icknield Community College, a Recreation Centre and to other residential areas around Watlington.	Medium - 1.5-	Value for Money cannot be fully judged at this stage therefore a mid-estimate has been made. Value for money could be higher as the private sector is completing part of the route therefore costs to the UK tax payer will be lowered.

AECOM 89 Prepared for: Oxfordshire County Council

								Manage	rial Case)			
Sit	t ID	Section	Option Name	Option Description	Implementation timetable	Implementation timetable - Comments	Public acceptability	Public acceptability - Comments	Practical feasibility	Practical feasibility - Comments	What is the quality of the supporting evidence?	What is the quality of the supporting evidence? - Comments	Key risks
E2	.1.1.1	A-B	A1-B1-	B4009 Britwell Road (priority give way junction - Junction 1) through Site A on most northerly alignment to B480 Cuxham Road (new roundabout - Junction 2) and into Site B	1-5 years	Whole scheme is aimed to be completed by March 2023. Scheme will be developed in advance of or in conjunction with planned development in Site A and Site B. 2023 is a reasonable estimate for completion as development sites surrounding scheme to be completed by 2025 - https://www.oxfordshiregrowthboard.org/wp-content/uploads/2018/12/OGB-projects-years-1-2-5-OCC-V2_jasedit.pdf	3	Scheme has been through some level of public consultation as it is acknowledged in both the Watlington Neighbourhood Plan and South Oxfordshire local plan. In a consultation carried out in March 2014, in which the main topics for the Watlington Neighbourhood Development Plan were defined, local people expressed that a relief road is the 4th most vitally important improvement needed for Watlington under the Traffic and Environment topic - https://www.southoxon.gov.uk/wp-content/uploads/sites/2/2020/10WNDP1-Watlington-Neighbourhood-Development-Plan-MADE-VERSION.pdf The scheme also does not require any behavioural changes and so public acceptability is not expected to be an issue. There may be a slightly higher level of public acceptability for more northerly alignments such as A1-B1 which have less effect on existing roads on the edge of Watlington and in terms of noise, air quality and visual intrusion, although it may be viewed as less acceptable from an environmental perspective as it will route through countryside.		The option has been determined as being feasible in engineering terms. More detailed feasibility work will be required to fully determine the option's feasibility and any mitigation requirements.	3	The option has been assessed in relation to constraints and engineering feasibility. More detailed engineering feasibility and impacts assessment will be required for subsequent stages where options will be further refined. Transport modelling evidence is limited to junction models and Transport Assessments prepared for individual sites. The overall transport network effects of the scheme are not fully understood therefore more detailed, widerscale transport modelling evidence is required to support the development of the scheme and further refinement of options. The level of evidence available for section A-B is considered slightly higher than section C-P.	Key risks for Site A involve the following: - If the discharge conditions aren't approved, that the developer won't implement and therefore their section of road does not get built. OCC would need to consider whether to purchase the land to directly build the additional section of road or determine that the project is partly/fully disbanded - The developer doesn't get approval for their first application and submits an alternative planning application, which delays any start on site and instigates fresh negotiations regarding land - If OCC needs more land for Link 3 (alignment in Site A) than is currently safeguarded (e.g., for flood compensation storage), that the developer isn't required to dedicate land outside the safeguarded area and they don't agree to dedicate for a peppercorn. OCC may have to purchase the extra land for a higher cost, CPO the land or deem this highway section as unfeasible - If a technically viable option is not possible at Link 3 (alignment in Site A), options are too expensive, or technically viable options are not supported by stakeholders due to other impacts Key risks for Sites B and C involve the following: - There may only be a short turn-around time to write the s106 if the applications go to committee on 4th November and OCC have yet to agree internally the preferred wording agreement. If agreement takes longer this may delay the application going to committee. - That the s106 is agreed at outline before the detailed access arrangements are agreed upon and that the clauses won't sufficiently allow for the eventual preferred design or the access arrangements are predetermined by the s106 before detailed work is complete. - That the s106 doesn't allow for the developer to build the junction, with a compensation mechanism. Thus requiring OCC to build and synchronise works with both the WAT A (Site A) and WAT B (Site B) developers. If OCC were to build instead of the developer, this may increase the cost of this section. - Developer does not receive full planning consen

AECOM 90 Prepared for: Oxfordshire County Council

						Manager	ial Case				
Sift ID Section	Option Name	Option Description	Implementation timetable	Implementation timetable - Comments	Public acceptability	Public acceptability - Comments	Practical feasibility	Practical feasibility - Comments	What is the quality of the supporting evidence?	What is the quality of the supporting evidence? -	Key risks
E2.1.1.2 A-B	A5-B5-	B4009 Britwell Road (priority give way junction - Junction 1) through Site A on more northerly alignment to B480 Cuxham Road (new roundabout - Junction 2) and into Site B	1-5 years	Whole scheme is aimed to be completed by March 2023. Scheme will be developed in advance of or in conjunction with planned development in Site A and Site B. 2023 is a reasonable estimate for completion as development sites surrounding scheme to be completed by 2025 - https://www.oxfo/2018/12/OGB-projects-years-1-2-5-OCC-V2_jasedit.pdf	3	Scheme has been through public consultation in being included in both Watlington Neighbourhood Plan and South Oxfordshire local plan. In a consultation carried out in March 2014, in which the main topics for the Watlington Neighbourhood Development Plan were defined, local people expressed that a relief road is the 4th most vitally important improvement needed for Watlington under the Traffic and Environment topic - https://www.southoxon.gov.uk/wp-content/uploads/sites/2/2020/10/WNDP1-Watlington-Neighbourhood-Development-Plan-MADE-VERSION.pdf The scheme also does not require any behavioural changes and so public acceptability is not expected to be an issue. There may be a slightly higher level of public acceptability for more northerly alignments such as A5-B5 which have less effect on existing roads on the edge of Watlington and in terms of noise, air quality and visual intrusion, although it may be viewed as less acceptable from an environmental perspective as it will route through countryside.	2	The option has been determined as being feasible in engineering terms. More detailed feasibility work will be required to fully determine the option's feasibility and any mitigation requirements.	3	The option has been assessed in relation to constraints and engineering feasibility. More detailed engineering feasibility and impacts assessment will be required for subsequent stages where options will be further refined. Transport modelling evidence is limited to junction models and Transport Assessments prepared for individual sites. The overall transport network effects of the scheme are not fully understood therefore more detailed, widerscale transport modelling evidence is required to support the development of the scheme and further refinement of options. The level of evidence available for section A-B is considered slightly higher than section C-P.	Key risks for Site A involve the following: - If the discharge conditions aren't approved, that the developer won't implement and therefore their section of road does not get built. OCC would need to consider whether to purchase the land to directly build the additional section of road or determine that the project is partly/fully disbanded - The developer doesn't get approval for their first application and submits an alternative planning application, which delays any start on site and instigates fresh negotiations regarding land - If OCC needs more land for Link 3 (alignment in Site A) than is currently safeguarded (e.g. for flood compensation storage), that the developer isn't required to dedicate land outside the safeguarded area and they don't agree to dedicate for a peppercorn. OCC may have to purchase the extra land for a higher cost, CPO the land or deem this highway section as unfeasible - If a technically viable option is not possible at Link 3 (alignment in Site A), options are too expensive, or technically viable options are not supported by stakeholders due to other impacts Key risks for Sites B and C involve the following: - There may only be a short turn-around time to write the s106 if the applications go to committee on 4th November and OCC have yet to agree internally the preferred wording agreement. If agreement takes longer this may delay the application going to committee. - That the s106 is agreed at outline before the detailed access arrangements are agreed upon and that the clauses won't sufficiently allow for the eventual preferred design or the access arrangements are predetermined by the s106 before detailed work is complete. - That the s106 doesn't allow for the developer to build the junction, with a compensation mechanism. Thus requiring OCC to build and synchronise works with both the WAT A (Site A) and WAT B (Site B) developers. If OCC were to build instead of the developer, this may increase the cost of this section. - Developer does not receive full planning conse

AECOM 91 Prepared for: Oxfordshire County Council

							Manage	rial Case				
Sift ID	Section	Option Name	Option Description	Implementation timetable	Implementation timetable - Comments	Public acceptability	Public acceptability - Comments	Practical feasibility	Practical feasibility - Comments	What is the quality of the supporting evidence?	What is the quality of the supporting evidence? - Comments	Key risks
E2.1.1.3	A-B	A2&4- B4-	B4009 Britwell Road (priority give way junction - Junction 1) through southern part of Site A and Watlington Industrial Estate access road to B480 Cuxham Road (existing roundabout at Willow Close) then using an existing upgraded section of the B480 Cuxham Road to a new roundabout (Junction 2) and into Site B	1-5 years	Whole scheme is aimed to be completed by March 2023. Scheme will be developed in advance of or in conjunction with planned development in Site A and Site B. 2023 is a reasonable estimate for completion as development sites surrounding scheme to be completed by 2025 - https://www.oxfordshiregrowthboard.org/wp-content/uploads/2018/12/OGB-projects-years-1-2-5-OCC-V2_jasedit.pdf	3	Scheme has been through public consultation in being included in both Watlington Neighbourhood Plan and South Oxfordshire local plan. In a consultation carried out in March 2014, in which the main topics for the Watlington Neighbourhood Development Plan were defined, local people expressed that a relief road is the 4th most vitally important improvement needed for Watlington under the Traffic and Environment topic - https://www.southoxon.gov.uk/wp-content/uploads/sites/2/2020/10/WNDP1-Watlington-Neighbourhood-Development-Plan-MADE-VERSION.pdf The scheme also does not require any behavioural changes and so public acceptability is not expected to be an issue. There may be a lower level of public acceptability for more southerly alignments such as A2&4-B4 which could have more effects on existing roads on the edge of Watlington and in terms of noise, air quality and visual intrusion, although it may be viewed as slightly more acceptable from an environmental perspective as it will route through less countryside.	2	The option has been determined as being feasible in engineering terms. More detailed feasibility work will be required to fully determine the option's feasibility and any mitigation requirements. Assessment of the condition of the culvert structure (Number 1076), located above Willow Close roundabout, will be required before proceeding. No additional work is expected to be carried out due to the specifications of the structure, however this needs to be validated.	3	The option has been assessed in relation to constraints and engineering feasibility. More detailed engineering feasibility and impacts assessment will be required for subsequent stages where options will be further refined. Transport modelling evidence is limited to junction models and Transport Assessments prepared for individual sites. The overall transport network effects of the scheme are not fully understood therefore more detailed, widerscale transport modelling evidence is required to support the development of the scheme and further refinement of options. The level of evidence available for section A-B is considered slightly higher than section C-P.	Key risks for Site A involve the following: - If the discharge conditions aren't approved, that the developer won't implement and therefore their section of road does not get built. OCC would need to consider whether to purchase the land to directly build the additional section of road or determine that the project is partly/fully disbanded - The developer doesn't get approval for their first application and submits an alternative planning application, which delays any start on site and instigates fresh negotiations regarding land - If OCC needs more land for Link 3 (alignment in Site A) than is currently safeguarded (e.g. for flood compensation storage), that the developer isn't required to dedicate land outside the safeguarded area and they don't agree to dedicate for a peppercorn. OCC may have to purchase the extra land for a higher cost, CPO the land or deem this highway section as unfeasible - If a technically viable option is not possible at Link 3 (alignment in Site A), options are too expensive, or technically viable options are not supported by stakeholders due to other impacts Key risks for Sites B and C involve the following: - There may only be a short turn-around time to write the s106 if the applications go to committee on 4th November and OCC have yet to agree internally the preferred wording agreement. If agreement takes longer this may delay the application going to committee. - That the s106 is agreed at outline before the detailed access arrangements are agreed upon and that the clauses won't sufficiently allow for the eventual preferred design or the access arrangements are predetermined by the s106 before detailed work is complete. - That the s106 doesn't allow for the developer to build the junction, with a compensation mechanism. Thus requiring OCC to build and synchronise works with both the WAT A (Site A) and WAT B (Site B) developers. If OCC were to build instead of the developer, this may increase the cost of this section. - Developer does not receive full planning consen

AECOM 92 Prepared for: Oxfordshire County Council

							Manage	rial Case)			
Sift ID	Section	Option Name	Option Description	Implementation timetable	Implementation timetable - Comments	Public acceptability	Public acceptability - Comments	Practical feasibility	Practical feasibility - Comments	What is the quality of the supporting evidence?	What is the quality of the supporting evidence? -	Key risks
E2.1.1	4 A-B	A2&4- B3-	B4009 Britwell Road (priority give way junction - Junction 1) through southern part of Site A and Watlington Industrial Estate access road to B480 Cuxham Road (upgraded roundabout at Willow Close - Junction 2) then into Site B on a more southerly alignment.	1-5 years	Whole scheme is aimed to be completed by March 2023. Scheme will be developed in advance of or in conjunction with planned development in a completion as development site and site B. 2023 is a read sevelopment site surrounding scheme to be completed by 2025 - https://www.oxfordshire.growthboard.org/wp-content/wuploads/2018/12/OGB-projects-years-1-2-5-OCC-V2_jasedit.pdf	2	Scheme has been through public consultation in being included in both Watlington Neighbourhood Plan and South Oxfordshire local plan. In a consultation carried out in March 2014, in which the main topics for the Watlington Neighbourhood Development Plan were defined, local people expressed that a relief road is the 4th most vitally important improvement needed for Watlington under the Traffic and Environment topic - https://www.southoxon.gov.uk/wp-content/uploads/sites/2/2020/10/WNDP1-Watlington-Neighbourhood-Development-Plan-MADE-VERSION.pdf The scheme also does not require any behavioural changes and so public acceptability is not expected to be an issue. There may be a lower level of public acceptability for more southerly alignments such as A2&4-B3 which could have more effects on existing roads on the edge of Watts on existing roads on the edge of effects on existing roads on the edge of work of the properties of the search and the supplies acceptable from an environmental perspective as it will route through less countryside.	2	The option has been determined as being feasible in engineering terms. More detailed feasibility work will be required to fully determine the option's feasibility and any mitigation requirements. Assessment of the condition of the culvert structure (Number 1076), located above Willow Close roundabout, will be fore proceeding. No additional work is expected to be carried out due to the specifications of the structure, however this needs to be validated.	3	The option has been assessed in relation to constraints and engineering feasibility. More detailed engineering feasibility and impacts assessment will be required for subsequent stages where options will be further refined. Transport modelling evidence is limited to junction models and Transport Assessments prepared for individual sites. The overall transport network effects of the scheme are not fully understood therefore more detailed, widerscale transport modelling evidence is required to support the development of the scheme and further refinement of options. The level of evidence available for section A-B is considered slightly higher than section C-P.	Key risks for Site A involve the following: - If the discharge conditions aren't approved, that the developer won't implement and therefore their section of road does not get built. OCC would need to consider whether to purchase the land to directly build the additional section of road or determine that the project is partly/fully disbanded - The developer doesn't get approval for their first application and submits an alternative planning application, which delays any start on site and instigates fresh negotiations regarding land - If OCC needs more land for Link 3 (alignment in Site A) than is currently safeguarded (e.g., for flood compensation storage), that the developer isn't required to dedicate land outside the safeguarded area and they don't agree to dedicate for a peppercorn. OCC may have to purchase the extra land for a higher cost, CPO the land or deem this highway section as unfeasible - If a technically viable option is not possible at Link 3 (alignment in Site A), options are not supported by stakeholders due to other impacts Key risks for Sites B and C involve the following: - There may only be a short turn-around time to write the s106 if the applications go to committee on 4th November and OCC have yet to agree internally the preferred wording agreement. If agreement takes longer this may delay the application going to committee. - That the s106 is agreed at outline before the detailed access arrangements are agreed upon and that the clauses won't sufficiently allow for the eventual preferred design or the access arrangements are predetermined by the s106 before detailed work is complete. - That the s106 doesn't allow for the developer, this may increase the cost of this section. - Developer does not receive full planning consent, does not therefore implement and their section of road is not built. OCC would need to consider whether to purchase the land to directly build the additional section of road or determine that the project is partly/fully disbanded - A viable option at Link

AECOM 93 Prepared for: Oxfordshire County Council

								Manage	rial Case)			
Siff	· ID	Section	Option Name	Option Description	Implementation timetable	Implementation timetable - Comments	Public acceptability	Public acceptability - Comments	Practical feasibility	Practical feasibility - Comments	What is the quality of the supporting evidence?	What is the quality of the supporting evidence? -	Key risks
E2.	1.1.5	C-P	-C1-P1	Through Site C on a more southerly alignment, taking part of the existing alignment of Pyrton Lane to the north of Icknield Community College and then taking the alignment of Pyrton Lane and Station Road to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.	1-5 years	Whole scheme is aimed to be completed by March 2023. Scheme will be developed in following or in conjunction with Site B, and in conjunction or in advance of development in Site C, PYR1 and PYR2. 2023 is a reasonable estimate for completion as development sites surrounding scheme to be completed by 2025 - https://www.oxfordshiregrowthboard.org/wp-content/uploads/2018/12/OGB-projects-years-1-2-5-OCC-V2_jasedit.pdf	2	Scheme has been through public consultation in being included in both Watlington Neighbourhood Plan and South Oxfordshire local plan. In a consultation carried out in March 2014, in which the main topics for the Watlington Neighbourhood Development Plan were defined, local people expressed that a relief road is the 4th most vitally important improvement needed for Watlington under the Traffic and Environment topic - https://www.southoxon.gov.uk/wp-content/uploads/sites/2/2020/10/WNDP1-Watlington-Neighbourhood-Development-Plan-MADE-VERSION.pdf The scheme also does not require any behavioural changes and so public acceptability is not expected to be an issue. The scheme also does not require any behavioural changes and so public acceptability is not expected to be an issue. The scheme also does not require any behavioural changes and so public acceptability is not expected to be an issue. The scheme also does not require any behavioural changes and so public acceptability for the C1-P1 alignment as it will adapt existing quiet rural lanes into a through route, running close to the village of Pyrton.	2	The option has been determined as being potentially feasible in engineering terms. More detailed feasibility work will be required to fully determine the option's feasibility and any mitigation requirements.	2	The option has been assessed in relation to constraints and engineering feasibility. More detailed engineering feasibility and impacts assessment will be required for subsequent stages where options will be further refined. Transport modelling evidence is limited to junction models and Transport Assessments prepared for individual sites. The overall transport network effects of the scheme are not fully understood therefore more detailed, widerscale transport modelling evidence is required to support the development of the scheme and further refinement of options. The level of evidence available for section C-P is considered slightly lower than for section A-B.	Key risks for Site C involve the following: - There may only be a short turn-around time to write the s106 if the applications go to committee on 4th November and OCC have yet to agree internally the preferred wording agreement. If agreement takes longer this may delay the application going to committee. - That the s106 is agreed at outline before the detailed access arrangements are agreed upon and that the clauses won't sufficiently allow for the eventual preferred design or the access arrangements are predetermined by the s106 before detailed work is complete. - That the s106 doesn't allow for the developer to build the junction, with a compensation mechanism. Thus requiring OCC to build and synchronise works with both the WAT A and WAT B developers. If OCC were to build instead of the developer, this may increase the cost of this section. - Developer does not receive full planning consent, does not therefore implement and their section of road or determine that the project is partly/fully disbanded - A viable option at Link 3 (alignment in Site A) is delayed, which the access to WAT B (Site B) relies upon to a certain degree, and this impacts being able to make a decision on this site. - Stakeholders object strongly to the route off Willow Close, leaving only a new roundabout as a possible option. If the option for Link 3 (alignment in Site A) was found to be that via the industrial estate road rather than across the safeguarded land, the new roundabout may be more than is required. Key risks for Site PRY1 involve the following: - If OCC needs more land for Junction 3 than is currently safeguarded (e.g. for a larger roundabout), that the developer isn't required to dedicate land outside the safeguarded area and they don't agree to dedicate for a peppercorn. OCC may have to purchase the extra land for a higher cost, CPO the land, design a roundabout that departs from standard and get agreement from assets team, redesign the junction as signal controlled or other or deem this highway section as un

AECOM 94 Prepared for: Oxfordshire County Council

							Manage	erial Case	9			
Sift ID	Section	Option Name	Option Description	Implementation timetable	Implementation timetable - Comments	Public acceptability	Public acceptability - Comments	Practical feasibility	Practical feasibility - Comments	What is the quality of the supporting evidence?	What is the quality of the supporting evidence? - Comments	Key risks
												for houses prior to the road being built. Therefore OCC may have to fund and build a larger section of road than initially budgeted for, that creates a connection from the outskirts of site WAT C (Site C) to B4009/Shirburn Road The parish community of Pyrton and Shirburn are not in favour of a new road. They would likely object to the planning application. They don't support the current road alignment option and have requested other routes should be explored but these are limited and would require additional 3rd party land or take land from other community uses. Opportunity: To explore other route options with the Parishes. More options would enable comparisons of the benefits and disbenefits to be made and may result in a more agreeable alignment being found. Opportunity: If the developer sought permission for the road themselves, this may increase their chance of gaining permission for the houses and would mean OCC would not need to make the application. However it may be unaffordable for the developer to build – this would raise the question if OCC could contribute funds towards the road or build it using the developer's permission but this could trigger legal issues. Opportunity: The Chalgrove Airfield development have shown through highway modelling that their development needs the Watlington Relief Road. If OCC were to take on the road at risk, this risk might be lowered if Chalgrove Airfield were to start their development and there was agreement that they would contribute additional funding. (Evidence taken from "2020 10 02 - Land acquisition and site status_updated 2020 10 22.docx" provide by OCC)

AECOM 95 Prepared for: Oxfordshire County Council

							Manage	rial Case)			
Sift ID	Section	Option Name	Option Description	Implementation timetable	Implementation timetable - Comments	Public acceptability	Public acceptability - Comments	Practical feasibility	Practical feasibility - Comments	What is the quality of the supporting evidence?	What is the quality of the supporting evidence? -	Key risks
E2.1.1.6	C-P	-C1-P2	Through Site C on a more southerly alignment, taking part of the existing alignment of Pyrton Lane to the north of Icknield Community College and then taking a new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.	1-5 years	Whole scheme is aimed to be completed by March 2023. Scheme will be developed in following or in conjunction with Site B, and in conjunction or in advance of development in Site C, PYR1 and PYR2. 2023 is a reasonable estimate for completion as development sites surrounding scheme to be completed by 2025 - https://www.oxfordshiregrowthboard.org/wp-content/uploads/2018/12/OGB-projects-years-1-2-5-OCC-V2_jasedit.pdf	3	Scheme has been through public consultation in being included in both Watlington Neighbourhood Plan and South Oxfordshire local plan. In a consultation carried out in March 2014, in which the main topics for the Watlington Neighbourhood Development Plan were defined, local people expressed that a relief road is the 4th most vitally important improvement needed for Watlington under the Traffic and Environment topic - https://www.southoxon.gov.uk/wp-content/uploads/sites/2/2020/10/WNDP1-Watlington-Neighbourhood-Development-Plan-MADE-VERSION.pdf The scheme also does not require any behavioural changes and so public acceptability is not expected to be an issue. There may be a lower level of public acceptability for the C1-P2 alignment as it will run closer to the village of Pyrton although not on the existing alignment of Pyrton Lane and Station Road.	2	The option has been determined as being potentially feasible in engineering terms. More detailed feasibility work will be required to fully determine the option's feasibility and any mitigation requirements.	2	The option has been assessed in relation to constraints and engineering feasibility. More detailed engineering feasibility and impacts assessment will be required for subsequent stages where options will be further refined. Transport modelling evidence is limited to junction models and Transport Assessments prepared for individual sites. The overall transport network effects of the scheme are not fully understood therefore more detailed, widerscale transport modelling evidence is required to support the development of the scheme and further refinement of options. The level of evidence available for section C-P is considered slightly lower than for section A-B.	Key risks for Site C involve the following: - There may only be a short turn-around time to write the s106 if the applications go to committee on 4th November and OCC have yet to agree internally the preferred wording agreement. If agreement takes longer this may delay the application going to committee. - That the s106 is agreed at outline before the detailed access arrangements are agreed upon and that the clauses won't sufficiently allow for the eventual preferred design or the access arrangements are predetermined by the s106 before detailed work is complete. - That the s106 doesn't allow for the developer to build the junction, with a compensation mechanism. Thus requiring OCC to build and synchronise works with both the WAT A and WAT B developers. If OCC were to build instead of the developer, this may increase the cost of this section. - Developer does not receive full planning consent, does not therefore implement and their section of road is not built. OCC would need to consider whether to purchase the land to directly build the additional section of road or determine that the project is partly/fully disbanded - A viable option at Link 3 (alignment in Site A) is delayed, which the access to WAT B (Site B) relies upon to a certain degree, and this impacts being able to make a decision on this site. - Stakeholders object strongly to the route off Willow Close, leaving only a new roundabout as a possible option. If the option for Link 3 (alignment in Site A) was found to be that via the industrial estate road rather than across the safeguarded land, the new roundabout may be more than is required. Key risks for Site PRY1 involve the following: - If OCC needs more land for Junction 3 than is currently safeguarded (e.g. for a larger roundabout), that the developer isn't required to dedicate land outside the safeguarded area and they don't agree to dedicate for a peppercorn. OCC may have to purchase the extra land for a higher cost, CPO the land, design a roundabout that departs from standard and

AECOM 96 Prepared for: Oxfordshire County Council

							Manage	erial Case	9			
Sift ID	Section	Option Name	Option Description	Implementation timetable	Implementation timetable - Comments	Public acceptability	Public acceptability - Comments	Practical feasibility	Practical feasibility - Comments	What is the quality of the supporting evidence?	What is the quality of the supporting evidence? - Comments	Key risks
												for houses prior to the road being built. Therefore OCC may have to fund and build a larger section of road than initially budgeted for, that creates a connection from the outskirts of site WAT C (Site C) to B4009/Shirburn Road The parish community of Pyrton and Shirburn are not in favour of a new road. They would likely object to the planning application. They don't support the current road alignment option and have requested other routes should be explored but these are limited and would require additional 3rd party land or take land from other community uses. Opportunity: To explore other route options with the Parishes. More options would enable comparisons of the benefits and disbenefits to be made and may result in a more agreeable alignment being found. Opportunity: If the developer sought permission for the road themselves, this may increase their chance of gaining permission for the houses and would mean OCC would not need to make the application. However it may be unaffordable for the developer to build – this would raise the question if OCC could contribute funds towards the road or build it using the developer's permission but this could trigger legal issues. Opportunity: The Chalgrove Airfield development have shown through highway modelling that their development needs the Watlington Relief Road. If OCC were to take on the road at risk, this risk might be lowered if Chalgrove Airfield were to start their development and there was agreement that they would contribute additional funding. (Evidence taken from "2020 10 02 - Land acquisition and site status_updated 2020 10 22.docx" provide by OCC)

AECOM 97 Prepared for: Oxfordshire County Council

							Manage	rial Case)			
Sift ID	Section	Option Name		Implementation timetable	Implementation timetable - Comments	Public acceptability	Public acceptability - Comments	Practical feasibility	Practical feasibility - Comments	What is the quality of the supporting evidence?	What is the quality of the supporting evidence? - Comments	Key risks
E2.1.1.7	C-P	-C2-P6	Through Site C on a more central alignment, crossing the existing Pyrton Lane at the northern most corner of the Icknield Community College site and then taking a new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.	1-5 years	Whole scheme is aimed to be completed by March 2023. Scheme will be developed in following or in conjunction with Site B, and in conjunction or in advance of development in Site C, PYR1 and PYR2. 2023 is a reasonable estimate for completion as development sites surrounding scheme to be completed by 2025 - https://www.oxfordshiregrowthboard.org/wp-content/uploads/2018/12/OGB-projects-years-1-2-5-OCC-V2_jasedit.pdf	4	Scheme has been through public consultation in being included in both Watlington Neighbourhood Plan and South Oxfordshire local plan. In a consultation carried out in March 2014, in which the main topics for the Watlington Neighbourhood Development Plan were defined, local people expressed that a relief road is the 4th most vitally important improvement needed for Watlington under the Traffic and Environment topic - https://www.southoxon.gov.uk/wp-content/uploads/sites/2/2020/10/WNDP1-Watlington-Neighbourhood-Development-Plan-MADE-VERSION.pdf The scheme also does not require any behavioural changes and so public acceptability is not expected to be an issue. There may be a slightly higher level of public acceptability for the C2-P6 alignment as it will run further away from Pyrton village and also from Watlington.		The option has been determined as being feasible in engineering terms. More detailed feasibility work will be required to fully determine the option's feasibility and any mitigation requirements.	2	The option has been assessed in relation to constraints and engineering feasibility. More detailed engineering feasibility and impacts assessment will be required for subsequent stages where options will be further refined. Transport modelling evidence is limited to junction models and Transport Assessments prepared for individual sites. The overall transport network effects of the scheme is not fully understood therefore more detailed, widerscale transport modelling evidence is required to support the development of the scheme and further refinement of options. The level of evidence available for section C-P is considered slightly lower than for section A-B.	Key risks for Site C involve the following: - There may only be a short turn-around time to write the s106 if the applications go to committee on 4th November and OCC have yet to agree internally the preferred wording agreement. If agreement takes longer this may delay the application going to committee. - That the s106 is agreed at outline before the detailed access arrangements are agreed upon and that the clauses won't sufficiently allow for the eventual preferred design or the access arrangements are predetermined by the s106 before detailed work is complete. - That the s106 doesn't allow for the developer to build the junction, with a compensation mechanism. Thus requiring OCC to build and synchronise works with both the WAT A and WAT B developers. If OCC were to build instead of the developer, this may increase the cost of this section. - Developer does not receive full planning consent, does not therefore implement and their section of road is not built. OCC would need to consider whether to purchase the land to directly build the additional section of road or determine that the project is partlyfully disbanded - A viable option at Link 3 (alignment in Site A) is delayed, which the access to WAT B (Site B) relies upon to a certain degree, and this impacts being able to make a decision on this site. - Stakeholders object strongly to the route off Willow Close, leaving only a new roundabout as a possible option. If the option for Link 3 (alignment in Site A) was found to be that via the industrial estate road rather than across the safeguarded land, the new roundabout may be more than is required. Key risks for Site PRY1 involve the following: - If OCC needs more land for Junction 3 than is currently safeguarded (e.g. for a larger roundabout), that the developer isn't required to dedicate land outside the safeguarded area and they don't agree to dedicate for a peppercorn. OCC may have to purchase the extra land for a higher cost, CPO the land, design a roundabout that departs from standard and g

AECOM 98 Prepared for: Oxfordshire County Council

							Mana	agerial Case	9			
Sift ID	Section	Option Name	Option Description	Implementation timetable	Implementation timetable - Comments	Public acceptability	Public acceptability - Comments	Practical feasibility	Practical feasibility - Comments	What is the quality of the supporting evidence?	What is the quality of the supporting evidence? - Comments	Key risks
												for houses prior to the road being built. Therefore OCC may have to fund and build a larger section of road than initially budgeted for, that creates a connection from the outskirts of site WAT C (Site C) to B4009/Shirburn Road The parish community of Pyrton and Shirburn are not in favour of a new road. They would likely object to the planning application. They don't support the current road alignment option and have requested other routes should be explored but these are limited and would require additional 3rd party land or take land from other community uses. Opportunity: To explore other route options with the Parishes. More options would enable comparisons of the benefits and disbenefits to be made and may result in a more agreeable alignment being found. Opportunity: If the developer sought permission for the road themselves, this may increase their chance of gaining permission for the houses and would mean OCC would not need to make the application. However it may be unaffordable for the developer to build – this would raise the question if OCC could contribute funds towards the road or build it using the developer's permission but this could trigger legal issues. Opportunity: The Chalgrove Airfield development have shown through highway modelling that their development needs the Watlington Relief Road. If OCC were to take on the road at risk, this risk might be lowered if Chalgrove Airfield were to start their development and there was agreement that they would contribute additional funding. (Evidence taken from "2020 10 02 - Land acquisition and site status_updated 2020 10 22.docx" provide by OCC)

AECOM 99 Prepared for: Oxfordshire County Council

							Manage	rial Case	•			
Sift ID	Section	Option Name		plementation netable	Implementation timetable - Comments	Public acceptability	Public acceptability - Comments	Practical feasibility	Practical feasibility - Comments	What is the quality of the supporting evidence?	What is the quality of the supporting evidence? - Comments	Key risks
E2.1.1.8	C-P	-C2-P7	Through Site C on a more central alignment, crossing the existing Pyrton Lane at the northern most corner of the lcknield Community College site and then taking a new alignment across broadly around the edge of Watlington and joining the B4009 Shirburn Road to the south of PYR1 and north of the Watlington Recreation Ground at a new roundabout junction (Junction 3) 1-5		Whole scheme is aimed to be completed by March 2023. Scheme will be developed in following or in conjunction with Site B, and in conjunction or in advance of development in Site C, PYR1 and PYR2. 2023 is a reasonable estimate for completion as development sites surrounding scheme to be completed by 2025 - https://www.oxfordshiregrowthboard.org/wp-content/uploads/2018/12/OGB-projects-years-1-2-5-OCC-V2_jasedit.pdf	3	Scheme has been through public consultation in being included in both Watlington Neighbourhood Plan and South Oxfordshire local plan. In a consultation carried out in March 2014, in which the main topics for the Watlington Neighbourhood Development Plan were defined, local people expressed that a relief road is the 4th most vitally important improvement needed for Watlington under the Traffic and Environment topic - https://www.southoxon.gov.uk/wp-content/uploads/sites/2/2020/10/WNDP1-Watlington-Neighbourhood-Development-Plan-MADE-VERSION.pdf The scheme also does not require any behavioural changes and so public acceptability is not expected to be an issue. There may be a sightly higher level of public acceptability for the C2-P6 alignment as it will run further away from Pyrton village and also from Watlington.	2	The option has been determined as being potentially feasible in engineering terms. More detailed feasibility work will be required to fully determine the option's feasibility and any mitigation requirements.	2	The option has been assessed in relation to constraints and engineering feasibility. More detailed engineering feasibility and impacts assessment will be required for subsequent stages where options will be further refined. Transport modelling evidence is limited to junction models and Transport Assessments prepared for individual sites. The overall transport network effects of the scheme is not fully understood therefore more detailed, widerscale transport modelling evidence is required to support the development of the scheme and further refinement of options. The level of evidence available for section C-P is considered slightly lower than for section A-B.	Key risks for Site C involve the following: - There may only be a short turn-around time to write the s106 if the applications go to committee on 4th November and OCC have yet to agree internally the preferred wording agreement. If agreement takes longer this may delay the application going to committee. - That the s106 is agreed at outline before the detailed access arrangements are agreed upon and that the clauses won't sufficiently allow for the eventual preferred design or the access arrangements are predetermined by the s106 before detailed work is complete. - That the s106 doesn't allow for the developer to build the junction, with a compensation mechanism. Thus requiring OCC to build and synchronise works with both the WAT A and WAT B developers. If OCC were to build instead of the developer, this may increase the cost of this section. - Developer does not receive full planning consent, does not therefore implement and their section of road or determine that the project is partly/fully disbanded - A viable option at Link 3 (alignment in Site A) is delayed, which the access to WAT B (Site B) relies upon to a certain degree, and this impacts being able to make a decision on this site. - Stakeholders object strongly to the route off Willow Close, leaving only a new roundabout as a possible option. If the option for Link 3 (alignment in Site A) was found to be that via the industrial estate road rather than across the safeguarded land, the new roundabout may be more than is required. Key risks for Site PRY1 involve the following: - If OCC needs more land for Junction 3 than is currently safeguarded (e.g. for a larger roundabout), that the developer isn't required to dedicate land outside the safeguarded area and they don't agree to dedicate for a peppercorn. OCC may have to purchase the extra land for a higher cost, CPO the land, design a roundabout that departs from standard and get agreement from assets team, redesign the junction as signal controlled or other or deem this highway section as unf

AECOM 100 Prepared for: Oxfordshire County Council

Project Number: 60635885

							Manag	erial Cas	•			
Sift ID	Section	Option Name	Option Description	Implementation timetable	Implementation timetable - Comments	Public acceptability	Public acceptability - Comments	Practical feasibility	Practical feasibility - Comments	What is the quality of the supporting evidence?	What is the quality of the supporting evidence? - Comments	Key risks
												for houses prior to the road being built. Therefore OCC may have to fund and build a larger section of road than initially budgeted for, that creates a connection from the outskirts of site WAT C (Site C) to B4009/Shirburn Road The parish community of Pyrton and Shirburn are not in favour of a new road. They would likely object to the planning application. They don't support the current road alignment option and have requested other routes should be explored but these are limited and would require additional 3rd party land or take land from other community uses. Opportunity: To explore other route options with the Parishes. More options would enable comparisons of the benefits and disbenefits to be made and may result in a more agreeable alignment being found. Opportunity: If the developer sought permission for the road themselves, this may increase their chance of gaining permission for the houses and would mean OCC would not need to make the application. However it may be unaffordable for the developer to build – this would raise the question if OCC could contribute funds towards the road or build it using the developer's permission but this could trigger legal issues. Opportunity: The Chalgrove Airfield development have shown through highway modelling that their development needs the Watlington Relief Road. If OCC were to take on the road at risk, this risk might be lowered if Chalgrove Airfield were to start their development and there was agreement that they would contribute additional funding. (Evidence taken from "2020 10 02 - Land acquisition and site status_updated 2020 10 22.docx" provide by OCC)

AECOM 101 Prepared for: Oxfordshire County Council

							Financial Ca	se						Cor	nmercial Case		
Sift ID	Section	Option Name	Option Description	Affordability		Capital Cost (£m)	Capital Cost (£m) - Comments	Revenue Costs (£m)?	Revenue Costs (£m)? - Details	Cost Profile	Overall cost risk	Other costs	Flexibility of option	Flexibility of option - Comments	Where is funding coming from?	Any income generated? (Y/N)	If yes, how much income generated (£m)?
E2.1.1.1	А-В	A1-B1-	B4009 Britwell Road (priority give way junction - Junction 1) through Site A on most northerly alignment to B480 Cuxham Road (new roundabout - Junction 2) and into Site B	3	1.Cost for sections to be funded by OCC is estimated at £3,949,100 2.Affordability needs to be put in the context of the available budget for the overall scheme and relevant budget period 3.May be relevant to consider what sort of package of options is being put forward alongside the option under consideration 4.For this assessment, we consider that both the OCC and developers can afford construction of relevant road parts (eliminates weight of this score in total evaluation)	£3,949,100 — OCC funded section(s) only	This excludes the cost of sections to be funded by developers through their sites.	N/A	N/A	The estimated cost includes costs regarding building works, contractor's overheads and profit, design fee, land acquisition costs, statutory and other charges and risk allowance costs	N/A	N/A	3	Due to the scheme being made up of new road links split into different sections, with each section there is potentially some room for amendments to fit with changing circumstances. The A1-B1 alignment is fairly well fixed however and therefore less flexible.	Feasibility and design work has been funded through Oxfordshire Growth Board. Developers will fund the majority of sections through their sites with remaining sections funded through the Oxfordshire Housing and Growth Deal.	N/A	N/A
E2.1.1.2	А-В	A5-B5-	B4009 Britwell Road (priority give way junction - Junction 1) through Site A on more northerly alignment to B480 Cuxham Road (new roundabout - Junction 2) and into Site B	2	1. Cost for sections to be funded by OCC is estimated at £4,243,000 2. Affordability needs to be put in the context of the available budget for the overall scheme and relevant budget period 3. May be relevant to consider what sort of package of options is being put forward alongside the option under consideration 4. For this assessment, we consider that both the OCC and developers can afford construction of relevant road parts (eliminates weight of this score in total evaluation)	£4,243,000 – OCC funded section(s) only	This excludes the cost of sections to be funded by developers through their sites.	N/A	N/A	The estimated cost includes costs regarding building works, contractor's overheads and profit, design fee, land acquisition costs, statutory and other charges and risk allowance costs	N/A	N/A	3	Due to the scheme being made up of new road links split into different sections, with each section there is potentially some room for amendments to fit with changing circumstances. The A5-B5 alignment is fairly well fixed however and therefore less flexible.	Feasibility and design work has been funded through Oxfordshire Growth Board. Developers will fund the majority of sections through their sites with remaining sections funded through the Oxfordshire Housing and Growth Deal.	N/A	N/A

AECOM 102 Prepared for: Oxfordshire County Council

							Financial Ca	ise						Cor	nmercial Case		
Sift ID	Section		Option Description	Affordability	Affordability - Comments	Capital Cost (£m)	Capital Cost (£m) - Comments	Revenue Costs (£m)?	Revenue Costs (£m)? - Details	Cost Profile	Overall cost risk	Other costs	Flexibility of option	Flexibility of option - Comments	Where is funding coming from?	Any income generated? (Y/N)	If yes, how much income generated (£m)?
E2.1.1.3	А-В	A2&4- B4-	B4009 Britwell Road (priority give way junction - Junction 1) through southern part of Site A and Watlington Industrial Estate access road to B480 Cuxham Road (existing roundabout at Willow Close) then using an existing upgraded section of the B480 Cuxham Road to a new roundabout (Junction 2) and into Site B	5	1. Cost for sections to be funded by OCC is estimated at £2,838,900 2. Affordability needs to be put in the context of the available budget for the overall scheme and relevant budget period 3. May be relevant to consider what sort of package of options is being put forward alongside the option under consideration 4. For this assessment, we consider that both the OCC and developers can afford construction of relevant road parts (eliminates weight of this score in total evaluation)	£2,838,900 – OCC funded section(s) only	This excludes the cost of sections to be funded by developers through their sites.	N/A	N/A	The estimated cost includes costs regarding building works, contractor's overheads and profit, design fee, land acquisition costs, statutory and other charges and risk allowance costs	N/A	N/A	2	Due to the scheme being made up of new road links split into different sections, with each section there is potentially some room for amendments to fit with changing circumstances. The A2&4-B4- alignment is quite fixed as it takes the alignment of some existing roads and therefore is less flexible.	Feasibility and design work has been funded through Oxfordshire Growth Board. Developers will fund the majority of sections through their sites with remaining sections funded through the Oxfordshire Housing and Growth Deal.	N/A	N/A
E2.1.1.4	А-В	A2&4- B3-	B4009 Britwell Road (priority give way junction - Junction 1) through southern part of Site A and Watlington Industrial Estate access road to B480 Cuxham Road (upgraded roundabout at Willow Close - Junction 2) then into Site B on a more southerly alignment.	4	1. Cost for sections to be funded by OCC is estimated at £3,031,200 2. Affordability needs to be put in the context of the available budget for the overall scheme and relevant budget period 3. May be relevant to consider what sort of package of options is being put forward alongside the option under consideration 4. For this assessment, we consider that both the OCC and developers can afford construction of relevant road parts (eliminates weight of this score in total evaluation)	£3,031,200 – OCC funded section(s) only	This excludes the cost of sections to be funded by developers through their sites.	N/A	N/A	The estimated cost includes costs regarding building works, contractor's overheads and profit, design fee, land acquisition costs, statutory and other charges and risk allowance costs	N/A	N/A	3	Due to the scheme being made up of new road links split into different sections, with each section there is potentially some room for amendments to fit with changing circumstances. The A2&4-B3 alignment is fairly well fixed as it takes the alignment of some existing roads however there is some flexibility with the alignment of the B3 section.	Feasibility and design work has been funded through Oxfordshire Growth Board. Developers will fund the majority of sections through their sites with remaining sections funded through the Oxfordshire Housing and Growth Deal.	N/A	N/A

AECOM 103 Prepared for: Oxfordshire County Council

					Financial Case							Commercial Case					
Sift ID	Section		Option Description	Affordability		Capital Cost (£m)	Capital Cost (£m) - Comments	Revenue Costs (£m)?	Revenue Costs (£m)? - Details	Cost Profile	Overall cost risk	Other costs	Flexibility of option	Flexibility of option - Comments	Where is funding coming from?	Any income generated? (Y/N)	If yes, how much income generated (£m)?
E2.1.1.5	C-P	-C1-P1	Through Site C on a more southerly alignment, taking part of the existing alignment of Pyrton Lane to the north of Icknield Community College and then taking the alignment of Pyrton Lane and Station Road to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.	2	1. Cost for sections to be funded by OCC is estimated at £4,440,000 2. Affordability needs to be put in the context of the available budget for the overall scheme and relevant budget period 3. May be relevant to consider what sort of package of options is being put forward alongside the option under consideration 4. For this assessment, we consider that both the OCC and developers can afford construction of relevant road parts (eliminates weight of this score in total evaluation)	£4,440,000 – OCC funded section(s) only	This excludes the cost of sections to be funded by developers through their sites.	N/A	N/A	The estimated cost includes costs regarding building works, contractor's overheads and profit, design fee, land acquisition coots, statutory and other charges and risk allowance costs	N/A	N/A	2	Due to the scheme being made up of new road links split into different sections, with each section there is potentially some room for amendments to fit with changing circumstances. The C1-P1 option is less flexible as it takes an existing alignment and will have to adapt to the constraints of this alignment. The transition between Sites C and PYR2 is very constrained with little room for flexibility.	Feasibility and design work has been funded through Oxfordshire Growth Board. Developers will fund the majority of sections through their sites with remaining sections funded through the Oxfordshire Housing and Growth Deal.	N/A	N/A
E2.1.1.6	С-Р	-C1-P2	Through Site C on a more southerly alignment, taking part of the existing alignment of Pyrton Lane to the north of Icknield Community College and then taking a new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.	3	1. Cost for sections to be funded by OCC is estimated at £2,770,300 2. Affordability needs to be put in the context of the available budget for the overall scheme and relevant budget period 3. May be relevant to consider what sort of package of options is being put forward alongside the option under consideration 4. For this assessment, we consider that both the OCC and developers can afford construction of relevant road parts (eliminates weight of this score in total evaluation)	£2,770,300 — OCC funded section(s) only	This excludes the cost of sections to be funded by developers through their sites.	N/A	N/A	The estimated cost includes costs regarding building works, contractor's overheads and profit, design fee, land acquisition costs, statutory and other charges and risk allowance costs	N/A	N/A	3	Due to the scheme being made up of new road links split into different sections, with each section there is potentially some room for amendments to fit with changing circumstances. The C1-P2 option is reasonably flexible as it takes a new alignment across PYR2 although the transition between Sites C and PYR2 is very constrained with little room for flexibility.	Feasibility and design work has been funded through Oxfordshire Growth Board. Developers will fund the majority of sections through their sites with remaining sections funded through the Oxfordshire Housing and Growth Deal.	N/A	N/A

AECOM 104 Prepared for: Oxfordshire County Council

					Financial Case								Commercial Case					
Sift ID	Section		Option Description	Affordability		Capital Cost (£m)	Capital Cost (£m) - Comments	Revenue Costs (£m)?	Revenue Costs (£m)? - Details	Cost Profile	Overall cost risk	Other costs	Flexibility of option	Flexibility of option - Comments	Where is funding coming from?	Any income generated? (Y/N)	If yes, how much income generated (£m)?	
E2.1.1.7	C-P	-C2-P6	Through Site C on a more central alignment, crossing the existing Pyrton Lane at the northern most corner of the Icknield Community College site and then taking a new alignment across PYR2 site to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the crossroads.	4	total oral autolij	£2,517,600- OCC funded section(s) only	This excludes the cost of sections to be funded by developers through their sites.	N/A	N/A	The estimated cost includes costs regarding building works, contractor's overheads and profit, design fee, land acquisition costs, statutory and other charges and risk allowance costs	N/A	N/A	3	Due to the scheme being made up of new road links split into different sections, with each section there is potentially some room for amendments to fit with changing circumstances. The C2-P6 option is reasonably flexible as it takes a new alignment across PYR2 although the transition between Sites C and PYR2 is very constrained with little room for flexibility.	Feasibility and design work has been funded through Oxfordshire Growth Board. Developers will fund the majority of sections through their sites with remaining sections funded through the Oxfordshire Housing and Growth Deal.	N/A	N/A	
E2.1.1.8	C-P	-C2-P7	Through Site C on a more central alignment, crossing the existing Pyrton Lane at the northern most corner of the Icknield Community College site and then taking a new alignment across broadly around the edge of Watlington and joining the B4009 Shirburn Road to the south of PYR1 and north of the Watlington Recreation Ground at a new roundabout junction (Junction 3)	5	1. Cost for sections to be funded by OCC is estimated at £2,477,600 2. Affordability needs to be put in the context of the available budget for the overall scheme and relevant budget period 3. May be relevant to consider what sort of package of options is being put forward alongside the option under consideration 4. For this assessment, we consider that both the OCC and developers can afford construction of relevant road parts (eliminates weight of this score in total evaluation)	£2,477,600 – OCC funded section(s) only	This excludes the cost of sections to be funded by developers through their sites.	N/A	N/A	The estimated cost includes costs regarding building works, contractor's overheads and profit, design fee, land acquisition costs, statutory and other charges and risk allowance costs	N/A	N/A	2	Due to the scheme being made up of new road links split into different sections, with each section there is potentially some room for amendments to fit with changing circumstances. The C2-P7 option is less flexible. Whilst it takes a new alignment across PYR2 (close to the edge of Watlington) it needs to meet an alignment between the recreation ground and site PYR1. Furthermore, the transition between Sites C and PYR2 is very constrained with little room for flexibility.	Feasibility and design work has been funded through Oxfordshire Growth Board. Developers will fund the majority of sections through their sites with remaining sections funded through the Oxfordshire Housing and Growth Deal.	N/A	N/A	

AECOM 105 Prepared for: Oxfordshire County Council

Appendix E : Stage 2 - Detailed Sift Summary

		ı				
Sift ID	Section	Option Name	Option Description	Total Score	Ranking	Summary
				(Note: EAST does not provide a total score. This represents the total score for all score values entered. This does not take into account non-scored criteria and should not therefore be used as the sole basis for determining a preferred option)	(Note: The ranking, which is expressed separately for A-B and C-P sections, is based on the indicative scoring - see notes under Total Score)	
E2.1.1.1	A-B	A1-B1-	B4009 Britwell Road (priority give way - Junction 1) through Site A on most northerly alignment to B480 Cuxham Road (new roundabout - Junction 2) and into Site B	50	1	Strategic: the option is predicted to have a high scale of impact. Sscoresing well against government and local objectives, with a medium degree of consensus. Economic: the option highly supports economic growth and scores highly for socio-distributional impacts and wellbeing. However, carbon emissions have scored in the middle and local environment has scored low. Managerial: the option scored in the middle for public acceptability and supporting evidence, however has scored low for practical feasibility. Financial: the option scored highly lower against affordability compared to other options, with total estimated costs for construction considered to reach £3,949,100 for the OCC section(s). Commercial: the option scored in the middle for flexibility.
LZ.1.1.1	A B	ALDI	B4009 Britwell Road (priority goive way - Junction 1) through Site A on more northerly alignment to B480 Cuxham Road			Strategic: the option scores is predicted to have a high scale of impact. Scoring highly against government objectives and well against local objectives, with a medium degree of consensus over outcomes. Economic: the option highly supports economic growth and scores highly for socio distributional impacts, it has also scored well against wellbeing. However, carbon emissions have scored in the middle and local environment has scored low. Managerial: the option has scored in the middle for public acceptability and quality of supporting evidence. Financial: the option scored highlylower against against afaffordability compared to other options, with total estimated costs for construction considered to reach £4,243,000 for the OCC section(s).
E2.1.1.2	A-B	A5-B5-	(new roundabout - Junction 2) and into Site B	49	3	Commercial: the option has scored in the middle for flexibility.
E2.1.1.3	A-B	A2&4-B4-	B4009 Britwell Road (priority give way - Junction 1) through southern part of Site A and Watlington Industrial Estate access road to B480 Cuxham Road (existing roundabout at Willow Close) then using an existing upgraded section of the B480 Cuxham Road to a new roundabout (Junction 2) and into Site B	50	1	Strategic: the option scores the option is predicted to have a high scale of impact. Scoring in the middle against government objectives and scoring well against local objectives, with a medium degree of consensus over outcomes. Economic: the option highly supports economic growth and scores highly for socio distributional impacts, it also scores well against wellbeing. However, scores low on carbon emissions and scores in the middle for local environment. Managerial: the option has scored in the middle for public acceptability and supporting evidence, however, has scored low for practical feasibility. Financial: the option scored highly against affordability, with total estimated costs for construction considered to reach £2,838,900 for the OCC section(s). Commercial: the option scored low on flexibility of option
			B4009 Britwell Road (priority give way - Junction 1) through southern part of Site A and Watlington Industrial Estate access road to B480 Cuxham Road (upgraded roundabout at Willow Close - Junction 2) then into Site B on a more			Strategic: the option scores the option is predicted to have a high scale of impact. Scoring well against government and local objectives, with a medium degree of consensus over outcomes. Economic: the option highly supports economic growth and scores highly for socio distributional impacts, it also scores we against wellbeing. However, scores low on carbon emissions and scores in the middle for local environment. Managerial: the option has scored low for public acceptability and also scored low for practical feasibility, however has scored in the middle for quality of supporting evidence. Financial: the option scored highly against affordability, with total estimated costs for construction considered to reach £3,031,200 for the OCC section(s).
E2.1.1.4	A-B	A2&4-B3-	southerly alignment.	49	3	Commercial: the option has scored low for flexibility of option.
			Through Site Con a mare as wheely allowed to the result of			Strategic: the option is predicted to have a high scale of impact, however has scored in the middle against both government and local objectives., with a medium degree over consensus over outcomes. Economic: the option has scored well in supporting economic growth and has scored highly for socio distributional impacts. It has scored in the middle against local environment and wellbeing, however scored low for carbon emissions.
			Through Site C on a more southerly alignment, taking part of the existing alignment of Pyrton Lane to the north of Icknield Community College and then taking the alignment of Pyrton Lane and Station Road to a new roundabout (Junction 3) on the B4009 Shirburn Road at the current location of the			Managerial: the option have scored low for public acceptability, practical feasibility and quality of supporting evidence. Financial: the option scored highly lower against affordability compared to other options, with total estimated costs for construction considered to reach £4,440,000 for the OCC sections(s).
E2.1.1.5	C-P	-C1-P1	crossroads.	43	4	Commercial: the option has scored low for flexibility of option.

AECOM 106 Prepared for: Oxfordshire County Council

Sift ID	Section	Option Name	Option Description	Total Score	Ranking	Summary
Circ in			- Children and Children		- tuning	
				(Note: EAST does not provide a total		
				score. This represents the total score for		
				all score values entered. This does not	(Note: The ranking, which is expressed	
				take into account non-scored criteria and	separately for A-B and C-P sections, is	
				should not therefore be used as the sole	based on the indicative scoring - see notes	
				basis for determining a preferred option)	under Total Score)	Strategic: the option is predicted to have a high scale of impact. It has scoreds well against
						government objectives and had scored in the middle for local objectives with a medium degree of
						consensus over outcomes.
						Economic: the option has scored well in supporting economic growth and has scored highly for socio
						distributional impacts. It has scored well for local environment but scored in the middle for carbon emissions and wellbeing.
						Citiissions and wellbeing.
						Managerial: the option scored in the middle for public acceptability but scored low for practical
						feasibility and quality of supporting information.
			Through Site C on a more southerly alignment, taking part of the existing alignment of Pyrton Lane to the north of Icknield			Financial: the option scored lower highly against affordability compared to other options, with total
			Community College and then taking a new alignment across			estimated costs for construction considered to reach £2,770,300 for the OCC section(s).
			PYR2 site to a new roundabout (Junction 3) on the B4009			33
E2.1.1.6	C-P	-C1-P2	Shirburn Road at the current location of the crossroads.	46	3	Commercial: the option has scored in the middle for flexibility of option.
						Strategic: the option is predicted to have a high scale of impact. It scoredscores well against
						government objectives but scored in the middle against local objectives, with a medium degree of consensus over outcomes.
						conscisus over outcomes.
						Economic: the option has scored well in supporting economic growth and local environment. It has
						scored very highly with socio distributional impacts. However had scored in the middle for carbon
			Through Site C on a more central alignment, crossing the			emissions and wellbeing.
			existing Pyrton Lane at the northern most corner of the			Managerial: the option has scored well with public acceptability but has scored low for practical
			Icknield Community College site and then taking a new			feasibility and the quality of supporting evidence.
			alignment across PYR2 site to a new roundabout (Junction			Financial: the option scored highly against affordability, with total estimated costs for construction
E2.1.1.7	C D	-C2-P6	3) on the B4009 Shirburn Road at the current location of the	40	4	considered to reach £2,517,600 for the OCC section(s).
⊏∠.1.1./	U-P	-02-70	crossroads.	49	1	Commercial: the option has scored in the middle for flexibility of option.
						Strategic: the option is predicted to have a high scale of impact. It scored in the middle against
						government objectives and local objectives, with a medium degree of consensus over outcomes. Economic: the option has scored well in supporting economic growth, and highly against socio
			Through Site C on a more central alignment, crossing the			distributional impacts. However, has scored in the middle for carbon emissions, local environment and
			existing Pyrton Lane at the northern most corner of the			wellbeing.
			Icknield Community College site and then taking a new			Managerial: the option scored in the middle for public acceptability but scored low for practical
			alignment across broadly around the edge of Watlington and			feasibility and quality of supporting evidence.
			joining the B4009 Shirburn Road to the south of PYR1 and north of the Watlington Recreation Ground at a new			Financial: the option scored highly against affordability, with total estimated costs for construction considered to reach £2,477,600 for the OCC section(s).
E2.1.1.8	C-P	-C2-P7	roundabout junction (Junction 3)	47	2	Commercial: the option has scored low against flexibility.
			· · · · · · · · · · · · · · · · · · ·	1	<u> - </u>	

AECOM 107 Prepared for: Oxfordshire County Council

