

Oxfordshire

Introduction

The Public Health Outcomes Framework *Healthy lives, healthy people: Improving outcomes and supporting transparency* sets out a vision for public health, desired outcomes and the indicators that will help us understand how well public health is being improved and protected. The framework concentrates on two high-level outcomes to be achieved across the public health system, and groups further indicators into four 'domains' that cover the full spectrum of public health. The outcomes reflect a focus not only on how long people live, but on how well they live at all stages of life.

This profile currently presents data for the first set of indicators at England and upper tier local authority levels, collated by the public health observatories in England.

The profile allows you to:

- Compare your local authority against other authorities in the region
- Benchmark your local authority against the England average

Public Health Outcomes Framework baseline data will be revised and corrected in accordance with the *general DH statistical policy on revisions and corrections*.

Contents

Spine charts

Improving the wider determinants of health	Page 2
Health improvement	Page 3
Health protection	Page 4
Healthcare public health and preventing premature mortality	Page 5

Tartan Rugs

Improving the wider determinants of health	Page 6
Health improvement	Page 7
Health protection	Page 8
Healthcare public health and preventing premature mortality	Page 9

Summary Charts

Improving the wider determinants of health	Page 10
Health improvement	Page 12
Health protection	Page 15
Healthcare public health and preventing premature mortality	Page 17

Inequalities

Inequalities	Page 19
--------------	---------



© Crown copyright and database rights 2012 Ordnance Survey 100020290
© OpenStreetMap contributors ODbL

www.phoutcomes.info

Produced by the Public Health Observatories in England.

For enquiries please contact phoutcomes@sepho.nhs.uk or call us on 01865 334736.



Spine Charts

Improving the wider determinants of health		Local value	Eng. avg.	Eng. lowest	Range	Eng. highest
1.01	Children in poverty	12.7	21.1	7.4		45.9
1.03	Pupil absence	5.64	5.79	4.84		7.12
1.04	First time entrants to the youth justice system	465	928	333		2,310
1.05	16-18 year olds not in education employment or training	6.10	6.10	1.60		11.80
1.06i	Adults with learning disabilities who live in stable and appropriate accommodation	81.4	59.0	19.3		84.2
1.06ii	Adults in contact with secondary mental health services who live in stable and appropriate accommodation	1.3	66.8	1.3		92.8
1.10	Killed and seriously injured casualties on England's roads	56.3	42.2	18.1		82.4
1.12ii	Violent crime (including sexual violence) - violence offences	13.5	14.6	6.3		34.6
1.13i	Re-offending levels - percentage of offenders who re-offend	25.7	26.8	17.3		36.3
1.13ii	Re-offending levels - average number of re-offences per offender	0.7	0.8	0.4		1.2
1.14i	The percentage of the population affected by noise - Number of complaints about noise	5.8	7.8	1.3		66.7
1.15i	Statutory homelessness - homelessness acceptances	0.98	2.03	0.13		10.36
1.15ii	Statutory homelessness - households in temporary accommodation	0.9	2.2	0.0		33.6
1.16	Utilisation of outdoor space for exercise/health reasons	15.1	14.0	2.2		29.1

How to interpret the spine charts



- Significantly lower
- Significantly higher
- Not significant
- Significance Not Tested

Health improvement	Local value	Eng. avg.	Eng. lowest	Range	Eng. highest
2.01 Low birth weight of term babies	2.4	2.8	1.8		7.8
2.02i Breastfeeding - Breastfeeding initiation	78.2	73.7	38.4		92.9
2.02ii Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth	59.5	46.0	19.2		83.1
2.03 Smoking status at time of delivery	7.95	13.52	2.95		33.23
2.04 Under 18 conceptions	22.0	35.4	6.2		64.7
2.06i Excess weight in 4-5 and 10-11 year olds - 4-5 year olds	20.0	22.6	14.9		28.5
2.06ii Excess weight in 4-5 and 10-11 year olds - 10-11 year olds	28.9	33.4	24.6		41.9
2.08 Emotional well-being of looked after children	15.5	13.9	10.1		22.8
2.14 Smoking prevalence - adults (over 18s)	18.8	20.7	14.0		31.0
2.15 Successful completion of drug treatment	9.3	12.3	5.1		33.6
2.17 Recorded diabetes	4.4	5.5	3.4		7.7
2.20i Cancer screening coverage - breast cancer	80.0	76.9	51.4		85.0
2.20ii Cancer screening coverage - cervical cancer	75.6	75.5	58.8		82.5
2.21vii Access to non-cancer screening programmes - diabetic retinopathy	80.5	79.2	20.2		97.0
2.22i Take up of NHS Health Check Programme by those eligible - health check offered	13.7	13.9	0.0		91.1
2.22ii Take up of NHS Health Check programme by those eligible - health check take up	48.8	51.6	8.6		100.0
2.23i Self-reported well-being - satisfied with life	21.9	24.3	14.6		30.5
2.23ii Self-reported well-being - worthwhile	20.8	20.1	12.8		25.4
2.23iii Self-reported well-being - happy yesterday	29.8	29.0	19.2		36.6
2.23iv Self-reported well-being - anxious yesterday	43.2	40.1	34.4		48.3
2.24i Injuries due to falls in people aged 65 and over (Persons)	1,793	1,642	923		3,127
2.24i Injuries due to falls in people aged 65 and over (Males)	1,411	1,269	610		2,647
2.24i Injuries due to falls in people aged 65 and over (Females)	2,175	2,014	1,237		3,694
2.24ii Injuries due to falls in people aged 65 and over - aged 65-79	1,026	959	487		1,822
2.24iii Injuries due to falls in people aged 65 and over - aged 80+	5,245	4,711	2,831		9,097

How to interpret the spine charts

England lowest England average England highest

25th percentile 75th percentile

● Significantly lower ○ Significantly higher ● Not significant

○ Significance Not Tested

Health protection		Local value	Eng. avg.	Eng. lowest	Range	Eng. highest
3.01	Fraction of mortality attributable to particulate air pollution	5.6	5.6	3.6		8.3
3.02	Chlamydia diagnoses (15-24 year olds)	1,396	2,220	1,065		5,219
3.03i	Population vaccination coverage - Hepatitis B (1 year old)	99.8	-	33.3		100.0
3.03i	Population vaccination coverage - Hepatitis B (2 years old)	-	-	2.4		100.0
3.03iii	Population vaccination coverage - Dtap / IPV / Hib (1 year old)	97.4	94.2	82.5		98.2
3.03iii	Population vaccination coverage - Dtap / IPV / Hib (2 years old)	97.7	96.0	87.3		98.9
3.03iv	Population vaccination coverage - MenC	96.0	93.4	81.0		97.5
3.03v	Population vaccination coverage - PCV	96.5	93.6	80.5		97.8
3.03vi	Population vaccination coverage - Hib / MenC booster	94.9	91.6	74.1		97.6
3.03vii	Population vaccination coverage - PCV booster	94.4	89.3	70.0		98.2
3.03viii	Population vaccination coverage - MMR for one dose (2 years old)	93.3	89.1	75.4		96.8
3.03ix	Population vaccination coverage - MMR for one dose (5 years old)	96.0	91.9	80.7		97.8
3.03x	Population vaccination coverage - MMR for two doses (5 years old)	92.4	84.2	61.0		95.1
3.03xii	Population vaccination coverage - HPV	90.7	84.2	56.4		95.1
3.03xiii	Population vaccination coverage - PPV	74.0	70.5	46.8		76.0
3.03xiv	Population vaccination coverage - Flu (aged 65+)	74.9	72.8	67.2		78.7
3.03xv	Population vaccination coverage - Flu (at risk individuals)	47.4	50.4	35.3		61.5
3.05i	Treatment completion for TB	98.3	84.3	55.6		98.3
3.05ii	Treatment completion for TB - TB incidence	9.5	15.4	1.1		137.0
3.06	Public sector organisations with a board approved sustainable development management plan	57.1	74.3	20.0		100.0

How to interpret the spine charts



Healthcare public health and preventing premature mortality		Local value	Eng. avg.	Eng. lowest	Range	Eng. highest
4.03	Mortality from causes considered preventable (provisional)	118.5	146.1	100.7		264.2
4.04i	Under 75 mortality rate from cardiovascular diseases (including heart disease and stroke) (Provisional)	46.1	62.0	40.3		116.0
4.04ii	Under 75 mortality rate from cardiovascular diseases that is considered preventable(including heart disease and stroke) (Provisional)	28.3	40.6	23.0		75.1
4.05i	Under 75 mortality rate from cancer (Provisional)	99.2	106.7	82.5		152.0
4.05ii	Under 75 mortality rate from cancer that is considered preventable (Provisional)	53.2	61.9	45.2		98.1
4.06i	Under 75 mortality rate from liver disease (Provisional)	9.9	14.4	8.7		39.3
4.06ii	Under 75 mortality rate from liver disease that is considered preventable (Provisional)	8.7	12.7	7.5		37.0
4.07i	Under 75 mortality rate from respiratory diseases (Provisional)	19.3	23.4	13.7		62.0
4.07ii	Under 75 mortality rate from respiratory diseases that is considered preventable (Provisional)	8.6	11.6	5.3		28.6
4.10	Suicide rate	7.8	7.9	4.3		13.9
4.11	Emergency readmissions within 30 days of discharge from hospital (persons)	11.4	11.8	8.1		13.8
4.11	Emergency readmissions within 30 days of discharge from hospital (males)	12.3	12.1	8.6		14.8
4.11	Emergency readmissions within 30 days of discharge from hospital (females)	10.7	11.4	7.2		13.2
4.12i	Preventable sight loss - age related macular degeneration (AMD)	92.7	109.4	10.0		224.4
4.12ii	Preventable sight loss - glaucoma	10.5	11.8	0.0		36.9
4.12iii	Preventable sight loss - diabetic eye disease	2.5	3.6	0.0		12.9
4.12iv	Preventable sight loss - sight loss certifications	37.3	43.1	2.9		85.7
4.14i	Hip fractures in people aged 65 and over	467	452	341		641
4.14ii	Hip fractures in people aged 65 and over - aged 65-79	237.1	224.2	120.6		330.5
4.14iii	Hip fractures in people aged 65 and over - aged 80+	1,501	1,476	973		2,267

How to interpret the spine charts

England lowest England average England highest

25th percentile 75th percentile

Significantly lower Significantly higher Not significant

Significance Not Tested

Tartan Rugs

Improving the wider determinants of health

Indicators for tracking progress against wider factors that affect health and wellbeing.

Indicator	Period	England	Bracknell Forest	Brighton and Hove	Buckinghamshire	East Sussex	Hampshire	Isle of Wight	Kent	Medway	Milton Keynes	Oxfordshire	Poole	Reading	Slough	Southampton	Surrey	West Berkshire	West Sussex	Windsor and Maidenhead	Wokingham
1.01 Children in poverty	2010	21.1	12.4	20.7	10.8	18.7	12.8	22.0	18.5	21.8	20.8	12.7	25.6	22.2	22.7	26.8	10.6	11.6	13.8	10.1	7.4
1.03 Pupil absence	2010/11	5.79	5.22	5.95	5.62	6.10	5.41	6.54	5.90	5.61	5.56	5.64	6.26	5.48	6.19	6.40	5.40	5.06	5.51	5.24	5.13
1.04 First time entrants to the youth justice system	2010	928	404	1,029	450	1,256	1,036	1,471	1,062	1,130	1,018	465	803	892	714	919	639	693	1,072	333	364
1.05 16-18 year olds not in education employment or training	2011	6.10	5.60	7.90	4.10	5.90	5.30	5.20	6.80	6.70	5.80	6.10	7.20	8.70	5.20	7.40	4.20	4.40	5.30	4.50	4.30
1.06i Adults with learning disabilities who live in stable and appropriate accommodation	2010/11	59.0	82.4	60.6	72.5	55.6	69.5	61.3	66.4	60.2	76.1	81.4	71.2	67.7	75.0	67.0	49.5	68.7	70.5	60.5	67.7
1.06ii Adults in contact with secondary mental health services who live in stable and appropriate accommodation	2010/11	66.8	75.3	67.8	1.5	66.0	25.9	44.6	68.4	65.9	72.8	1.3	50.7	56.1	44.6	14.8	72.3	45.5	72.6	52.2	36.9
1.10 Killed and seriously injured casualties on England's roads	2009-11	42.2	22.3	59.0	45.2	64.2	52.6	59.6	39.5	25.5	34.2	56.3	53.3	30.9	31.3	52.3	49.5	43.3	53.3	39.9	27.0
1.12ii Violent crime (including sexual violence) - violence offences	2010/11	14.6	13.8	19.0	12.9	11.4	13.6	18.0	11.7	13.4	23.4	13.5	25.1	26.9	27.5	27.9	12.5	14.0	11.0	16.3	6.9
1.13i Re-offending levels - percentage of offenders who re-offend	2010	26.8	24.0	24.5	23.8	23.6	24.1	27.4	25.1	26.0	25.1	25.7	30.5	30.3	28.3	28.7	22.9	25.9	23.1	21.5	24.5
1.13ii Re-offending levels - average number of re-offences per offender	2010	0.8	0.6	0.8	0.6	0.7	0.7	0.8	0.7	0.8	0.7	0.7	1.0	1.0	0.8	0.9	0.7	0.8	0.7	0.7	0.6
1.14i The percentage of the population affected by noise - Number of complaints about noise	2010/11	7.8	3.6	15.3	3.8	6.5	5.0	5.2	6.4	10.8	10.4	5.8	7.0	5.2	4.8	10.4	5.2	6.9	5.1	3.8	3.3
1.15i Statutory homelessness - homelessness acceptances	2010/11	2.03	0.62	3.70	1.17	1.19	0.85	1.29	1.73	1.40	1.88	0.98	4.78	0.65	1.33	1.76	0.42	0.28	1.58	0.40	0.13
1.15ii Statutory homelessness - households in temporary accommodation	2010/11	2.2	0.4	4.4	0.5	0.7	1.1	2.4	0.8	1.0	1.5	0.9	0.8	1.0	1.8	1.4	0.5	0.4	1.6	0.4	0.2
1.16 Utilisation of outdoor space for exercise/health reasons	Mar 2009 - Feb 2012	14.0	-	18.2	20.5	19.0	20.5	25.7	13.4	6.6	22.1	15.1	20.6	2.2	8.9	-	8.9	8.1	15.5	-	-

When no preferred polarity: Lower Similar Higher Not compared

Health improvement

Indicators for tracking progress against helping people to live healthy lifestyles and make healthy choices.

Indicator	Period	England	Bracknell Forest	Brighton and Hove	Buckinghamshire	East Sussex	Hampshire	Isle of Wight	Kent	Medway	Milton Keynes	Oxfordshire	Poole	Reading	Slough	Southampton	Surrey	West Berkshire	West Sussex	Windsor and Maidenhead	Wokingham
2.01 Low birth weight of term babies	2010	2.8	2.5	2.8	2.8	2.0	1.9	1.8	2.2	2.2	3.5	2.4	2.0	3.4	4.0	3.2	2.2	1.9	2.6	2.1	2.4
2.02i Breastfeeding - Breastfeeding initiation	2010/11	73.7	81.0	85.5	80.1	79.2	79.9	81.1	-	67.9	75.4	78.2	75.4	77.9	81.0	74.6	81.2	77.9	-	81.0	77.9
2.02ii Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth	2010/11	46.0	-	70.5	57.8	48.0	45.5	44.6	-	37.9	55.9	59.5	44.4	55.4	-	42.9	-	55.4	48.8	-	55.4
2.03 Smoking status at time of delivery	2010/11	13.52	9.56	7.72	7.52	16.63	12.61	22.07	16.81	19.81	12.11	7.95	17.72	7.08	9.56	16.26	7.48	7.08	-	9.56	7.08
2.04 Under 18 conceptions	2010	35.4	18.2	36.9	20.2	31.3	25.2	34.2	35.3	46.0	29.9	22.0	43.3	40.9	36.8	49.2	20.8	19.4	26.4	16.6	13.1
2.06i Excess weight in 4-5 and 10-11 year olds - 4-5 year olds	2010/11	22.6	18.4	21.5	20.1	20.4	19.0	23.1	22.9	24.2	23.2	20.0	24.3	26.2	21.1	23.7	19.0	19.7	20.3	15.3	18.2
2.06ii Excess weight in 4-5 and 10-11 year olds - 10-11 year olds	2010/11	33.4	31.3	28.9	29.5	31.3	29.4	31.9	33.3	33.3	34.4	28.9	34.4	34.6	38.0	31.9	26.8	31.4	29.8	26.0	26.8
2.08 Emotional well-being of looked after children	2010/11	13.9	11.8	15.7	13.2	15.4	13.9	12.2	15.5	15.5	14.4	15.5	14.5	17.5	14.2	22.8	14.5	15.8	-	13.3	14.0
2.14 Smoking prevalence - adults (over 18s)	2010/11	20.7	17.6	24.7	15.9	21.2	17.2	18.0	21.3	22.2	22.9	18.8	26.4	21.6	19.9	20.8	14.0	16.3	18.3	18.5	15.8
2.15 Successful completion of drug treatment	2010	12.3	18.1	9.5	16.7	15.4	11.9	16.4	24.4	13.7	11.8	9.3	10.2	5.2	9.0	11.3	17.7	8.7	9.1	15.8	11.0
2.17 Recorded diabetes	2010	5.5	4.7	3.8	4.9	5.4	5.1	5.7	5.6	6.3	4.7	4.4	4.9	4.3	7.5	4.9	4.6	4.0	5.4	4.5	4.0
2.20i Cancer screening coverage - breast cancer	2010	76.9	79.9	71.0	82.6	67.9	79.9	81.3	79.6	79.7	78.5	80.0	72.2	73.6	74.5	72.0	76.6	82.2	78.9	80.3	82.7
2.20ii Cancer screening coverage - cervical cancer	2010	75.5	79.6	73.5	78.5	77.3	78.5	76.0	78.5	77.2	76.0	75.6	71.5	75.3	69.8	72.3	77.0	81.3	77.7	77.7	80.4
2.21vii Access to non-cancer screening programmes - diabetic retinopathy	2010/11	79.2	68.7	85.4	78.0	76.9	74.2	77.6	88.5	92.6	75.9	80.5	79.7	70.6	68.7	70.6	78.3	70.6	83.5	68.7	70.6
2.22i Take up of NHS Health Check Programme by those eligible - health check offered	2011/12	13.9	1.2	15.9	13.8	9.5	18.6	1.6	7.0	21.4	0.0	13.7	21.3	12.3	1.2	14.6	1.0	12.3	7.8	1.2	12.3
2.22ii Take up of NHS Health Check programme by those eligible - health check take up	2011/12	51.6	91.9	48.9	31.2	43.5	31.3	100.0	32.8	36.3	-	48.8	10.5	57.8	91.9	69.5	98.7	57.8	37.2	91.9	57.8
2.23i Self-reported well-being - satisfied with life	2011/12	24.3	23.7	18.7	20.9	24.8	20.3	22.4	21.3	26.9	23.8	21.9	24.5	22.9	27.2	24.4	20.0	20.5	20.2	19.5	18.4
2.23ii Self-reported well-being - worthwhile	2011/12	20.1	20.5	16.2	17.3	20.7	16.4	17.7	15.7	20.6	22.2	20.8	24.2	23.3	24.7	22.6	16.7	15.0	15.3	16.7	15.3
2.23iii Self-reported well-being - happy yesterday	2011/12	29.0	30.1	27.5	27.0	27.5	25.2	27.9	26.4	26.8	29.7	29.8	31.3	30.0	27.0	29.5	27.5	23.0	26.1	28.1	28.6
2.23iv Self-reported well-being - anxious yesterday	2011/12	40.1	38.8	40.5	38.4	38.2	36.0	34.4	37.8	40.8	39.8	43.2	37.0	37.3	44.4	38.0	40.9	37.4	38.0	42.7	39.7
2.24i Injuries due to falls in people aged 65 and over (Persons)	2010/11	1,642	1,300	2,104	1,290	1,582	1,545	1,077	1,680	1,822	1,874	1,793	1,995	1,014	1,764	1,900	1,587	1,099	1,601	1,771	923
2.24i Injuries due to falls in people aged 65 and over (Males)	2010/11	1,269	861	1,707	922	1,106	1,210	855	1,272	1,322	1,356	1,411	1,499	742	1,340	1,414	1,242	860	1,182	1,371	610
2.24i Injuries due to falls in people aged 65 and over (Females)	2010/11	2,014	1,738	2,501	1,658	2,058	1,880	1,300	2,088	2,323	2,392	2,175	2,492	1,285	2,187	2,386	1,932	1,338	2,020	2,172	1,237
2.24ii Injuries due to falls in people aged 65 and over - aged 65-79	2010/11	959	754	1,307	773	859	863	614	884	939	1,008	1,026	1,157	581	1,171	1,238	845	635	861	1,083	487
2.24iii Injuries due to falls in people aged 65 and over - aged 80+	2010/11	4,711	3,755	5,690	3,615	4,837	4,614	3,161	5,260	5,796	5,769	5,245	5,769	2,962	4,429	4,877	4,927	3,187	4,931	4,867	2,888

Oxfordshire

Health protection

Indicators for tracking progress against protecting the population's health from major incidents and other threats.

Indicator	Period	England	Bracknell Forest	Brighton and Hove	Buckinghamshire	East Sussex	Hampshire	Isle of Wight	Kent	Medway	Milton Keynes	Oxfordshire	Poole	Reading	Slough	Southampton	Surrey	West Berkshire	West Sussex	Windsor and Maidenhead	Wokingham
3.01 Fraction of mortality attributable to particulate air pollution	2010	5.6	5.6	5.4	5.6	4.8	5.3	4.6	5.6	6.1	5.8	5.6	5.9	5.9	6.8	6.2	5.7	5.5	5.0	5.9	5.7
3.02 Chlamydia diagnoses (15-24 year olds)	2010	2,220	1,305	1,856	1,245	1,776	1,862	1,873	1,562	2,173	2,278	1,396	2,631	2,190	1,902	1,968	1,087	1,451	1,432	1,120	1,065
3.03i Population vaccination coverage - Hepatitis B (1 year old)	2010/11	-	100.0	-	87.8	-	-	-	88.5	81.3	100.0	99.8	-	97.1	100.0	91.7	100.0	97.1	-	100.0	97.1
3.03i Population vaccination coverage - Hepatitis B (2 years old)	2010/11	-	84.0	-	-	-	-	-	29.7	40.0	100.0	-	-	75.8	84.0	100.0	75.9	75.8	-	84.0	75.8
3.03iii Population vaccination coverage - Dtap / IPV / Hib (1 year old)	2010/11	94.2	95.2	91.2	97.2	94.0	95.4	92.1	94.7	95.6	95.3	97.4	94.5	95.2	95.2	94.7	90.3	95.2	94.7	95.2	95.2
3.03iii Population vaccination coverage - Dtap / IPV / Hib (2 years old)	2010/11	96.0	96.5	93.7	98.4	95.7	96.8	95.2	97.1	98.1	96.5	97.7	97.3	96.3	96.5	96.5	91.3	96.3	96.5	96.5	96.3
3.03iv Population vaccination coverage - MenC	2010/11	93.4	94.6	90.2	96.7	93.5	95.1	90.8	94.2	95.2	94.7	96.0	94.2	93.9	94.6	93.8	89.4	93.9	94.3	94.6	93.9
3.03v Population vaccination coverage - PCV	2010/11	93.6	94.7	90.3	97.0	93.4	95.1	92.3	94.5	95.4	94.6	96.5	94.5	94.7	94.7	94.1	89.6	94.7	94.0	94.7	94.7
3.03vi Population vaccination coverage - Hib / MenC booster	2010/11	91.6	90.9	89.3	93.0	92.5	93.6	90.1	93.0	94.9	92.5	94.9	93.2	91.1	90.9	90.9	83.9	91.1	94.6	90.9	91.1
3.03vii Population vaccination coverage - PCV booster	2010/11	89.3	89.7	86.5	94.4	89.7	90.4	87.0	91.6	93.0	90.0	94.4	88.6	89.4	89.7	89.5	80.9	89.4	91.3	89.7	89.4
3.03viii Population vaccination coverage - MMR for one dose (2 years old)	2010/11	89.1	90.5	85.9	92.4	88.1	90.9	87.6	91.6	93.3	91.2	93.3	89.4	91.1	90.5	91.5	82.3	91.1	91.4	90.5	91.1
3.03ix Population vaccination coverage - MMR for one dose (5 years old)	2010/11	91.9	91.0	88.8	93.4	92.6	92.8	92.0	92.9	93.4	94.4	96.0	93.8	94.8	91.0	93.7	80.7	94.8	92.8	91.0	94.8
3.03x Population vaccination coverage - MMR for two doses (5 years old)	2010/11	84.2	83.4	76.8	87.3	83.1	86.6	80.5	87.2	89.3	87.1	92.4	83.8	85.4	83.4	86.7	70.1	85.4	85.2	83.4	85.4
3.03xii Population vaccination coverage - HPV	2010/11	84.2	78.0	84.9	86.0	86.3	75.7	90.0	76.7	77.7	86.0	90.7	84.8	86.9	78.0	71.1	81.3	86.9	86.8	78.0	86.9
3.03xiii Population vaccination coverage - PPV	2010/11	70.5	72.5	68.7	72.3	70.8	75.5	75.9	67.5	73.0	75.4	74.0	72.0	75.8	72.5	73.1	68.7	75.8	70.3	72.5	75.8
3.03xiv Population vaccination coverage - Flu (aged 65+)	2010/11	72.8	72.7	68.9	73.9	71.4	73.4	70.3	72.8	73.3	71.0	74.9	74.4	75.0	72.7	74.2	68.4	75.0	71.6	72.7	75.0
3.03xv Population vaccination coverage - Flu (at risk individuals)	2010/11	50.4	52.2	48.8	48.3	50.2	52.7	51.5	47.2	51.8	51.6	47.4	51.7	51.4	52.2	53.5	45.6	51.4	48.8	52.2	51.4
3.05i Treatment completion for TB	2011	84.3	-	82.6	93.8	78.9	76.8	-	75.5	84.2	96.2	98.3	87.0	91.5	93.0	79.2	79.2	-	79.6	-	-
3.05ii Treatment completion for TB - TB incidence	2009-11	15.4	8.9	10.7	8.6	4.7	5.5	2.8	7.6	8.7	13.1	9.5	11.7	35.7	55.2	15.6	8.0	5.2	7.3	7.3	7.4
3.06 Public sector organisations with a board approved sustainable development management plan	2010/11	74.3	100.0	83.3	80.0	85.7	87.5	100.0	87.5	100.0	80.0	57.1	75.0	100.0	100.0	100.0	66.7	100.0	88.9	100.0	100.0

When no preferred polarity: Lower Similar Higher Not compared

Healthcare public health and preventing premature mortality

Indicators for tracking progress against reducing numbers of people living with preventable ill health and people dying prematurely.

Indicator	Period	England	Bracknell Forest	Brighton and Hove	Buckinghamshire	East Sussex	Hampshire	Isle of Wight	Kent	Medway	Milton Keynes	Oxfordshire	Poole	Reading	Slough	Southampton	Surrey	West Berkshire	West Sussex	Windsor and Maidenhead	Wokingham
4.03 Mortality from causes considered preventable (provisional)	2009-11	146.1	128.7	172.0	113.0	135.2	116.1	133.4	138.3	159.5	148.7	118.5	179.9	154.3	168.4	172.2	109.3	118.5	122.3	115.2	100.7
4.04i Under 75 mortality rate from cardiovascular diseases (including heart disease and stroke) (Provisional)	2009-11	62.0	47.4	57.8	48.1	51.3	44.5	61.6	58.8	65.6	64.3	46.1	72.3	71.3	81.0	66.6	44.7	46.5	48.5	54.0	40.3
4.04ii Under 75 mortality rate from cardiovascular diseases that is considered preventable (including heart disease and stroke) (Provisional)	2009-11	40.6	30.8	35.4	30.2	31.3	28.9	37.5	39.8	47.0	44.3	28.3	47.4	48.1	56.0	43.4	27.6	29.3	30.9	32.1	27.2
4.05i Under 75 mortality rate from cancer (Provisional)	2009-11	106.7	107.2	115.6	91.2	102.3	94.4	99.4	103.2	120.8	106.6	99.2	120.1	100.8	110.7	119.3	90.3	95.7	98.3	93.2	90.6
4.05ii Under 75 mortality rate from cancer that is considered preventable (Provisional)	2009-11	61.9	60.0	69.1	49.2	58.9	52.3	54.9	59.4	71.6	60.7	53.2	72.7	57.8	60.1	74.8	50.2	55.3	55.7	54.4	46.8
4.06i Under 75 mortality rate from liver disease (Provisional)	2009-11	14.4	12.8	20.4	9.5	12.7	9.1	11.3	11.5	14.5	11.0	9.9	18.5	14.1	18.7	17.4	10.0	8.8	11.3	10.7	8.9
4.06ii Under 75 mortality rate from liver disease that is considered preventable (Provisional)	2009-11	12.7	10.9	17.6	8.8	10.8	8.2	10.3	9.6	10.4	9.7	8.7	16.8	11.5	16.1	16.1	9.3	8.7	10.5	9.2	8.0
4.07i Under 75 mortality rate from respiratory diseases (Provisional)	2009-11	23.4	18.2	25.7	16.5	17.4	17.7	20.2	22.4	25.5	26.7	19.3	28.5	22.3	29.9	27.3	17.4	15.7	18.1	14.7	14.6
4.07ii Under 75 mortality rate from respiratory diseases that is considered preventable (Provisional)	2009-11	11.6	10.1	15.3	6.9	9.0	8.9	7.7	11.6	14.2	12.0	8.6	16.9	11.8	17.0	16.7	7.7	7.2	8.6	5.8	5.7
4.10 Suicide rate	2009-11	7.9	8.0	11.1	7.6	10.4	8.1	11.8	7.4	5.9	7.0	7.8	8.6	5.9	7.0	9.7	8.1	7.0	6.4	5.8	5.3
4.11 Emergency readmissions within 30 days of discharge from hospital (persons)	2010/11	11.8	10.8	13.2	11.8	11.5	11.0	9.7	11.6	12.3	12.3	11.4	12.5	10.4	13.2	12.2	11.8	10.1	11.1	11.8	10.4
4.11 Emergency readmissions within 30 days of discharge from hospital (males)	2010/11	12.1	10.7	13.2	12.4	11.8	11.2	10.3	12.2	13.2	13.0	12.3	13.0	11.4	14.4	12.4	12.2	10.8	11.7	11.5	10.3
4.11 Emergency readmissions within 30 days of discharge from hospital (females)	2010/11	11.4	10.8	13.2	11.3	11.1	10.8	9.2	11.2	11.4	11.7	10.7	12.1	9.4	12.1	11.9	11.3	9.6	10.5	12.0	10.4
4.12i Preventable sight loss - age related macular degeneration (AMD)	2010/11	109.4	118.8	152.2	140.3	128.1	153.0	115.1	93.6	47.0	145.7	92.7	212.1	110.7	106.6	214.6	116.4	137.9	140.9	109.4	123.4
4.12ii Preventable sight loss - glaucoma	2010/11	11.8	11.1	12.2	7.4	13.5	13.8	16.7	10.5	5.7	18.4	10.5	9.4	12.0	13.5	21.4	11.4	-	17.6	12.4	7.5
4.12iii Preventable sight loss - diabetic eye disease	2010/11	3.6	-	2.2	3.6	3.8	4.0	6.4	2.6	6.9	8.5	2.5	2.8	5.3	12.9	5.2	3.6	4.6	2.7	8.0	8.6
4.12iv Preventable sight loss - sight loss certifications	2010/11	43.1	34.3	49.9	43.0	62.3	59.7	64.8	37.5	19.5	54.7	37.3	54.6	34.4	46.5	59.2	41.1	35.1	55.6	40.4	39.8
4.14i Hip fractures in people aged 65 and over	2010/11	452	436	450	439	431	436	420	477	487	544	467	469	415	341	375	494	413	432	501	406
4.14ii Hip fractures in people aged 65 and over - aged 65-79	2010/11	224.2	242.7	239.2	198.1	207.4	207.0	184.5	223.2	214.4	249.0	237.1	256.1	205.5	198.7	185.3	245.4	226.3	185.0	298.1	192.4
4.14iii Hip fractures in people aged 65 and over - aged 80+	2010/11	1,476	1,306	1,398	1,521	1,437	1,468	1,480	1,619	1,711	1,869	1,501	1,426	1,359	980	1,229	1,614	1,253	1,543	1,415	1,365

When no preferred polarity: Lower Similar Higher Not compared

Summary Charts

Key


Oxfordshire

Other local authorities in the South East


Improving the wider determinants of health

Indicators for tracking progress against wider factors that affect health and wellbeing.


1.01. Children in poverty




1.03. Pupil absence




1.04. First time entrants to the youth justice system




1.05. 16-18 year olds not in education employment or training




1.06i. Adults with learning disabilities who live in stable and appropriate accommodation




1.06ii. Adults in contact with secondary mental health services who live in stable and appropriate accommodation




1.10. Killed and seriously injured casualties on England's roads




1.12ii. Violent crime (including sexual violence) - violence offences



1.13i. Re-offending levels - percentage of offenders who re-offend




1.13ii. Re-offending levels - average number of re-offences per offender




Improving the wider determinants of health continued

Indicators for tracking progress against wider factors that affect health and wellbeing.


1.14i. The percentage of the population affected by noise - Number of complaints about noise




1.15i. Statutory homelessness - homelessness acceptances



1.15ii. Statutory homelessness - households in temporary accommodation




1.16. Utilisation of outdoor space for exercise/health reasons




Health improvement

Indicators for tracking progress against helping people to live healthy lifestyles and make healthy choices.


2.01. Low birth weight of term babies




2.02i. Breastfeeding - Breastfeeding initiation




2.02ii. Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth




2.03. Smoking status at time of delivery




2.04. Under 18 conceptions




2.06i. Excess weight in 4-5 and 10-11 year olds - 4-5 year olds




2.06ii. Excess weight in 4-5 and 10-11 year olds - 10-11 year olds




2.08. Emotional well-being of looked after children



2.14. Smoking prevalence - adults (over 18s)




2.15. Successful completion of drug treatment




Health improvement continued

Indicators for tracking progress against helping people to live healthy lifestyles and make healthy choices.


2.17. Recorded diabetes




2.20i. Cancer screening coverage - breast cancer




2.20ii. Cancer screening coverage - cervical cancer




2.21vii. Access to non-cancer screening programmes - diabetic retinopathy




2.22i. Take up of NHS Health Check Programme by those eligible - health check offered




2.22ii. Take up of NHS Health Check programme by those eligible - health check take up




2.23i. Self-reported well-being - satisfied with life




2.23ii. Self-reported well-being - worthwhile



2.23iii. Self-reported well-being - happy yesterday




2.23iv. Self-reported well-being - anxious yesterday




Health improvement continued

Indicators for tracking progress against helping people to live healthy lifestyles and make healthy choices.


2.24i. Injuries due to falls in people aged 65 and over (Persons)




2.24i. Injuries due to falls in people aged 65 and over (Males)




2.24i. Injuries due to falls in people aged 65 and over (Females)



2.24ii. Injuries due to falls in people aged 65 and over - aged 65-79




2.24iii. Injuries due to falls in people aged 65 and over - aged 80+




Health protection

Indicators for tracking progress against protecting the population's health from major incidents and other threats.


3.01. Fraction of mortality attributable to particulate air pollution




3.02. Chlamydia diagnoses (15-24 year olds)




3.03i. Population vaccination coverage - Hepatitis B (1 year old)




3.03i. Population vaccination coverage - Hepatitis B (2 years old)




3.03iii. Population vaccination coverage - Dtap / IPV / Hib (1 year old)




3.03iii. Population vaccination coverage - Dtap / IPV / Hib (2 years old)




3.03iv. Population vaccination coverage - MenC




3.03v. Population vaccination coverage - PCV



3.03vi. Population vaccination coverage - Hib / MenC booster




3.03vii. Population vaccination coverage - PCV booster




Health protection continued

Indicators for tracking progress against protecting the population's health from major incidents and other threats.


3.03viii. Population vaccination coverage - MMR for one dose (2 years old)




3.03ix. Population vaccination coverage - MMR for one dose (5 years old)




3.03x. Population vaccination coverage - MMR for two doses (5 years old)




3.03xii. Population vaccination coverage - HPV




3.03xiii. Population vaccination coverage - PPV




3.03xiv. Population vaccination coverage - Flu (aged 65+)




3.03xv. Population vaccination coverage - Flu (at risk individuals)




3.05i. Treatment completion for TB



3.05ii. Treatment completion for TB - TB incidence




3.06. Public sector organisations with a board approved sustainable development management plan




Healthcare public health and preventing premature mortality

Indicators for tracking progress against reducing numbers of people living with preventable ill health and people dying prematurely.


4.03. Mortality from causes considered preventable (provisional)




4.04i. Under 75 mortality rate from cardiovascular diseases (including heart disease and stroke) (Provisional)




4.04ii. Under 75 mortality rate from cardiovascular diseases that is considered preventable (including heart disease and stroke) (Provisional)




4.05i. Under 75 mortality rate from cancer (Provisional)




4.05ii. Under 75 mortality rate from cancer that is considered preventable (Provisional)




4.06i. Under 75 mortality rate from liver disease (Provisional)




4.06ii. Under 75 mortality rate from liver disease that is considered preventable (Provisional)




4.07i. Under 75 mortality rate from respiratory diseases (Provisional)



4.07ii. Under 75 mortality rate from respiratory diseases that is considered preventable (Provisional)




4.10. Suicide rate




Healthcare public health and preventing premature mortality continued

Indicators for tracking progress against reducing numbers of people living with preventable ill health and people dying prematurely.


4.11. Emergency readmissions within 30 days of discharge from hospital (persons)




4.11. Emergency readmissions within 30 days of discharge from hospital (males)




4.11. Emergency readmissions within 30 days of discharge from hospital (females)




4.12i. Preventable sight loss - age related macular degeneration (AMD)




4.12ii. Preventable sight loss - glaucoma




4.12iii. Preventable sight loss - diabetic eye disease




4.12iv. Preventable sight loss - sight loss certifications




4.14i. Hip fractures in people aged 65 and over



4.14ii. Hip fractures in people aged 65 and over - aged 65-79



4.14iii. Hip fractures in people aged 65 and over - aged 80+




Inequalities

The Public Health Outcomes Framework focuses the whole system on achieving positive health outcomes for the population and reducing inequalities in health. The majority of indicators in this framework have the potential to impact on inequalities and we aspire to make it possible for all indicators to be disaggregated by equalities characteristics and by socioeconomic analysis wherever possible in order to support work locally to reduce in-area health inequalities where these persist. However, in this first publication, as well as breaking down some of the local authority level indicators by gender or age, we are also presenting data by equalities characteristics for a small number of indicators at national level only. These indicators are presented in this section.


1.03 - Pupil absence - by gender England 2010/11

	Value	LCI	UCI
England	— 5.79	5.78	5.81
Male	● 5.75	5.72	5.77
Female	● 5.84	5.82	5.87




1.03 - Pupil absence - by ethnicity England 2010/11

	Value	LCI	UCI
England	— 5.79	5.78	5.81
White	● 5.84	5.82	5.86
Mixed	● 6.17	6.08	6.27
Asian	● 5.92	5.86	5.99
Black	● 4.54	4.46	4.61
Chinese	● 3.36	3.13	3.60
Other	● 5.88	5.72	6.03



1.03 - Pupil absence - by deprivation England 2010/11

	Value	LCI	UCI
England	— 5.79	5.78	5.81
Decile 1 (least deprived)	● 4.23	4.17	4.28
Decile 2	● 4.54	4.48	4.59
Decile 3	● 4.84	4.78	4.90
Decile 4	● 5.09	5.03	5.15
Decile 5	● 5.43	5.37	5.49
Decile 6	● 5.78	5.72	5.84
Decile 7	● 6.16	6.10	6.22
Decile 8	● 6.48	6.42	6.54
Decile 9	● 6.83	6.77	6.89
Decile 10 (most deprived)	● 6.98	6.92	7.03




Key: ● Significantly lower ● Similar ● Significantly higher

Oxfordshire


1.06i - Percentage of all adults with learning disabilities who are known to the council, who are recorded as living in their own home or with their family - by gender England 2010/11

	Value	LCI	UCI
England	59.00	-	-
Male	58.20	-	-
Female	60.00	-	-




2.06i - Percentage of children aged 4-5 classified as overweight or obese - by ethnicity England 2010/11

	Value	LCI	UCI
England	22.60	22.50	22.70
White British	22.50	22.30	22.60
White Irish	23.80	21.80	25.90
Any Other White Background	23.10	22.60	23.60
White and Black Caribbean	25.50	24.40	26.70
White and Black African	26.90	25.30	28.50
White and Asian	16.90	15.90	18.00
Any Other Mixed Background	22.00	21.10	23.00
Indian	16.40	15.80	17.10
Pakistani	20.60	20.10	21.20
Bangladeshi	22.00	21.10	22.90
Any Other Asian Background	20.10	19.20	21.00
Black Caribbean	26.80	25.70	28.00
Black African	31.50	30.80	32.30
Any Other Black Background	29.30	28.00	30.50
Chinese	18.50	16.70	20.40
Any Other Ethnic Group	24.90	24.00	25.80
Not stated / Invalid	22.30	22.00	22.60



2.06i - Percentage of children aged 4-5 classified as overweight or obese - by deprivation England 2010/11


	Value	LCI	UCI
England	22.60	22.50	22.70
Decile 1 (least deprived)	18.20	17.90	18.50
Decile 2	19.50	19.20	19.90
Decile 3	20.20	19.90	20.60
Decile 4	21.10	20.80	21.50
Decile 5	21.90	21.50	22.30
Decile 6	22.80	22.50	23.20
Decile 7	23.70	23.40	24.10
Decile 8	24.20	23.80	24.50
Decile 9	25.40	25.10	25.70
Decile 10 (most deprived)	25.90	25.60	26.20



Key: ● Significantly lower ● Similar ● Significantly higher


2.06ii - Percentage of children aged 10-11 classified as overweight or obese - by ethnicity England 2010/11

	Value	LCI	UCI
England	33.40	33.30	33.50
White British	32.00	31.80	32.20
White Irish	31.80	29.50	34.20
Any Other White Background	35.20	34.60	35.90
White and Black Caribbean	38.40	37.10	39.80
White and Black African	39.90	37.70	42.20
White and Asian	30.60	29.10	32.20
Any Other Mixed Background	35.30	34.00	36.60
Indian	34.50	33.60	35.40
Pakistani	37.90	37.20	38.70
Bangladeshi	39.70	38.60	40.90
Any Other Asian Background	37.30	36.10	38.60
Black Caribbean	42.20	41.00	43.50
Black African	43.50	42.60	44.40
Any Other Black Background	42.20	40.70	43.80
Chinese	29.80	27.50	32.20
Any Other Ethnic Group	39.80	38.70	40.90
Not stated / Invalid	32.60	32.30	32.90




2.06ii - Percentage of children aged 10-11 classified as overweight or obese - by deprivation England 2010/11

	Value	LCI	UCI
England	33.40	33.30	33.50
Decile 1 (least deprived)	26.10	25.70	26.50
Decile 2	29.00	28.60	29.40
Decile 3	30.30	29.90	30.70
Decile 4	31.10	30.70	31.60
Decile 5	32.60	32.20	33.00
Decile 6	33.90	33.40	34.30
Decile 7	35.40	35.00	35.80
Decile 8	36.70	36.20	37.10
Decile 9	38.30	37.90	38.70
Decile 10 (most deprived)	38.10	37.80	38.50



3.02 - Chlamydia diagnosis (15-24 year olds) - by gender England 2010

	Value	LCI	UCI
England	2,220	2,209	2,232
Males	1,504	1,491	1,517
Females	2,965	2,947	2,984



Key: ● Significantly lower ● Similar ● Significantly higher