Drug and Alcohol Partnership Strategy 2020 - 2024

FINAL DRAFT

Contents

Vision	4
About this strategy	4
Executive summary	5
National Strategic context	6
Societal challenges of substance misuse	6
Violence and knife crime	6
County Drugs Lines - Child Drug Exploitation	7
Parental alcohol and drug misuse	8
Homelessness	8
Local Strategic Context	8
Oxfordshire Joint Health and Wellbeing strategy 2018 - 2023	8
Police and crime plan, Thames Valley 2017 - 2021	9
Oxfordshire Children and Young Person's Plan 2018 to 2022	9
Director of Public Health Annual Report	10
Partnerships	10
Demonstration of need	11
Alcohol	11
Drugs	12
Homelessness and rough sleeping	12
Children and young people	13
Crime	14
Mental health	14
Priorities	15
Implementation	16
Governance	16
Reporting	16
Action plans	16
Measurement of Outcomes	17
APPENDIX 1 : OVERVIEW OF DATA	18
ALCOHOL	18
SUBSTANCE MISUSE IN CHILDREN AND YOUNG PEOPLE	19
DRUG USE	20
CRIME	21
OTHER VULNERABLITIES	22
DRUG AND ALCOHOL SERVICES	23
PERFORMANCE	23

ND ALCOHOL NEEDS	OTHER KEY FINDINGS FROM THE DRUG
25	ASSESSMENT 2018/19:
26	REFERENCES

Vision

To work together to reduce the harm caused to individuals and to society by misuse of alcohol and drugs. This includes work on prevention, early intervention, treatment and promoting sustained recovery.

About this strategy

This strategy has been developed in collaboration with a range of partners to highlight the current challenges presented as a result of substance misuse in Oxfordshire, and to identify local priorities. It presents data on the impact of drug and alcohol use, and an assessment of need in this area.

The strategy will be used by the Safer Oxfordshire Partnership, and provides information for all partners and strategic health bodies in Oxfordshire to ensure we have commonly agreed priorities for tackling the harm and social challenges caused by substance misuse.

Every effort has been made to reference information that has been used in this document and the complete list is available at the end of the document.

Executive summary

Substance misuse is an issue that affects a broad spectrum of people across the population. The impact on society can be seen in several ways including crime, health and the economy. Alcohol and drug consumption is linked to many social determinants of health, and disproportionality affects disadvantaged populations. There is a significant financial burden associated with substance misuse in the UK.

As a result the strategic context for this partnership strategy is broad ranging but supports local priorities within Oxfordshire. It is recognised that the impact of COVID-19 has changed the pattern of drug and alcohol use, and this will be better understood in due course.

An assessment of need has highlighted the challenges that the use of drugs and alcohol in society present:

- Reduced health outcomes, especially associated with deprivation
- The link between illicit drugs and violence and other criminal activity,
- The significant threat posed by County Drug Lines (CDL), to vulnerable adults and children being drawn into exploitation.
- The need for support in vulnerable populations such as the homeless and those with mental health needs.
- The national and local challenge of unmet need for alcohol services

The priorities identified in this strategy are;

- 1. Reducing the risks to children and young people associated with substance misuse, including:
 - Combatting Country Drugs Lines, and Child Drug Exploitation, to safeguard children and young people from this risk
 - Identifying and addressing substance misuse in parents, to reduce the impact on children and parents.
- 2. Reduce the harms caused by alcohol, and in particular:
 - a. addressing the unmet need for alcohol support and treatment.
 - b. Improving earlier identification and prevention of alcohol harm
- 3. Supporting the vulnerable and complex needs population to address substance misuse and associated harms, with particular focus on:
 - Those with dual diagnosis (mental health and substance misuse)
 - Homeless population and those vulnerably housed
 - Those in deprived areas.

National Strategic context

Substance misuse is an issue that affects a broad spectrum of people across the population. The impact on society can be seen in several ways, ranging from child exploitation, reduced social and health outcomes for individuals, and impacts on the night-time economy. Alcohol and drug consumption is linked to many social determinants of health, and disproportionality affects disadvantaged populations.

There is a significant financial burden associated with substance misuse in the UK. Alcohol related harm costs to society are estimated to be £21 billion per year, which is made up of £11bn cost of crime, £3bn cost to the NHS and £7bn lost productivity, sickness or unemploymentⁱ Also in 2010/11 the home office estimated that illicit drug use cost society £10.7bn per year. ⁱⁱ

Substance misuse has significant impact on an individual's health. Analysis of literature showed that alcohol is the third leading risk factor for death or disability, after smoking and obesity, and is linked as a causal factor for more than 60 diseases. Also there is a much greater risk of mortality for substance misusers. Drug related deaths are significantly increasing in England and Wales, with latest figures showing a 16% annual increase (2018)ⁱⁱⁱ

Mental health and substance misuse are closely linked, and a dual diagnosis can be a challenge for patients. The Mental Health Taskforce Five Year forward view has ambition for people with diagnosed mental health problems accessing the holistic services they need, recognising the challenges to accessing these services when there is a dual diagnosis.^{iv}

There are also socio-economic factors associated with alcohol and drug use. Both drinking and illicit drug use is seen in greater proportions in populations with higher deprivation. Populations with severe disadvantage, such as the homeless, those with poor mental health, and offenders have a strong association with substance misuse.

Since the COVID pandemic started, and the lockdown in March 2020, the environment for substance misuse has changed significantly. The night-time economy closed, social activities ceased, general movement of people reduced significantly, and rough sleepers were provided with emergency accommodation. This has had an impact on the consumption of drugs and alcohol that is still being understood.

Societal challenges of substance misuse

There is a constantly changing picture of the challenges that the use of illicit drugs, and the excessive use of alcohol present. In addition to the health challenges highlighted above, there are some specific contexts in society which are significantly impacted by substance misuse, many of which are linked.

Violence and knife crime

The illicit drugs market has a recognised link to violent crime, which has been documented both nationally and internationally. This is due to both the psychotic

effects of the drugs, and the fact that any conflict between rival gangs controlling drug market areas is settled through violence and intimidation.

The World Health Organisation has recognised the need to adopt a whole system approach to preventing violence and this is reflected in their Sustainable Development Goals, several of which are related to tackling violence or addressing the risk factors for violence.^{vi}

The Serious Violence Strategy^{vii} made tackling this issue a national priority, and this was supported by providing funding for Violence Reduction Units and providing a Youth Endowment Fund which can be used to put early intervention efforts into tackling youth offending. All community safety partnerships have "Tackling Violence" as one of their priorities.

Locally in the Thames Valley region this has been tackled by commissioning a number of services providing primary, secondary and tertiary prevention interventions, with the aim of having a long-term reduction of violence.

The Thames Valley Violence Reduction Unit (VRU) vision is to have a generational and sustainable shift away from the increasing tertiary demand (i.e. response to incidents) through more primary interventions (e.g. education and prevention work) and targeted secondary intervention (e.g. intervention with youth offenders to prevent further criminal activity). All VRUs are adopting a multi-agency approach to preventing violence which is supported by the framework of a public health approach.

County Drugs Lines - Child Drug Exploitation

The 2018 Home Office Serious Crime Strategy^{ix} states the NPCC definition of a County Line is a term used to describe gangs and organised criminal networks involved in exporting illegal drugs into one or more importing areas [within the UK], using dedicated mobile phone lines or other form of "deal line".

The children involved in this activity are the victims of Child Drug Exploitation. This practice is very closely linked to violence, and the provision of early intervention and prevention is essential to protect children from this crime.

The criminals operating the County Drugs Lines business model can supply illicit drugs from urban areas through to more rural areas and smaller towns. They are highly adaptable if disrupted, forming new lines rapidly, and rely on targeting vulnerable children to carry substances around and be the contact point. The most commonly supplied substances through this route are heroin and crack cocaine though other substances such as cannabis are also supplied.* Groups involved in County Drugs Lines cause significant harm through criminal activity, through firearm use, violence and exploitation of young people and vulnerable adults. ix

County Lines present a major threat to community safety across the country and this is equally felt in the Thames Valley^{xi}.

Parental alcohol and drug misuse

The use of substances by parents has been shown to be a factor in children and young people requiring intervention from Children Social Care services, and is recognised in as a factor where for children and young people on plans, in serious case reviews, and amongst young carers. In addition, domestic abuse and mental health are often seen together as complicating factors in the parents of children engaged with local authority children's services. The impact of this can be seen in an increase in demand for children's social care services, and also an increase in hidden harm, and unmet need for children, whilst the needs of the parents are not always met. Recently, children's social care services have introduced multi-disciplinary support for parents to help then address their mental health and substance misuse needs and combat domestic violence, with the aim of reducing the barriers to effective parenting.

These factors are also recognised as being adverse childhood experiences. Evidence has shown that an adult who has experienced four or more adverse childhood experiences is significantly more likely to be a high-risk drinker or use drugs.^{xiii}

Homelessness

In the environment of COVID-19, the response to homelessness has been a rapidly changing situation. In March 2020 the Ministry of Housing Communities and Local Government (MHCLG) stated that all rough sleepers should be brought into emergency accommodation xiv and subsequent policies plan to avoid anyone needing to go back to rough sleeping.

Evidence has shown that people who are homeless or sleep rough have a range of complex health and social care needs. There is also a high prevalence of substance misuse amongst people who are homeless or experience rough sleeping xv xvi. There is not a simple solution to responding to these needs and a multi-agency approach is required to be successful. Tackling the substance misuse in this population is a key step to enabling them to move on from this crisis point.

The MHCLG provided funding for the Oxfordshire Homeless Trailblazer Programme, which aimed to prevent homelessness by taking a multi agency approach to intervening earlier before the person reached a crisis point.^{xvii}

Local Strategic Context

The Drug and Alcohol Partnership Strategy is being developed in the context of the priorities and objectives of key strategic bodies within Oxfordshire.

Oxfordshire Joint Health and Wellbeing strategy 2018 - 2023xviii

The following priorities within this strategy support actions to reduce the impact of drug and alcohol.

A Good Start in Life

• Enable children and young people to be well educated and grow up to lead successful, happy, healthy and safe lives.

- Schools and universal services working together with local, targeted and specialist services is key to improving outcomes.
- Shift the focus to prevention and early help through real partnerships and using resources effectively.

Living well

• Shift the focus to prevention, enabling people to get the information and support they need to make healthy choices.

Tackle inequalities

- We need to use information effectively to identify communities and groups who
 experience poorer outcomes and ensure the right services and support are
 available to them, measuring the impact of our work.
- We need to work together to build on the success of recent years in coordinating our approach to wellbeing challenges which are the responsibility of multiple agencies. Examples of this are coordinated work for homeless people and people suffering domestic abuse with City and District Councils

The **Oxfordshire Prevention Framework 2019-2024** xix has been developed with these priorities in mind, adopting the principle of:

- Prevent illness
- Reduce the need for treatment
- Delay the need for care

The use of alcohol and drugs impacts on several preventable risk factors identified in the prevention framework, but there are also specific recommendations for alcohol:

- Joint ambition for addressing alcohol related harm across the partnership.
- The Alcohol Care Team (ACT) in the hospital trust is expanded. Use of fibrosis scanning to assess alcohol related liver damage early.
- The Community Safety Practitioner service in the Emergency Dept is increased in capacity to work with the ACT and other services.
- Identification and Brief Advice / referrals in primary care increased.
- Increase accessibility to alcohol services for the whole population, including those drinking at harmful but not hazardous levels.

Police and crime plan, Thames Valley 2017 - 2021 xx

This Plan identifies the priorities of the Police and Crime Commissioner in the Thames Valley

Reducing Re-Offending

- Substance abuse
- Gangs and Knife Crime

Serious Organised Crime and Terrorism

• Exploitation of vulnerable people

Oxfordshire Children and Young Person's Plan 2018 to 2022xxi

This plan describes 5 Areas of Focus, Of which the following support the wider agenda around drug and alcohol work:

Be happy and healthy

- be confident that services are available to promote good health and prevent ill health early in life and before crisis
- · access services to improve overall well being

Be safe

be protected from all types of abuse and neglect

Director of Public Health Annual Reportxxii

This strategy takes into account the priorities of the Director of Public Health's Annual Report, which highlights the challenges and opportunities we face in Oxfordshire. Of specific interest to the substance misuse agenda, are;

- Focus on social and wider determinants of health, of which substance misuse is a factor, and how these expose inequalities in some wards in Oxfordshire.
- Focus on prevention along the Promote, Prevent, Reduce, Delay model

Partnerships

Oxfordshire has benefited from a Drug and Alcohol Partnership Strategy for several years, producing outputs such as a joint approach to "Legal Highs". It has been clearly identified in the local and national strategies mentioned in this document that multiagency, and partnership working is essential to be able to effectively solve the complex challenges posed by substance misuse. The partners, who can work together to deliver this strategy, include:

- Public Health, Oxfordshire County Council
- Oxfordshire Clinical Commissioning Group
- Primary Care Providers including GPs, Pharmacists
- Ambulance and first response services
- Local Medical Committee and Local Pharmaceutical Committee
- Adult services, Oxfordshire County Council
- Children, Education and Families, Oxfordshire County Council
- District Councils including Community Safety and Housing Teams
- Early Years settings, schools, colleges and universities in the county
- Housing and homelessness services
- Substance misuse services
- Thames Valley Police
- Local representatives of the Armed Forces
- Probation services
- Public Health England
- Oxfordshire Fire and Rescue Service
- Youth Offending Service
- Licensing Teams
- Oxford University Hospitals Trust
- HM Prison Services
- Oxford Health NHS Foundation Trust
- NHS England
- Charities and voluntary sector
- · People in services and their families.


Demonstration of need

A number of data sources have been reviewed to identify the specific needs for the substance misusing population in Oxfordshire. A detailed Drug and Alcohol Needs Assessment^{xi}, considering a wide range of available data sources, was completed in 2018 and this has been used to inform the priorities of this strategy. More up to date information has been reviewed from the draft 2020 JSNA and other sources, and this is summarised in Appendix One. In addition, a Health Needs Assessment for the Adult Street Homeless Population^{xxiii} was completed in 2019 and this has informed our understanding of this population.

The information below gives a summary of the key findings from this review and the proposed priorities as a result of the areas of need identified.

Alcohol

Alcohol misuse is estimated to cost the NHS about £3.5 billion per year and society as a whole £21 billion annually.



Source: https://www.gov.uk/government/publications/health-matters-harmful-drinking-and-alcohol-dependence/health-matters-harmful-drinking-and-alcohol-dependence
<a href="https://www.gov.uk/government/publications/health-matters-harmful-drinking-and-alcohol-dependence/health-matters-h

National data shows that more men than women drink alcohol, with 30% of men and 14% of women drinking at increasing or higher risk levels. Also, adults in the least deprived areas are more likely to drink at increased risk levels. The COVID lockdown has had an impact on people's drinking habits with a greater proportion of those aged 35 to 74 drinking at higher risk levels, and a greater volume of alcohol purchased by the lesser deprived areas. **xv


Alcohol related hospital admissions for adults are lower than national average in Oxfordshire however this is balanced against a national challenge of unmet need for alcohol services which is higher than average in Oxfordshire at 86.4%.

Drugs

The use of illicit drugs has a significant cost to society, linked to the health needs and criminality.

Public Health England

Healthmatters Drug misuse harms society



Source: <a href="https://www.gov.uk/government/publications/health-matters-preventing-drug-misuse-deaths/heal

In Oxfordshire, the use of illicit drugs has increased since 2015 /16 with 5% of adults saying they've taken a drug in the last month. Also, there's an increasing trend in the use of Class A drugs; particularly the use of powder cocaine and ecstasy in 16 to 24-year olds. The use of Class A drugs is associated with the night-time economy and generally in more urban areas. Hospital admissions for the use of drugs peaks between the ages of 25 and 34 in Oxfordshire, and although admissions amongst older people are low, numbers are rising in those aged over 45. These admissions rates are linked with levels of deprivation

Whilst drug related deaths in Oxfordshire are lower than national average, when considering this at a district level, more than half of the Oxfordshire drug related deaths were in Oxford.

Homelessness and rough sleeping

The needs of the rough sleeping population are well recognised nationally and range from substance misuse to mental health and other general health needs. This is a

vulnerable population who are at risk of being targeted by or being involved in criminality.



Source: https://publichealthmatters.blog.gov.uk/2019/09/30/health-matters-rough-sleeping/

The Health Needs Assessment for the Adult Street Homeless Population (2019) identifies provision of substance misuse support as a clear need for this population within Oxfordshire. The assessment identified there were around 1000 homeless adults either sleeping rough or in supported accommodation over the course of a year. Around 80% of these are male but the proportion of women is increasing. Rough sleeping is in greater concentration in the cities within the County, with the highest levels in Oxford.

Children and young people

The proportion of children drinking or using drugs increases between the age of 11 to 15 years. 6% of pupils in this age group said they drank alcohol at least once a week whilst 17% reported having taken drugs in the last year.

Substance misuse is a recognised factor in a child needing interventions from local authority children's services. Substance misuse, often seen in tandem with other issues such as poor mental health, conflict in families and domestic abuse have a significant impact on an adults' parenting ability and therefore a long-term impact on the child's welfare. In Oxfordshire, drug misuse and alcohol misuse were noted as the 3rd and 4th highest risk factors in the assessment of children in need, after domestic violence and mental health, and these were both higher than the England average in 2018/19^{xxvi}

Alcohol related hospital admissions in Oxfordshire for children are significantly higher than for England and the South East region, and admissions are higher in females than males.

Crime

Substance misuse is closely linked with criminality, with alcohol related crimes accounting for 5% of all crimes in Oxfordshire in 2019, and Oxford recording the highest number out of the districts.

One of the greatest current risks associated with illicit drugs is Child Exploitation and County Drugs Lines. The drug and alcohol needs assessment from 2018/19 reported 14 County Lines operating around Oxfordshire at that time. This data will not reflect the current position as county lines rapidly evolve to maintain the supply chain for illicit drugs, but this issue continues to cause a significant safeguarding challenge in Oxfordshire.

Mental health

The Drug and Alcohol Needs Assessment identified that more than half of individuals who seek drug and alcohol treatment services have concomitant mental health treatment needs (dual diagnosis). This is a common thread amongst other areas of vulnerabilities such as homelessness and is also recognised by Children's Social Care in parenting needs.

Priorities

The priorities for the Drug and Alcohol Partnership are based on an overview of national surveillance data and the review of the needs in Oxfordshire, also the local and national strategies.

In order to achieve effective outcomes for this strategy an agreed approach of data sharing and joint working across agencies will continue to be adopted, as it has in previous years.


The priorities are;

- 1. Reducing the risks to children and young people associated with substance misuse, including:
 - Combatting Country Drugs Lines, and Child Drug Exploitation, to safeguard children and young people from this risk
 - Identifying and addressing substance misuse in parents, to reduce the impact on children and parents.
- 2. Reduce the harms caused by alcohol, and in particular:
 - addressing the unmet need for alcohol support and treatment.
 - improving earlier identification and prevention of alcohol harm
- 3. Supporting the vulnerable and complex needs population to address substance misuse and associated harms, with particular focus on:
 - Those with dual diagnosis (mental health and substance misuse)
 - · Homeless population and those vulnerably housed
 - Those in deprived areas.

Implementation

Governance

The governance for this strategy is defined below. The Drug and Alcohol Partnership Strategy is a virtual partnership, led by Public Health, and reports to the Safer Oxfordshire Partnership Working Group, and the Health Improvement Board.



There are two partnership groups which focus specifically on substance misuse; the Children and Young Persons Substance Misuse Forum, and the Alcohol Partnership Group. However, substance misuse has an impact on a far wider range of social issues and this strategy highlights partnership work in those areas. These areas include, but are not limited to:

- Homelessness and rough sleeping
- Violence Reduction
- Family Safeguarding Model
- Reducing Reoffending
- Mental Health
- Secondary care pathways

Reporting

An annual report will be developed reflecting the work that has been undertaken in all partnerships relevant to this strategy and presented at the Safer Oxfordshire Partnership Working Group and Health Improvement Board.

Action plans

The substance misuse partnership groups will develop an action plan and implement actions based on these priorities.

For partnership groups where substance misuse is a factor in the work, actions will be reviewed to achieve alignment with the priorities in this strategy. Action plans will be reviewed annually.

Measurement of Outcomes

The overarching indicators this strategy will be:

Number of users of OPIATES that left drug treatment successfully (free of drug(s) of dependence) who do not then re-present to treatment again within 6 months as a percentage of the total number of opiate users in treatment.

Target: >6.6%

Number of users on NON-OPIATES that left drug treatment successfully (free of drug(s) of dependence) who do not then re-present to treatment again within 6 months as a percentage of the total number of non-opiate users in treatment. Target: >36.6%

"Number of users on ALCOHOL ONLY that left treatment successfully (free of alcohol dependence) who do not then re-present to treatment again within 6 months as a percentage of the total number of ALCOHOL ONLY users in treatment.

Target: >42.8%

Death from Drug Misuse : measured as a standardised rate per 100,000,. Target : England rate 16/17 -18/19 : 4.5

Further indicators relating to action plans will be drawn up by partnership groups.

APPENDIX 1: OVERVIEW OF DATA

The data presented here has been summarised from the Oxfordshire draft Joint Strategic Needs Assessment 2020^{xxiv}, and a number of other data sources, to present a picture of need for substance misuse nationally and in Oxfordshire.


ALCOHOL

Alcohol consumption is a contributing factor to hospital admissions and deaths from a diverse range of conditions.

Alcohol consumption - national data

- National survey data show that 65% of men and 50% of women had drunk alcohol in the last week
- The proportion of men and women drinking in the last week increased with age and was highest among both men and women aged 65 to 74 (71% and 58% respectively)
- 30% of men and 14% of women drank at increasing and higher risk levels (over 14 units per week)
- This statistic has been exasperated since the COVID lockdown, with a greater percentage of 35 – 74 year olds drinking at higher risk levels since that time xxv

Percentage of respondents aged 18+ years who consumed each of the unit groupings during a typical week before and during lockdown in England, by age group: survey results up to 13/07/2020 – Persons Source: PHE analysis of YouGov survey data.



Non drinker / did not drink pre lockdown
 Up to 14 units per week (lower risk)
 Greater than 14, up to 21, units per week (increased risk)
 Greater than 21, up to 35, units per week (increased risk)
 Greater than 35, up to 50, units per week (increased risk)
 More than 50 units per week (higher risk)

 Adults in least deprived areas were more likely to drink over 14 units pw (27%) (the recommended amount) than those in most deprived areas (18%). Again, this difference has been increased since the COVID lockdown.

Oxfordshire data

Alcohol related hospital admissions - adults

- In 2018/19, there were 3,114 admission episodes for alcohol-specific (wholly attributable to alcohol) conditions in Oxfordshire, equivalent to 472 admissions per 100,000 population
- There were 3,316 admission episodes for alcohol-related (primary or secondary diagnosis is alcohol related) conditions in Oxfordshire, equivalent to 497 admissions per 100,000 population
- This is significantly lower than national and regional rates

SUBSTANCE MISUSE IN CHILDREN AND YOUNG PEOPLE

Alcohol drinking in young people – national data

- 6% of all pupils aged 11-15 said they usually drank alcohol at least once per week
- a further 11% of pupils said they usually drank between once a fortnight and once a month, meaning a total of 17% who said they usually drank alcohol at least once a month
- The proportion usually drinking once a week increased with age, from 1% of 11 year olds to 14% of 15 year olds
- White pupils were most likely to have had an alcoholic drink in the last week, with 13% having done so. This compares to 7% of Mixed ethnicity pupils, 3% of Black pupils and only 1% of Asian pupils

Oxfordshire data

Alcohol related hospital admissions - Young people

- There were 165 admissions of people aged under 18 in Oxfordshire due to alcohol-specific conditions in the three year period 2016/17 to 2018/19
- This is equivalent to a rate of 38.3 admissions per 100,000 population, significantly higher than the England and South East averages
- Unlike the older age groups, admissions are higher in females than males. In the
 most recent data, the rate per 100,000 in Oxfordshire was 27.2 in males (similar
 to England and South East) and 49.9 in females (significantly worse than
 England and South East)

Drug use in school pupils aged 11-15 – national data

- In 2018, 24% of pupils reported they had ever taken drugs, the same as in 2016
- 17% of pupils said that they had taken drugs in the last year, compared to 18% in 2016 (not a statistically significant difference)
- The difference in prevalence between the proportion of boys (18%) and girls (16%) who had taken drugs in the last year was not statistically significant
- The likelihood of having taken drugs in the last year increased with age, from 5% of 11 year olds to 31% of 15 year olds


 Asian pupils were less likely than other ethnic groups to have taken drugs in the last year; 13%, compared to 23% of mixed ethnicity pupils, 18% of Black pupils, and 17% of White pupils

Illicit drug use in young adults - national data

- Around 1 in 5 (20.3%) people aged 16-24 had taken a drug in the last year, with an apparent increase since the 2015/16 survey (18.0%)
- 1 in 9 (11.4%) had taken a drug in the last month
- 1 in 11 (8.7%) 16-24 year olds had taken a Class A drug in the last year

Substance misuse as a factor in social care interventions with children xxvi

 Both alcohol and drug misuse is recognised as a contributing factor Where a child is being assessed as a child in need or for child protection My children social services



*Includes concerns regarding (a) the child, (b) parent/carer or (c) another person living in household. Each of these factors (a, b or c) may be counted once against each episode. For example: where concerns about drug misuse by the child, parent(s)/carer(s) and another person living in household are all identified within an episode of need, they are each counted once against that episode and all three included in the figures for drug misuse.

DRUG USE

Illicit drug use -national data

- National data show that around 1 in 11 (9.4%) people aged 16 to 59 had taken an illicit drug in the last year, indicating an increase since the 2015/16 survey (8.3%)
- 1 in 20 (5%) had taken a drug in the last month
- Younger people are more likely to have taken drugs than older people
- 1 in 25 (3.7%) people aged 16-59 years reported taking a Class A drug in the last year, following a generally upward trend since 2011/12. This increase was driven primarily by use of powder cocaine and ecstasy in 16-24 year olds

- Men (12.6%) were around twice as likely as women (6.3%) to take any drug in the last year
- Higher prevalence of drug use was associated with more frequent visits to pubs, bars and nightclubs
- Class A drug use in the last year was around 11 times higher among those who
 had visited a nightclub at least four times in the past month (24.5%), compared
 with those who had not visited a nightclub in the past month (2.3
- People living in urban areas (9.8%) were more likely to have taken any drug in the last year than those living in rural areas (7.7%)

Hospital admissions related to drug misuse

- In 2018/19, there were 40 admissions for drug-related mental and behavioural disorders in Oxfordshire. This equates to 6 admissions per 100,000 population, lower than the regional (7 per 100,000) and national (13 per 100,000) rates
- In the same period, there were 795 admissions where drug-related mental and behavioural disorders were a factor, which equates to 116 admissions per 100,000, higher than the regional rate (110 per 100,000) but lower than the national rate (175 per 100,000)
- There were 185 admissions (27 per 100,000) for poisoning by drug misuse in Oxfordshire in 2018/19, compared to 26 per 100,000 in the region and 33 per 100,000 in England
- National data show that more men than women were admitted to hospital for drug related mental and behavioural disorders (74% male), but similar proportions for admissions due to poisoning by drug misuse (49% male)
- Admissions for drug related mental and behavioural disorders, and for poisoning by drug misuse, show similar age profiles. Levels are highest for younger people (apart from those under 16), peaking between ages 25 and 34. Admissions for drug related mental and behavioural disorders are very uncommon in those aged under 16 and over 64. Although admissions amongst older people are low, numbers are rising most in those aged over 45
- Admission rates for both drug related mental and behavioural disorders, and for poisoning by drug misuse **increase with the level of deprivation**

Drug-Related Deaths


- Analysis of the Global Burden of Disease Survey 2013 shows that drug use disorders are now the third ranked cause of death in the 15–49 age group in England.
- Local data shows that Oxfordshire has one of the lowest rates of deaths from drug misuse in the South East region and is significantly lower than the England average.
- However, there were still 48 deaths (DSR rate 2.4 per 100,000) from drug misuse between 2016 and 2018 in Oxfordshire, compared to 1,021 in South East (rate 3.9):
- More than half of these deaths were in Oxford City.

CRIME

Alcohol related crime

In 2019 (Jan-Dec) Thames Valley Police recorded 2,221 alcohol-related crimes in Oxfordshire similar to the number in 2018 (2,248). Alcohol-related crimes were 5% of all crimes in the county.

 Between 2018 and 2019, Alcohol-related crime increased in South Oxfordshire and Oxford City and declined in other districts.



Note: This data is for all recorded crimes in Oxfordshire where the substance use field has been recorded as 'Alcohol' related. 2018 data has also had the new qualifiers of 'Alcohol related -crime suspect' and 'Alcohol related -crime victim' added to the report. Thames Valley Police Crime Recording System -Niche RMS

OTHER VULNERABLITIES

Fires linked to drugs and alcohol

- During the 2018/19 financial year there were 23 dwelling fires in Oxfordshire with a cause that may have been linked to drugs or alcohol, accounting for 7% of the 315 total dwelling fires during this period. This is above the number in each of the previous two years (11 in 2017/18 and 18 in 2016/17).
- Two thirds (16) of the fires linked to drugs and alcohol were accidental six were deliberate and one unknown

Rough sleeping

The homeless population is difficult to see and measure but represents a broad group with diverse needs

- No formal estimates exist for the size of the street homeless population in Oxfordshire. The best guess of the number of rough sleepers at any one time comes from estimates based on street counts.
- A health needs assessment of the adult street homeless population in Oxfordshire estimated that, on any one night, 100-150 people sleep rough somewhere in the county and between 350-400 homeless adults sleep in some form of supported accommodation each night.

- By combining annual estimates of rough sleepers (~600-700) with those in supported accommodation (~600-650), and then discounting the overlap between these groups (~200-300), it is estimated that around 1,000 homeless adults sleep rough or in supported accommodation in the course of a year.
- Around 80% of homeless adults are male, but the proportion of women has increased in recent years. Most homeless adults are aged between 30 and 50, but the proportion of young people has increased in recent years

DRUG AND ALCOHOL SERVICES

Adults

- In 2018/19 there were 1,870 adults (aged 18 and over) in specialist drug treatment in Oxfordshire. This is down again by 2% from last year.
- The majority of those in drug treatment were aged between 30 to 49 (1,346 72%)
- The number of adults in treatment for alcohol only in Oxfordshire in 2018-19 was 587, the majority of whom were aged 30 to 59. (78%)


Young people

- In 2018/19 the number of young people (aged under 18 years) in specialist substance misuse services in Oxfordshire was 185.
- 71 began using their main substance before they reached 15 years of age
- 79 were using two or more substance (this includes Alcohol)
- 30 reported being affected by others' substance misuse.
- 47 identified as having a mental health treatment needs
- 40 receiving treatment for their mental health need(s)
- Referrals were predominantly from education services (31%) and children and family services (47%).

PERFORMANCE

In the Public Health Outcome Framework the measure for substance misuse services is "the proportion of all in treatment who successfully complete treatment and do not represent within six months". Within Oxfordshire the performance on


these measures is higher than national average and within the top quartile.



Unmet need

Unmet need is an estimate based on the prevalence and the number of people in treatment and highlights the need to increase the reach of services.

The unmet need for Alcohol is higher than national average at 86.4% locally compared to 82.6% nationally. for all other substances the unmet need is lower or equivalent to national average^{xxvii}



OTHER KEY FINDINGS FROM THE DRUG AND ALCOHOL NEEDS ASSESSMENT 2018/19:

Health:

- More than half of individuals who seek drug and alcohol treatment services have concomitant mental health treatment needs
- Individuals with alcohol dependence or substance misuse face substantial associated health inequalities, including higher rates of premature morbidity and mortality.
- Nationally 80% of alcohol dependent and near 100% opioid dependent users also smoke.

Inequalities:

- Cherwell and Oxford City are the two districts in Oxfordshire with the highest levels of population growth, socioeconomic deprivation, urban living and homelessness. These districts therefore constitute the highest risk areas for substance misuse.
- Young white males who live in socioeconomically deprived urban areas have the highest rates of alcohol and drug misuse in Oxfordshire.

Social impact

Substance misuse has a high social cost from associated public order & criminality in Oxfordshire.

Safeguarding

- Alcohol and/or drug misuse is ubiquitous among sex workers
- Approximately 1 in 5 presentations to alcohol misuse treatment services, and 1 in 4 presentations to drug misuse treatment services, reported **living with children**. Alcohol and drug use were identified as risk factors in assessments by children's social care, at higher than national rates.

REFERENCES

i https://www.gov.uk/government/publications/health-matters-harmful-drinking-and-alcohol-dependence/health-matters-harmful-drinking-and-alcohol-dependence

ii https://www.gov.uk/government/publications/health-matters-preventing-drug-misuse-deaths/health-matters-preve

https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/bulletins/deathsrelatedtodrugpoisoninginenglandandwales/2018registrations

iv https://www.england.nhs.uk/wp-content/uploads/2016/02/Mental-Health-Taskforce-FYFV-final.pdf

https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/698009/serious-violence-strategy.pdf

vi https://www.un.org/sustainabledevelopment/

vii

https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/69 8009/serious-violence-strategy.pdf

viii

https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/86 2794/multi-agency approach to serious violence prevention.pdf

ix

https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/75 2850/SOC-2018-web.pdf

- * https://www.nationalcrimeagency.gov.uk/who-we-are/publications/257-county-lines-drug-supply-vulnerability-and-harm-2018/file
- https://insight.oxfordshire.gov.uk/cms/system/files/documents/20190416_Drug_Alcohol_NeedsAss essment 0.pdf
- https://www.gov.uk/government/publications/safeguarding-children-affected-by-parental-alcohol-and-drug-use/safeguarding-and-promoting-the-welfare-of-children-affected-by-parental-alcohol-and-drug-use-a-quide-for-local-authorities
- xiii https://www.gov.uk/government/publications/better-mental-health-jsna-toolkit/5-children-and-young-people

https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/87 6466/Letter_from_Minister_Hall_to_Local_Authorities.pdf

- xv https://www.kingsfund.org.uk/publications/delivering-health-care-people-sleep-rough
- xvi https://publichealthmatters.blog.gov.uk/2019/09/30/health-matters-rough-sleeping/
- xvii https://mycouncil.oxford.gov.uk/documents/s45919/Appendix%201.pdf
- xviii https://www.oxfordshire.gov.uk/sites/default/files/file/constitution/oxfordshirejointhwbstrategy.pdf
- xix https://mycouncil.oxfordshire.gov.uk/documents/s48508/HWB_SEP2619R02%20-%20Prevention%20Framework%20Report.pdf

xxiv https://insight.oxfordshire.gov.uk/cms/joint-strategic-needs-assessment

xxv https://analytics.phe.gov.uk/apps/covid-19-indirect-effects/

XXV

https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/843046/Characteristics of children in need 2018 to 2019 main text.pdf

xxvii Source Diagnostic outcomes monitoring executive summary (DOMES) report Q4 2019-20

xx https://www.thamesvalley-pcc.gov.uk/police-and-crime-plan/

xxi https://www.oxfordshire.gov.uk/residents/children-education-and-families/childrens-services/delivering-services-children/children-young-peoples-plan

xxiihttps://www.oxfordshire.gov.uk/residents/social-and-health-care/public-health-and-wellbeing/public-health-annual-report

xxiii https://insight.oxfordshire.gov.uk/cms/health-needs-assessment-adult-street-homeless-population-oxfordshire